

NAROK COUNTY GOVERNMENT

TENDER FOR THE EXPANSION OF NAIREGIE ENKARE SUB COUNTY HOSPITAL & ASSOCIATED WORKS

TENDER NO: NCG/TECH/EXPANSION/WORKS/034/2021-2022

BID DOCUMENT

- > INVITATION FOR TENDERS
- > INSTRUCTIONS TO BIDDERS
- > QUALIFICATION CRITERIA
- > CONDITIONS OF CONTRACT
- > SPECIFICATIONS, DRAWINGS AND BILLS OF QUANTITIES
- > APPENDIX TO FORM OF TENDER
- > STANDARD FORMS

RESERVED FOR SPECIAL GROUP CONTRACTORS ONLY

MINISTRY OF HEALTH & SANITATION NAROK COUNTY GOVERNMENT, P.O. BOX 898–20500, NAROK. THE GOVERNOR, NAROK COUNTY GOVERNMENT, P.O. BOX 898–20500, NAROK.





FOR PROCUREMENT OF WORKS (BUILDING AND ASSOCIATED CIVIL ENGINEERINGWORKS)

PUBLIC PROCUREMENT REGULATORY AUTHORITY (PPRA)

February, 2021

Copyright @ February 2021, Government of Kenya (GOK) for PPRA All Rights Reserved

TABLE OF CONTENTS

1. T.	TABLE OF CONTENTS	i
2. PA	PART 1 - TENDERING PROCEDURES	T)
3. P	PART 2 - PROCUREMENT ENTITY'S REQUIREMENTS	V
	PART 3 - CONDITIONS OF CONTRACT ANDCONTRACTFORMS	
TNIX/T	TTATION TO TENDER	::
PART	RT 1:TENDERING PROCEDURES	1
SECT	CTION I - INSTRUCTIONSTOTENDERERS	1
	GENERALPROVISIONS	
1.0	Scope of tender	1
2.0	Fraud and corruption	
3.0	Eligible tenderers	
4.0	Eligible goods, equipment, and services	
5.0	Tenderer'sresponsibilities	3
В. С	CONTENTS OFTENDER DOCUMENTS	4
6.0	Sections of Tender Document	4
7.0	Clarification of Tender Document, Site Visit, Pre-tender Meeting	
8.0	Amendment of Tender Documents	
10.0		
11.0	Documents Comprising the Tender	5
12.0		
13.0		
14.0		6
15.0	J	
16.0		
17.0		7
18.0	J control of the cont	
19.0	Tender Security	8
20.0	Format and Signing ofTender	9
D. SI	SUBMISSION AND OPENINGOFTENDERS	11
21.0		11
22.0		
23.0		
24.0	, ,	
25.0	Tender Opening	
E. E	EVALUATION AND COMPARISONOFTENDERS	
26.0	Confidentiality	12
27.0		
29.0	1	
30.0	Non-material Non-conformities	
31.0		
33.0	\mathcal{E}	
34.0	Nominated Subcontractors	14

35.0	Evaluation of Tenders	15
36.0	Comparison of tenders	15
37.0	Abnormally low tenders and abnormally high tenders	15
A 1	II. I	1.5
Abnor	rmally LowTenders	15
Abnor	rmally high tenders	15
38.0	Unbalanced and/or front-loaded tenders	
39.0	Qualifications of the tenderer	
40.0	Lowest evaluated tender	
41.0	Procuring entity's right to accept any tender, and to reject any oralltenders	
F. AV	VARD OFCONTRACT	17
40.0		
42.0	Award criteria	
43.0	Notice of intention to enter into a contract	
44.0	Standstill Period	
44.0	Standstill Period	
45.0	Debriefing By TheProcuring Entity	
46.0	Letter of Award	17
47.0	Signing of Contract	17
48.0	Performance Security	17
49.0	Publication of Procurement Contract	18
50.0	Procurement related Complaint	18
SECT	TION II - TENDER DATASHEET(TDS)	18
SECT	TION III - EVALUATION AND QUALIFICATION CRITERIA	
1.	General Provisions	22
2.	Preliminary examination for Determination of Responsiveness	22
3.		
4.		
5.	•	
6.	8	
7.	1	
8.	QUALIFICATION FORM	25
SECT	TION IV -TENDERINGFORMS	28
1.		
2.	Form EQU: EQUIPMENT	
3.		
4.		
5.	TENDERERS QUALIFICATIONWITHOUTPRE-QUALIFICATION	33
ОТНІ	ER FORMS	43
1	FORM OF TENDER	42
1.		
	a) TENDERER'S ELIGIBILITY- CONFIDENTIALBUSINESS QUESTIONNAIRE	
	b) CERTIFICATE OF INDEPENDENTTENDERDETERMINATION	
	c) SELF-DECLARATION FORM - SELF DECLARATION OFTHETENDERER	
	d) APPENDIX 1 - FRAUD AND CORRUPTION	54
2.	FORM OF TENDER SECURITY - DEMANDBANKGUARANTEE	56
3.	,	
4.		
5.	APPENDIX TO TENDER	59

SECT	ION V – BILLS OF QUANTITIES	
1.	PREAMBLES	
2.	Bill No. 1 – Preliminary Items	
3.	Bill No. 2: Work Items	
4.	Bill No. 3: Schedule of Daywork Rates - Labour	
5.	Bill No. 3: Schedule of Daywork Rates - Materials	
6.	Bill No. 3: Schedule of Daywork Rates - Contractor's Equipment	
7. 8.	Bill No. 3: Daywork Summary Bill No. 4: Provisional Sums	
9.	GRAND SUMMARY	
SECT	ION VI - SPECIFICATIONS	73
SECT	ION VII - DRAWINGS	73
SECT	ION VIII - GENERAL CONDITIONS OFCONTRACT (GCC)	74
1. Ge	neral Provisions	74
2. Th	e Procuring Entity	80
	e Engineer	
4. Th	e Contractor	83
5. No	ominated Subcontractors	91
	aff and Labor	
7. Pla	ant, Materials and Workmanship	95
	ommencement, Delays and Suspension	
	sts on Completion	
	ocuring Entity's Taking Over	
	fects Liability	
12. Me	easurement and Evaluation	104
13. Va	riations and Adjustments	105
	ontract Price and Payment	
	rmination by Procuring Entity	
	spension and Termination by Contractor	
	sk and Responsibility	
	surance	
	rce Majeure	
	ttlement of Claims and Disputes	
Section	n IX - Special Conditions of Contract	130
SECT	ION X – CONTRACT FORMS	132
FORM	I No. 1 - NOTIFICATION OF INTENTIONTOAWARD	133
FORM	I No. 2 - NOTIFICATION OF AWARD - LETTEROFACCEPTANCE	135
FORM	I No. 3 – CONTRACT AGREEMENT	136
FORM	I No. 4 - PERFORMANCE SECURITY [Option 1 - Unconditional DemandBank Guarantee]	137
	I No. 5- PERFORMANCE SECURITY [Option 2 – Performance Bond]	
	I No. 6 – ADVANCE PAYMENT SECURITY	
FORM	I No. 7 – RETENTION MONEY SECURITY	141

20 PART 1 – TENDERING PROCEDURES

i) Section I - Instructions to Tenderers (ITT)

This Section provides relevant information to help tenderers prepare their tenders. Information is also provided on the submission, opening, and evaluation of tenders and on the award of Contracts. Section I contains provisions that are to be used without modification by the Procuring Entity or by a Tenderer.

ii) Section II - Tender Data Sheet (TDS)

This Section includes provisions that are specific to each procurement and that supplement Section I, Instructions to Tenderers. This section shall be completed appropriately by the Procuring Entity and not by

A Tenderer. In any case, the Procuring Entity shall not add any item in the TDS not included in the Standard Tender Document.

iii) Section III - Evaluation and Qualification Criteria

This Section specifies the criteria to determine the Lowest Evaluated Tender that would be considered for contract award; that is the tenderer that meets the qualification criteria and whose tender has been determined to be:

- a) Substantially responsive to the bidding document, and
- b) The lowest evaluated cost.

No other criterion shall be added by the Procuring Entity. Some parts of this section may be omitted by the Procuring Entity (and not by a Tenderer) to suit the subject procurement. For example, in some cases evaluation may not include Margin of Preference, so any reference to considerations for Margin of Preference will be omitted. The Procuring Entity will complete the parts of the Criterion only as guided and allowed in this section. For example, if the criterion provides "Postqualification and Contract ward" and lists an item that says "Other conditions......", the Entity shall only include the conditions that are allowed in the Standard Tender Document.

iv) Section IV - Tendering Forms

This Section includes the Form of Tender and other forms to be submitted; e.g. priced Schedules of Requirements, Bills of Quantities, Schedules of technical proposal, including technical and financial qualifications, personnel, financial resources, equipment, Tender Security and others to be completed and submitted by the Tenderer as par to fits Tender.

3. PART 2 – PROCUREMENT ENTITY'S REQUIREMENTS

This Section contains the Procuring Entity's Schedules of Requirements, Specifications, Drawings, and supplementary information that describe the items to be procured. The Requirements shall also include (if so required) the environmental, social, health and safety requirements to be satisfied by the Tenderer in executing the contract.

4. PART 3 – CONDITIONS OF CONTRACT AND CONTRACT FORMS

i) Section VIII - General Conditions of Contract(GCC)

This Section contains the general clauses to be applied in all contracts. This Section contains provisions that are to be used without modification by the Procuring Entity or by a Tenderer.

iii) Section IX - Special Conditions of Contract (SCC)

The contents of this Section supplement the General Conditions of Contract and shall be prepared by the Procuring Entity.

iv) Section X- Contract Forms

This Section contains forms which, once completed, will form part of the Contract. The forms, when required, shall only be completed by the successful Tenderer after Contract award.

TENDER FOR THE EXPANSION OF NAIREGIE ENKARE SUB COUNTY HOSPITAL & ASSOCIATED WORKS

TENDER NO: NCG/TECH/EXPANSION/WORKS/034/2021-2022

- 1. The *Narok County Government* invites sealed tenders.
- 2. Tendering will be conducted under open competitive method National *using* a standardized tender document. Tendering is open to <u>all qualified and interested Women Tenderers</u>.
- 3. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours 8:00 Am to 5: 00 PM at the address given below.
- 4. A complete set of tender documents may be purchased or obtained by interested tenders upon payment of a non-refundable fees of one thousand <u>Kenya shillings</u>) in cash or Banker's Cheque and payable to the address given below. Tender documents may be obtained electronically from Narok County Website: www.narok.go.ke or Public Procurement Information Portal (PPIP) through: www.tenders.go.ke Free of charge.
- 5. Tender documents may be viewed and downloaded for free from the website www.narok.go.ke or www.tenders.go.ke .Tenderers who download the tender document must forward their particulars immediately to procurement@narok.go.ke to facilitate any further clarification or addendum.
- 6. Tenders shall be quoted be in Kenya Shillings and shall include all taxes. Tenders shall remain valid for 180 days from the date of opening of tenders.
- 7. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 8. Completed tenders must be delivered to the address below on or before 16TH November, 2021 at 12:00 PM. Electronic Tenders will not be permitted.
- 9. Tenders will be opened immediately after the deadline date and time specified above or any dead line date and times pecified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below.
- 10. Late tenders will be rejected.
- 11. The addresses referred to above are:

A. Address for obtaining further information and for purchasing tender documents

- (1) NAROK COUNTY GOVERNMENT
- (2) NAROK COUNTY HEADQUARTERS –PROCUREMENT HEAD OFFICE
- (3) P.O.BOX 898-20500 NAROK
- (4) procurement@narok.go.ke

B. Address for Submission of Tenders.

Completed tender documents are to be enclosed in plain sealed envelopes marked with Tender name and reference number and deposited in the Tender Box at the entrance of Narok County Government offices or to be addressed to

The County Secretary, Narok County Government P.O.Box 898-20500

So as to be received not later than 12:00 pm Tuesday 16th November, 2021 at noon.

C. Narok Address for Opening of Tenders.

Due to COVID 19 pandemic, the received tender documents will be quarantined for at least 12 hours after closure date and time of tender box and opening of the bids will be done on Wednesday 17th November, 2021 from 10:00 am at the County Assembly Hall 2 in the presence of the candidates or their representatives who choose to attend at County Executive Boardroom. However, Covid 19 restrictions rules and guidelines will apply.

[Authorized Office	cial (name, designation, Signature and date)]	
Name		
	(Official of the Procuring Entity issuing the invitation)	
Designation		
Signature		
Data		



SECTION I - INSTRUCTIONS TO TENDERERS

A GENERAL PROVISIONS

1.0 Scope of tender

1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are specified in the TDS.

1.2 Throughout this tendering document:

- a) The term "inwriting" means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the TDS, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
- b) if the context so requires, "singular" means "plural" and vice versa;
- c) "Day" means calendar day, unless otherwise specified as "Business Day". A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

2.0 Fraud and corruption

- 21 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 23 Tenderers shall permit and shall cause their agents (whether declared or not), subcontractors, sub-consultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, pre-qualification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.
- 24 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the **Data Sheet** and make available to all the firms together with this tender document all in formation that would in that respect give such firm any unfair competitive advantage over competing firms.

3.0 Eligible tenderers

- A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.8, or an individual or any combination of such entities in the form of a joint venture (JV) under an existing agree mentor with the intent to enter in to such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the **TDS**.
- 32 Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- 33 A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:

- a) Directly or indirectly controls, is controlled by or is under common control with an other tenderer;
- b) Receives or has received any director indirect subsidy from another tenderer;
- c) Has the same legal representative as an other tenderer;
- d) Has a relationship with an other tenderer, directly or through common third parties, that puts it in a position to influence the tender of an other tenderer, or influence the decisions of the Procuring Entity regarding this tendering process;
- e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods or works that are the subject of the tender;
- f) Any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as a consultant for Contract implementation;
- g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document;
- h) Has a close business or personal relationship with senior management or professional staff of the Procuring Entity who has the ability to influence the bidding process and:
 - i) Are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
 - ii) May be involved in the implementation or supervision of such Contract unless the conflicts temming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 34 A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified
- A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. Members of a joint venture may not also make an individual tender, be a sub-contractor in a separate tender or be part of another joint venture for the purposes of the same Tender. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender.
- A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. ATenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
- 3.7 A Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- A Tenderer that is a state-owned enterprise or a public institution in Kenya may be eligible to tender and be awarded Contract(s) only if it is determined by the Procuring Entity to meet the following conditions, i.e. if it is:
 - i) A legal public entity of Government and/or public administration,
 - ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and;
 - (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enableit compete with firms in the private sector on an equal basis.
- 39 Firms and individuals shall be ineligible if their countries of origin are:
 - (a) As a matter of law or official regulations, Kenya prohibits commercial relations with that country;
 - (b) byanactofcompliancewith a decision of the United Nations Security Council taken under Chapter VII of the Charterof the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country.

A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

- 3.10 Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, local sub-contracts and labor) from citizen suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided for this purpose in "SECTIONI II EVALUATION AND QUALIFICATION CRITERIA, Item 9".
- 3.11 Pursuant to the eligibility requirements of ITT 3.10, a tender is considered a foreign tenderer, If it is registered in Kenya and has less than 51 percent ownership by nationals of Kenya and if it does not subcontract to foreign firms or individuals more than 10 percent of the contract price, excluding provisional sums. JVs are considered as foreign tenderers if the individual member firms registered in Kenya have less 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website www.nca.go.ke.
- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke.
- 4.14 A kenyan tenderer shall be eligible to tender if it provides evidence of having fulfilled his/her tax obligations by producing valid tax compliance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

4.0 Eligible goods, equipment, and services

- Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not ineligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 42 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

5.0 Tenderer's responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 52 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Works and its surroundings and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall beat the tenderer's own expense.
- 5.3 The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity again stall liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the examination and inspection.

5.4 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

B. <u>CONTENTS OF TENDER DOCUMENTS</u>

60 Sections of Tender Document

6.1 The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 10.

PART 1: Tendering Procedures

Section I – Instructions to Tenderers Section II – Tender Data Sheet (TDS) Section III- Evaluation and Qualification Criteria Section IV – Tendering Forms

PART 2: Works' Requirements

Section V - Bills of Quantities Section VI - Specifications Section VII - Drawings

PART 3: Conditions of Contract and Contract Forms

Section VIII - General Conditions (GCC)

Section IX - Special Conditions of Contract

Section X- Contract Forms

- The Invitation to Tender Notice issued by the Procuring Entity is not part of the Contract documents. Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of a pre-arranged site visit and those of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 10. Incase of any contradiction, documents obtained directly from the Procuring Entity shall prevail.
- 63 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

7.0 Clarification of Tender Document, Site Visit, Pre-tender Meeting

- A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 7.2. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 7.4, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 8 and ITT 22.2.
- The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the site(s) of the required contracts and obtain all information that may be necessary for preparing a tender. The costs of visiting the Site shall be at the Tenderer's own expense. The Procuring Entity shall specify in the **TDS** if a pre-arranged Site visit and or a pre-tender meeting will be held, when and where. The Tenderer's designated representative is invited to attend a pre-arranged site visit and a pre-tender meeting, as the case may be. The purpose of the site visit and the pre-tender meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 73 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- Minutes of a pre-arranged site visit and those of the pre-tender meeting, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting.

will be transmitted promptly to all Tenderers who have acquired the Tender Documents. Minutes shall not identify the source of the questions asked.

The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-tender meeting at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

80 Amendment of Tender Documents

- At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tender Documents by issuing addenda.
- Any addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have obtained the Tender Documents from the Procuring Entity. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's website in accordance with ITT 7.5.
- To give Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity should extend the dead line for the submission of Tenders, pursuant to ITT 22.2.

C. PREPARATION OF TENDERS

9. Cost of Tendering

The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

10.0 Language of Tender

The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

11.0 Documents Comprising the Tender

- **11.1** The Tender shall comprise the following:
 - a) Form of Tender prepared in accordance with ITT 12;
 - b) Schedules including priced Bill of Quantities, completed in accordance with ITT 12 and ITT 14;
 - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 19.1;
 - d) Alternative Tender, if permissible, in accordance with ITT 13;
 - e) *Authorization*: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordancewithITT20.3;
 - f) *Qualifications:* documentary evidence in accordance with ITT 17 establishing the Tenderer's qualifications to per form the Contract if its Tender is accepted;
 - g) Conformity: a technical proposal in accordance with ITT 16;
 - h) Any other document required in the TDS.
- 11.2 In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed JV Agreement. Change of membership and conditions of the JV prior to contract signature will render the tenderliable for disqualification.

12.0 Form of Tender and Schedules

- 12.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed with out any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 12.2 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

13. Alternative Tenders

- 13.1 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.
- When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 133 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.
- When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

14.0 Tender Prices and Discounts

- 14.1 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Billof Quantities shall conform to the requirements specified below.
- The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- The price to be quoted in the Form of Tender, in accordance with ITT 12.1, shall be the total price of the Tender, including any discounts offered.
- 144 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 12.1.
- It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except incases where the contract is subject to fluctuations and adjustments, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- Where tenders are being invited for individual lots (contracts)or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 14.4, provided the Tenders for all lots (contracts) are opened at the sametime.

All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

15.0 Currencies of Tender and Payment

- 15.1 The currency (ies) of the Tender and the currency (ies) of payments shall be the same.
- 152 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings.
 - a) A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya (referred to as "the foreign currency requirements") shall (if so allowed in the **TDS**) indicate in the Appendix to Tender the percentage(s) of the Tender Price (excluding Provisional Sums), needed by the Tenderer for the payment of such foreign currency requirements, limited to no more than two foreign currencies.
 - b) The rates of exchange to be used by the Tenderer in arriving at the local currency equivalent and the percentage(s) mentioned in (a) above shall be specified by the Tenderer in the Appendix to Tender and shall be based on the exchange rate provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening. Such exchange rate shall apply for all foreign payments under the Contract.
- 153 Tenderers may be required by the Procuring Entity to justify, to the Procuring Entity's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data in the Appendix to Tender are reasonable, in which case a detailed break down of the foreign currency requirements shall be provided by Tenderers.

16.0 Documents Comprising the Technical Proposal

The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, insufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

17.0 Documents Establishing the Eligibility and Qualifications of the Tenderer

- 17.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- 17.2 In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 173 If a marg in of preference applies as specified in accordance with ITT 33.1, nation al tenderers, individually or in joint ventures, applying for eligibility for national preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 17.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 17.5 The purpose of the information described **in ITT 17.4** above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- 17.6 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to owner ship and control which in formation on any changes to the information which was provided by the tenderer under ITT 6.4. The obligations to require this information shall continue for the duration

Of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.

- 17.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 178 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, ifthe Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 17.9 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
 - i) If the procurement process is still ongoing, the tenderer will bed is qualified from the procurement process,
 - ii) if the contract has been awarded to that tenderer, the contract award will be set as idepending the outcome of (iii),
 - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other person shave committed any criminal offence.
- 17.10 If a tenderer submits information pursuant to these requirements that is in complete, in accurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 17.8 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tender.

18.0 Period of Validity of Tenders

- 18.1. Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 22). At ender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 18.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may requestTendererstoextendtheperiodofvalidityoftheirTenders. Therequestandtheresponsesshallbemadein writing. If a Tender Security is requested in accordance with ITT 19, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tendersecurity. ATenderergranting the requests hall not be required or permitted to modify its Tender.

19.0 Tender Security

- 19.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency **specified** in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 192 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
 - I) cash
 - ii) a bank guarantee;
 - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority;
 - (iv) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya, from a reputable source, and an eligible country.
- 193 If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 18.2.

- 194 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- If a Tender Security is specified pursuant to ITT 19.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the TDS. The Procuring Entity shall also promptly return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- 19.6 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the TDS.
- 19.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
 - a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension there to provided by the Tenderer; or
 - b) if the successful Tenderer fails to:
 - i) signthe Contract in accordance with ITT47; or
 - ii) furnish a Performance Security and if required in the TDS, and any other documents required in the TDS.
- Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA to debars the Tenderer from participating in public procurement as provided in the law.
- 199 The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- **19.10** A tenderer shall not issue a tender security to guarantee itself.

20.0 Format and Signing of Tender

- The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the origin a landthe copies, the original shall prevail.
- Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- Theoriginal and all copies of the Tender shall be typed or writtenvin indelible ink and shall be signed by aperson duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- Incase the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

D. SUBMISSION AND OPENING OF TENDERS

21.0 Sealing and Marking of Tenders

- 21.1 The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
 - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
 - b) in a nenvelope or package or container marked "COPIES", all required copies of the Tender; and
 - c) if alternative Tenders are permitted in accordance with ITT 13, and if relevant:
 - i) in an envelope or package or container marked "ORIGINAL -ALTERNATIVE TENDER", the alternative Tender; and
 - ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity,
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- 21.2 If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

22.0 Deadline for Submission of Tenders

- Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and timeals ospecified in the **TDS**. When so specified in the **TDS**, tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the TenderDocumentsinaccordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall there after be subject to the deadline as extended.

23.0 Late Tenders

The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 22. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

24.0 Withdrawal, Substitution, and Modification of Tenders

- A Tenderer may withdraw, substitute, or modify its Tenderafterith as been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 20.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
 - a) prepared and submitted in accordance with ITT 20 and ITT 21 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
 - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- 242 Tenders requested to be withdrawn in accordance with ITT 24.1 shall be returned unopened to the Tenderers.
- 243 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

25. Tender Opening

- Except in the cases specified in ITT 23 and ITT 24.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified **in the TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 22.1, shall be as specified in the **TDS**.
- First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorizationtorequest the modification and is readout at Tenderopening.
- Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bill of Quantities (to be decided on by the tender opening committee) are to be initialed by the members of the tender opening committee attending the opening.
- 25.7 At the Tender Opening, the Procuring Entitys hall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 23.1).
- 258 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:
 - a) the name of the Tendere rand whether there is a withdrawal, substitution, or modification;
 - b) the Tender Price, per lot (contract) if applicable, including any discounts;
 - c) any alternative Tenders;
 - d) the presence or absence of a Tender Security, if new as required;
 - e) number of pages of each tender document submitted.
- 25.9 The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers.

E. EVALUATION AND COMPARISON OF TENDERS

26. Confidentiality

- Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderersorany other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 43.
- Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- Not withstanding ITT 26.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

27.0 Clarification of Tenders

- 27.1 To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for aresponse. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shallnot be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 31.
- 27.2 If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

28.0 Deviations, Reservations, and Omissions

- 28.1 During the evaluation of tenders, the following definitions apply:
 - a) "Deviation" is a departure from the requirements specified in the tender document;
 - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document; and
 - c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

29.0 Determination of Responsiveness

- 29.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 11.
- A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
 - a) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
 - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract;
 - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsivetenders.
- 29.3 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 16, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 29.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

30.0 Non-material Non-conformities

- 30.1 Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 30.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable non-material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the TDS.

31.0 Arithmetical Errors

- 31.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 31.2 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
 - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
 - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bidpriceshallbe considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
 - c) if there is a discrepancy between words and figures, the amount in words shall prevail
- 31.3 Tenderers shall be notified of any error detected in their bid during the notification of award.

32.0 Conversion to Single Currency

For evaluation and comparison purposes, the currency (ies) of the Tender shall be converted in to a single currency asspecified in the **TDS**.

33.0 Margin of Preference and Reservations

- 33.1 A margin of preference may be allowed only when the contract is open to international competitive tendering where foreign contractors are expected to participate in the tendering process and where the contract exceeds the value/threshold specified in the Regulations.
- 332 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 333 Contracts procured on basis of international competitive tendering shall not be subject to reservations exclusive to specific groups as provided in ITT 33.4.
- 33.4 Where it is intended to reserve a contract to as pecific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. No tender shall be reserved to more than one group. If not so stated in the Invitation to Tender and in the Tender documents, the invitation to tender will be open to all interested tenderers.

34.0 Nominated Subcontractors

- 34.1 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected/nominated by the Procuring Entity. Incase the ProcuringEntity nominates a subcontractor, the subcontract agreement shall be signed by the Subcontractor and the Procuring Entity. The main contract shall specify the working arrangements between the main contractor and the nominated subcontractor.
- 34.2 Tenderers may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 343 Domestic subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated so by the Procuring Entity in the **TDS** a scan be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractorsproposed by the Tenderer may be added to the qualifications of the Tenderer.

35. Evaluation of Tenders

35.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Lowest Evaluated Tender in accordance with ITT 40.

- 35.2 To evaluate a Tender, the Procuring Entity shall consider the following:
 - a) priceadjustment in accordance with ITT 31.1 (iii); excluding provisional sums and contingencies, if any, but including Daywork items, where priced competitively;
 - b) price adjustment due to discounts offered in accordance with ITT 14.4;
 - c) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 32;
 - d) pricea djustment due to quantifiable non materialnon-conformities in accordance with ITT 30.3; and
 - e) any additional evaluation factors specified in the **TDS** and Section III, Evaluation and Qualification Criteria.
- 35.3 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 35.2. The methodology to determine the lowest evaluated tenderer or tenderers base done lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.

36.0 Comparison of tenders

The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.2 to determine the Tender that has the lowest evaluated cost.

37.0 Abnormally low tenders and abnormally high tenders

Abnormally LowTenders

- 37.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderersis compromised.
- 37.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 373 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

Abnormally high tenders

- Anabnormally high tender price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- Incase of a nab normally high price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
 - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not a ccept the tender depending on the Procuring Entity's budget considerations.
 - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.

37.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

38.0 Unbalanced and/ or front-loaded tenders

- 38.1 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or frontloaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 382 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
 - a) accept the Tender;
 - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price;
 - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;
 - d) reject the Tender,

39.0 Qualifications of the tenderer

- 39.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 39.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 17. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Sub-contractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.
- 39.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the ProcuringEntityshallproceedto the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

40.0 Lowest evaluated tender

Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Mostresponsive to the Tender document; and
- b) the lowest evaluated price.

41.0 Procuring entity's right to accept any tender, and to reject any or all tenders.

The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. Incase of annulment, all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

F. AWARD OF CONTRACT

42.0 Award criteria

The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

430 Notice of Intention to Enter into a Contract/Notification of Award

Uponaward of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract/Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instruction son how to request a debriefing and/ or submit a complaint during the stand still period;

44.0 Stand still Period

- **44.1** The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

45.0 Debriefing by The Procuring Entity

- 45.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- **452** Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

46.0 Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed with in the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

47.0 Signing of Contract

- 47.1 Upon the expiry of the fourteen days of the Notification of Intention to enter in to contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and returnittotheProcuringEntity.
- 47.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

48.0 Performance Security

48.1 Within twenty-one (21) days of the receipt of the Letter of Award from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the **TDS**, in accordance with the General Conditions of Contract, subject to ITT 38.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.

- **48.2** Failure of the successful Tenderer to submit the above-mentioned Performance Security and otherdocuments required in the **TDS** or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- Performance security shall not be required for contracts estimated to cost less than the amount specified in the Regulations.

49.0 Publication of Procurement Contract

Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
- c) the name of the successful Tenderer, the final total contract price, the contract duration;
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as readout at Tender opening.

50.0 Procurement related Complaint

The procedures for making Procurement-related Complaints are as specified in the TDS.

Section II - Tender Data Sheet (TDS)			
	owing specific data shall complement, supplement, or amend the provisions in the ons to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail e in ITT.		
A.General			
ITT1.1	The name of the contract is		
	The reference number of the Contract is		
	The number and identification of lots (contracts)comprising this Tender are [insert number and identification of lots (contracts)]		
	Lot1-Name		
	Lot2-Name		
	Lot Name		
	ETC.		
ITT2.3	The Information made available on competing firms is as follows:		
ITT2.4	The firms that provided consulting services for the contract being tendered for are:		
ITT3.1	Maximum number of members in the Joint Venture (JV) shall be: <i>[insert a number]</i> .		

B. C	B. Contents of Tender Document				
ITT 7.1	(i) The Tenderer will submit any request for clarifications in writing at the Address				
	To reach the Procuring Entity not later than				
	(ii) TheProcuringEntityshallpublishitsresponseatthewebsite				
1TT 7.2	(A) A pre-arranged pretender site visit [insert "shall" or "shall not"] take place at the following date, time and place: Date:				
ITT 7.3	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later thanbefore the meeting.				
ITT 7.5	The Procuring Entity's website where Minutes of the pre-Tender meeting and the pre-arranged pretender will be published is				
ITT 9.1	For Clarification of Tender purposes, for obtaining further information and for purchasing tender documents, the Procuring Entity's addressis:				
	(1) Name of Procuring Entity				
	Physical address for hand Courier Delivery to an office or Tender Box (City, Street, Building, Floor Number and Room)				
	(3) Postal Address				
	(4) Insert name, telephone number and e-mail address of the officer to be contacted.				
C. P	reparation of Tenders				
ITT 11.1 (h)	The Tenderer shall submit the following additional documents in its Tender: [list any additional document not already listed in ITT I I.I that must be submitted with the Tender. The list of additional documents should include the following:]				
ITT 13.1	Alternative Tenders [insert "shall be" or "shallnotbe"]considered. [If alternatives shall be considered, the methodology shall be defined in Section III Evaluation and Qualification Criteria.}				
ITT 13.2	Alternative times for completion [insert "shall be" or "shallnotbe"] permitted. [If alternative times for completion are permitted, the evaluation method will be as specified in Section III Evaluation and QualificationCriteria.]				
ITT 13.4	Alternative technical solutions shall be permitted for the following parts of the Works: [insert parts of the Works]: [If alternative technical solutions are permitted, the evaluation method will be as specified in Section III Evaluation and Qualification Criteria.}				
ITT 14.5	The prices quoted by the Tenderer shall be:				

ITT 15.2 (a)	Foreign currency requirements allowed/not allowed.
ITT 18.1	The Tender validity period shall be [insert a number of days that is amultiple of seven counting as of the deadline for Tender submission} days.
ITT 18.3	 (a) The Number of days beyond the expiry of the initial tender validity period willbedays. (b) The Tender price shall be adjusted by the following percentages of the tenderprice: (i) By
	type of Tender security shall be(specify Bank guarantee orBond) in the amount of Kenya shillings(specify currency ofTender)
ITT 20.1	In addition to the original of the Tender, the number of copiesis:[insert number of copies]
ITT 20.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of: [insert the name and description of the documentation required to demonstrate the authority of the signatory to sign the Tender}
D. Submiss	ion and Opening of Tenders
ITT 22.1	 (A) For Tender submission purposes only, the Procuring Entity's addressis: (1) Name of ProcuringEntity (2) Postal Address (include name of Officer to be attentional) (3) Physical address for hand Courier Delivery to an office or Tender Box (City, Street, Building, Floor Number and Room) (4) Dateand time for submission of Tenders (5) Tenders shall submit/shall not submit enders electronically.
ITT 25.1	The Tender opening shall take place at the time and the address for Opening of Tenders Provided below: (1) Name of ProcuringEntity (2) Physical address for the location (City, Street, Building, Floor Number and Room) (3) State date and time of tender opening.
ITT 25.1	If Tenderers are allowed to submit Tenders electronically, they shall follow the electronic tender submission procedures specified below [insert a description of the electronic Tender opening procedures]:
	The number of representatives of the Procuring Entitytosignis on, and Comparison of Tenders
ITT 30.3	The adjustment shall be based on the

ITT 33.2	A margin of preference [insert either "shall" or "shall not"]apply. [If a margin of preference applies, the application methodology shall be defined in Section III - Evaluation and Oualification Criteria.]		
ITT 33.4	The invitation to tender is extended to the following group that qualify for Reservations		
	(These groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be; describe precisely which group qualifies).		
ITT 34.1	At this time, the ProcuringEntity		
ITT 34.2 Contractor's may propose subcontracting: Maximum percentage of subcontracting is: % of the total contract amount. Tenderers planning to subcontract more that total volume of work shall specify, in the Form of Tender, the activity (ies) or particles where the details of the subcontractors qualification and experience.			
ITT 34.3	[Indicate NIA if not applicable] The parts of the Works for which the Procuring Entity permits Tenderers to propose Specialized Subcontractors are designated as follows:		
	For the above-designated parts of the Works that may require Specialized Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors will be added to the qualifications of the Tenderer for the purpose of evaluation.		
ITT 35.2 (d)	Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and QualificationCriteria.		
ITT 48.1	Other documents required in addition to the Performance Security are		
ITT 49.1	The procedures for making a Procurement-related Complaint are detailed in the "Notice of Intention to Award the Contract" herein and are also available from the PPRA Website www.ppra.go.ke or		

SECTION III - EVALUATION AND QUALIFICATION CRITERIA

10 GENERAL PROVISIONS

- This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity shall use the Standard Tender Evaluation Document for Goods and Works for evaluating Tenders.
- Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
 - a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
 - b) Value of single contract Exchange rate prevailing on the date of the contract signature.
 - (c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

13 EVALUATION AND CONTRACT AWARD CRITERIA

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that(i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

2.0 PRELIMINARY EXAMINATION FOR DETERMINATION OF

RESPONSIVENESS Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other mandatory requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements provided for in the preliminary evaluation criteria outlined below. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered non- responsive and will not be considered further.

Preliminary evaluation for determination of responsiveness criteria

- Certificate of Incorporation
- Registration with National Construction Authority category 7 & 8 only for Building works.
- Copy of the recent CR 12 form from the registra of companies.
- PIN number / VAT Registration Certificate
- Valid Tax Compliance certificate
- Form of Power of Attorney
- Certificate of Registration as special Group Contractor issued by The National Treasury
- Form of Tender in the prescribed format
- Confidential Business Questionnaire
- Priced Bill of Quantities
- History of Non-Performing Contracts
- Serialization of document
- Copy of Bid Document
- Valid County Government Single Business Permit

30 TENDER EVALUATION (ITT 35)

Price evaluation: in addition to the criteria listed in ITT 35.2 (a) - (d) the following criteria shall apply:

- (i) Alternative Completion Times, if permitted under ITT13.2, will be evaluated as follows:
- (ii) Alternative Technical Solutions for specified parts of the Works, if permitted under ITT 13.4, will be evaluated as follows:.....

(iii)	Other Criteria; if permitted under ITT 35.2(j):

4.0 MULTIPLE CONTRACTS

Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and a lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

OPTION 1

(i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.

(ii) Ifatenderer wins more than one Lot, the tender will be awarded a contract for all won Lots, provided the tenderer meetstheaggregate Eligibility and Qualification Criteria for all the won Lots. The tenderer will be awarded only the combinations for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

OPTION2

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combination with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combination provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

5.0 ALTERNATIVE TENDERS (ITT 13.1)

Alternative Tenders (ITT 13.1)

Analternative if permitted under ITT 3.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2 - Works requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

60 MARGIN OF PREFERENCE

- 61 If the TDS so specifies, the Procuring Entity will grant a margin of preference of fifteen percent (15%) to be loaded on evaluated prices of the foreign tenderers, where the percentage of share holding of Kenyan citizensis less than fifty- one percent (51%).
- Contractors shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference.
- After Tenders have been received and reviewed by the Procuring Entity, responsive Tenders shall be assessed to ascertain their percentage of shareholding of Kenyan citizens. Responsive tenders shall be classified into the following groups:
 - i) *Group A*: tenders offered by Kenyan Contractors and other Tenderers where Kenyan citizens hold shares of over fifty one percent (51%).
 - ii) *Group B*: tenders offered by foreign Contractors and other Tenderers where Kenyan citizens hold shares of less than fifty one percent (51%).
- All evaluated tenders in each group shall, as a first evaluation step, be compared to determine the lowest tender, and the lowest evaluated tender in each group shall be further compared with each other. If, as a result of this comparison, a tender from Group A is the lowest, it shall be selected for the award of contract. If a tender from Group B is the lowest, an amount equal to the percentage indicated in Item 6.1 of the respective tender price, including unconditional discounts and excluding provisional sums and the cost of day works, if any, shall be added to the evaluated price offered in each tender from Group B. All tenders shall then be compared using new prices with added prices to Group B and the lowest evaluated tender from Group A. If the tender from Group A is still the lowest tender, it shall be selected foraward. If not, the lowest evaluated tender from Group B based on the first evaluation price shall be selected.

7. Post qualification and Contract ward (ITT 39), more specifically,

- a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of pre-qualification data, if so required.
- b) Incase the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to <u>meeting each of the following</u> conditions.

- i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Ksh 10 million.
- ii) Adequate Minimum average annual construction turnover of Ksh 20 million, equivalent calculated as total certified payments received for contracts in progress and/or completed within the last 5 years. At least 2 No of contract(s) of a similar nature executed within Kenya, or the East African Community or abroad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor for the last 5 years.
- iii) Contractor's Representative and Key Personnel, which are specified as Professional and technical personnel-attach curriculum vitae for 1no.site agent (with at least a Degree in Architecture /Quantity Survey/Construction Management / Structural / Civil Engineering or its equivalent / Higher Diploma in Architecture / Quantity Survey/Construction Management / Structural / Civil Engineering or its equivalent and 2 years' experience), 1 no. foreman- with at least Diploma in Architecture / Quantity Survey/Building/Civil engineering or its equivalent and 2 years experience, and 1 no. Material Technologist with at least Certificate in Construction or its equivalent and 2 years experience.
- *iv)* Contractor's key equipment listed on the table "Contractor's Equipment" below and more specifically listed as Equipment holding To attach proof of ownership or lease for key Construction Plant and Equipments.
- v) Other conditions depending on their seriousness.

a) History of non-performing contracts:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non-performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last______(5 years). The required information shall be furnished in the appropriate form.

b) Pending Litigation

Financialpositionandprospectivelong-termprofit ability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

c) LitigationHistory

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last _______(5 years). All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or on going unde rits execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

QUALIFICATION FORM*

1	12	13	4	15
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
1	Nationality	Nationality in accordance with ITT 3.6	Forms ELI - 1.1 and 1.2, with attachments	
2	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by Kenya Revenue Authority in accordance with ITT 3.14.	Attachment	
3	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender	
4	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.7	Form of Tender	
5	State- owned Enterprise	Meets conditions of ITT 3.8	Forms ELI - 1.1 and 1.2, with attachments	
6	Goods, equipmentand services to besupplied under thecontract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI - 1.1 and 1.2, with attachments	
7	History of Non- Performing Contracts	Non-performanceofacontract did not occurasaresultof contractor default since 1 st January [Form CON-2	
8	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on-execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender	
9	Pending Litigation	Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	FormCON-2	

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
10	LitigationHistory	No consistent history of court/arbitral award decisions against the Tenderer since 1 st January [insert year J .	Form CON - 2	
11	Financial Capabilities	 (i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings [10 Million] equivalent for the subject contract(s) net of the Tenderer's othercommitments. (ii) The Tenderers shall also demonstrate, to thesatisfaction of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contractcommitments. (iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last [2] years shall be submitted and must demonstrate the current soundness of theTenderer's Financial position and indicate its prospective longterm profitability. 	Form FIN - 3.1, with attachments	
12	Average Annual Construction Turnover	Minimum average annual construction turnover of Kenya Shillings [20 Million], equivalent calculated as total certified payments received for contracts in progress and/or completed within the last [5] years, divided by [5] years	Form FIN - 3.2	
13	General Construction Experience	Experience under construction contracts in the role of prime contractor, JV member, sub-contractor, or management contractor for at least the last [5] years.	4. Form EXP - 4.1 Experience	

1	2	3	4	5	
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)	
14	Specific Construction & Contract Management Experience	A minimum number of [2] similar contracts specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor for the last 5 years [In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4} The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3}	Form EXP 4.2(a)		

SECTION IV - TENDERING FORMS

QUALIFICATION FORMS

1. FOREIGN TENDERERS 40% RULE

Pursuant to ITT 3.9, a foreign tenderer must complete this form to demonstrate that the tender fulfils this condition.

ITEM	Description of Work Item	Describe location of Source	COST in K. shillings	Comments, if any
A	Local Labor			
1				
2				
3				
4				
5				
В	Sub contracts from Local source	es		
1				
2			/	
4				
5				
С	Local materials			
1	34			
2		7		
3				
4		I HAT CE	-170	
5				
D				
1				
2	(h) (h)			
3				
4		/ A @ ^		
5	70			
Е				
1		DAMB		
2	H	h i i i i i i i i i i i i i i i i i i i		
3				
4				
5				
6				
	TOTAL COST LOCAL CONTE	ENT	XXXXX	
	PERCENTAGE OF CONTRAC	T PRICE		

2. FORMEQU: EQUIPMENT

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or fo ralternative equipment proposed by the Tenderer.

Item of equip	ment		
Equipment information	Name of manufacturer	N	Model and power rating
	Capacity	Y	ear of manufacture
Current	Current location		
	Indicate source of the equipm ☐ Owned ☐ Rented	nent Leased	☐ Specially manufactured
Omit the follo	wing information for equipmen	nt owned by the	
Owner	Name of owner		
	Address of owner		
	Telephone	C	Contact name and title
	Fax	Т	elex
Agreements	Details of rental / lease / manufacture agreements specific to the project		

3. <u>FORM PER -1</u>

Contractor's Representative and Key Personnel Schedule

Tenderers should provide the names and details of the suitably qualified Contractor's Re presentative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

Contractor' Representative and Key Personnel

1.	Title of position: Contractor's Representative		
	Name of candidate:		
	Duration of	[insert the whole period (start and end dates) for which this position	
	appointment:	will be engaged	
	Time	[insert the number of days/week/months/ that has been scheduled for	
	commitment: for	this position]	
	this position:	,	
	Expected time	[insert the expected time schedule for this position (e.g. attach high	
	schedule for this	[level Gantt chart]	
	position:		
2.	Title of position: /	7	
	Name of candidate	,	
	Duration of	[insert the whole period (start and end dates) for which this position	
	appointment:	will be engaged]	
	Time	[insert the number of days/week/months/ that has been scheduled for	
	commitment: for	this position]	
	this position:	The factor of th	
	Expected time	[insert the expected time schedule for this position (e.g. attach high	
	schedule for this	level Gantt chart]	
	position:		
3.	Title of position: /]	
	Name of candidate		
	Duration of	[insert the whole period (start and end dates) for which this position	
	appointment:	will be engaged]	
	Time	[insert the number of days/week/months/ that has been scheduled for	
	commitment: for	this position]	
	this position:		
	Expected time	[insert the expected time schedule for this position (e.g. attach high	
	schedule for this	level Gantt chart]	
	position:		
4.	Title of position: [
	Duration of	[insert the whole period (start and end dates) for which this position	
	appointment:	will be engaged]	
	Time	[insert the number of days/week/months/ that has been scheduled for	
	commitment: for	this position]	
	this position:		
	Expected time	[insert the expected time schedule for this position (e.g. attach high	
	schedule for this	level Gantt chart]	
5.	position: Title of position: [in	sert title]	
3.	Name of candidate	sen uuej	
	Duration of	Fine out the whole popied (start and and dates) for which this position	
	appointment:	[insert the whole period (start and end dates) for which this position	
	Time	will be engaged] [insert the number of days/week/months/ that has been scheduled for	
	commitment: for	this position	
	this position:	inis position]	
	Expected time	[insert the expected time schedule for this position (e.g. attach high	
	schedule for this	level Gantt chart]	
	position:	in the same charty	
	1.		

4. **FORM PER - 2:**

Resume and Declaration - Contractor's Representative and Key Personnel.

Name of Tenderer					
Position[#1]:[t	itle of position from Form PER-1]				
Personnel information					
	Address:	E-mail:			
	Professional qualifications:				
	Academic qualifications:				
	Language proficiency: [language and levels of speaking, reading and writing skills]				
Details	Address of Procuring Entity:				
	Telephone:	Contact (manager / personnel officer):			
	Fax:				
	Jobtitle:	Years with present Procuring Entity:			

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to this position]

Declaration

I, the undersigned [insert either "Contractor's Representative" or "Key Personnel" as applicable], certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details	
Commitment to duration of contract:	[insert period (start and end dates) for which this Contractor's Representative or Key Personnel is available to work on this contract]	
Time commitment:	[insert period (start and end dates) for which this Contractor's Representative or Key Personnel is available to work on this contract]	

I understand that any misrepresentation or omission in this Form may:

- a) be taken into consideration during Tender evaluation;
- b) result in my disqualification from participating in the Tender;
- c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [insert name]	
Signature:	
Date: (day month year):	
Counter signature of authorized representative of the Tenderer:	
Signature:	
Date: (day month year):	

5. TENDERERS QUALIFICATION WITHOUT PREQUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

5.1 FORM ELI -1.1

Tenderer InformationForm
Date:
ITT No. andtitle:
Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration: [indicate country of Constitution]
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information Name: Address: Telephone/Fax numbers: E-mail address:
 1. Attached are copies of original documents of Articles of Incorporation (or equivalent documents of constitution or association), and/or documents of registration of the legal entity named above, in accordance with ITT 3.6 In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5 In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing: Legal and financial autonomy Operation under commercial law Establishing that the Tenderer is not under the supervision of the Procuring Entity 2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

52 FORM ELI -1.2

Tenderer's JV Information Form (to be completed for each member of Tenderer's JV)

Date:
ITT No. andtitle:
Tenderer's JV name:
JV member's name:
JV member's country of registration:
JV member's year of constitution:
JV member's legal address in country of constitution:
JV member's authorized representative information Name: Address: Telephone/Fax numbers: E-mailaddress:
 Attached are copies of original documents of □ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6. □ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.5.
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

FORM CON –2

Historical Contract Non-Performance, Pending Litigation and Litigation History

Tenderer'sName:			Date:		
JVMember's Name		ITT No. andtitle:	ITT No. andtitle:		
Non-Per	formed Contracts in	n accordance with Section III, Evaluation and Qualification	Criteria		
		e did not occur since 1 st January [insert year] specified in Section Criteria, Sub-Factor 2.1.	tion III,		
	ract(s) not performe fication Criteria, re-	d since 1 st January <i>[insert year]</i> specified in Section III, Eval quirement 2.1	uation and		
	ract(s) withdrawn si fication Criteria, rec	nce 1 st January <i>[insert year]</i> specified in Section III, Evaluati	on and		
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and Kenya Shilling equivalent)		
year] and percentage] number, and an Name of Procu		Contract Identification: [indicate complete contract name/ number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]		
Pending	Litigation, in accord	lance with Section III, Evaluation and Qualification Criteria			
Factor Pendi	or 2.3.	rdance with Section III, Evaluation and Qualification Criteria,			

Year of dispute	Amount in disput (currency)	e Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
		Contract Identification: Name of Procuring Entity: Address of Procuring Entity: Matter in dispute: Party who initiated the dispute: Status of dispute:	
		Contract Identification: Name of Procuring Entity: Address of Procuring Entity: Matter in dispute: Party who initiated the dispute: Status of dispute:	
Litigation H	listory in accordance with	Section III, Evaluation and Qualification Criter	ia
Factor 2.	4.	nce with Section III, Evaluation and Qualification with Section III, Evaluation and Qualification Crit	
Year of award	Outcome as percentage of Net Worth	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
[insert year]	[insert percentage]	Contract Identification: [indicate complete contract name, number, and any other identification]	[insert amount]
		Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country]	
		Matter in dispute: [indicate main issues in dispute]	
		Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award decision [indicate main reason(s)]	

Include details relating to potential bid-rigging practices such as previous occasions where tenders were withdrawn, joint bids with competitors, subcontracting work to unsuccessful tenderers, etc.

5.4 **FORM FIN – 3.1:**

Financial Situation and Performance		
Tenderer's Name:		
Date:		
JV Member's Name		
ITT No. and title:		

5.4.1. Financial Data

Type of Financial information in	Historic information for previousyears, (amount in currency, currency, exchange rate*, USD equivalent)				
(currency)					
	Year1	Year2	Year 3	Year4	Year 5
Statement of Financial Position (Information	from Balance S	Sheet)		
Total Assets (TA)					
Total Liabilities (TL)					
Total Equity/Net Worth (NW)			3		
Current Assets (CA)	9		CHE		
Current Liabilities (CL)	W W				
Working Capital (WC)	AARA	I B E E			
Information from Income Statem	nent				•
Total Revenue (TR)					
Profits Before Taxes (PBT)					
Cash Flow Information	I			1	_1
Cash Flow from Operating Activities					

^{*}Refer to ITT 15 for the exchange rate

542 Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

= 40	-				
543	Ring	ncial	l do	cum	onte
	1 1114	шска	uu	Cull	

- a) reflect the financial situation of the Tenderer or incase of JV member, and not an affiliated entity (such as parent company or group member).
- b) Be independently audited or certified in accordance with local legislation.
- c) Be complete, including all notes to the financial statements.
- d) Correspond to accounting periods already completed and audited.

Attached are copies of financial statements for the	years required above; and
complying with the requirements.	

¹If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

5.5 **FORM FIN – 3.2:**

Average Annual Construction Turnover

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

Annual turnover data (construction only)				
Year	Amount Currency	Exchange rate	Kenya Shilling equivalent	
[indicate year] [insert amount and indicate currency]				
Average				
Annual				
Construction				
Turnover *				

^{*} See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

5.6 FORMFIN-3.3:

Financial Resources

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financia lmeans, net of current commitments, available to meet the total construction cash flow demands of the subject contractor contracts as specified in Section III, Evaluation and Qualification Criteria.

Fina	Financial Resources				
No.	Source of financing	Amount (Kenya Shilling equivalent)			
1					
2					
3					
4					

5.7 FORMFIN-3.4:

Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Cur	Current Contract Commitments				
No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Valueof Outstanding Work [Current Kenya Shilling /month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)]
1					
2					
3					
4					
5					

5.8 FORM EXP -4.1

General Construction Experience	
Tenderer'sName:	Date:
JVMember'sName	ITT No. andtitle:
Pageofpage	S

Starting Year	Ending Year	Contract Identification	Role of Tenderer
		Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity: Address:	
		Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity: Address:	
		Contract name: Brief Description of the Works performed by the Tenderer: Amount of contract: Name of Procuring Entity: Address:	

59 FORM EXP - 4.2(a)

Specific Construction and Contract Management Experience

Tenderer's Name:				
JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information	1		
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub- contractor
Total Contract Amount			Kenya Shilling	
If member in a JV or sub-contractor, specify participation in total Contract amount				
Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				
Description of the similarity in accordance with Sub-Factor 4.2(a) of Section III:				
1 Amount				
Physical size of required works items				
3 Complexity				
4 Methods/Technology				
5 Construction rate for key activities				
6 Other Characteristics				

5.10 FORM EXP - 4.2 (b)

Construction Experience in Key Activities

Tenderer's Name:		_			
Date: Tenderer's JV Member Name:					
Sub-contractor's Name ² (as per ITT 34):					
ITT No. and title:		<u> </u>			
All Sub-contractors for key activities must co Evaluation and Qualification Criteria, Sub-Fa		ormatic	on in this	form as per IT	T 34 and Section II
1. Key Activity No One:					
	Informatio	n			
Contract Identification					
Award date					
Completion date					
Role in Contract	Prime Contractor	Mem JV □	nber in	Management Contractor	Sub-contractor
Total Contract Amount				Kenya Shillir	ng
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantithe contract	y in		ercentage articipation i)	Actual Quantity Performed (i) x (ii)
Yearl					
Year 2					
Year 3					
Year 4					
Procuring Entity's Name:					
Address: Telephone/fax number E-mail:					
Description of the key activities in accordance with Sub-Factor 4.2(b) of Section III:					
			I		

 $[\]overline{^2}$ If applicable

OTHER FORMS

6. FORM OF TENDER

INSTRUCTIONS TO TENDERERS

- The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the i)Tenderer's complete name and business address.
- ii) Allitalicized text is to help Tenderer in preparing this form.
- Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the iii) SELF DECLARATION OF THE TENDERER attached to this Form of Tender.
- The Form of Tender shall include the following Forms duly completed and signed by the Tenderer. iv)
 - Tenderer's Eligibility- Confidential Business Questionnaire
 - Certificate of Independent Tender Determination
 - Self-Declaration of the Tenderer

Date of this Tender submission: [insert date (as day, month and year) of Tender submission] **Request**

for Tender No.: [insert identification] Name and description of Tender [Insert as per ITT]

AlternativeNo.: [insert identification No if this is a Tender for an alternative]

To: [insert complete name of Procuring Entity]

Dea	ar Sirs,
1.	Inaccordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects there in for the sum ³ of Kenya Shillings [[Amount in figures] Kenya Shillings [amount in words]
	The above amount includes foreign currency ⁴ amount(s) of [state figure or a percentage and currency] [figures] [words]
	[words] The percentage or amount quoted above does not include provisional sums, and only allows not more than two foreign currencies.
2.	Weunder take, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Architect notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.
3.	We agree to adhereby this tender until[Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4.	We understand that you are not bound to accept the lowest or any tender you may receive.
5.	We, the under signed, further declare that:
	'\ \X\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \

- No reservations: We have examined and have no reservations to the tender document, including Addenda i) issuedinaccordance with ITT 28;
- Eligibility: We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3 ii) and 4;
- iii) <u>Tender - Securing Declaration</u>: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;

- iv) Conformity: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];
- v) <u>Tender Price:</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
- vi Option 1, incase of one lot: Total priceis: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; or

Option2, in case of multiple lots:

- (a) <u>Total price of each lot</u> [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and
- (b) <u>Total price of all lots</u> (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- vii) <u>Discounts:</u> The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>Performance Security:</u> If our Tender is accepted, we commit to obtain Performance Security in accordance with the Tendering document;
- xii) One Tender Per Tender: Weare not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a sub-contractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution]/[We are a state-owned enterprise or institution but meet the requirements of ITT3.8];
- xv) Commissions, gratuities, fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

 $^{^{3}}$ This sum should be carried forward from the Summary of the Bills of Quantities.

The percentage quoted above should not include provisional sums, and not more than two foreign currencies are

- xvi) <u>Binding Contract:</u> We understand that this Tender, together with your written acceptance there of included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) <u>Fraud and Corruption:</u> We here by certify that we have taken steps to ensure that no personacting for us or on our behalf engages in any type of Fraud and Corruption; and
- xix) <u>Collusive practices:</u> We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- We undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from ______(specify website) during the procurement process and the execution of any resulting contract.
- xxi) We, the Tenderer, have completed fully and signed the following Forms as part of our Tender:
 - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are no tin any conflict to interest.
 - (b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
 - (a) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
 - (d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1 - Fraud and Corruption" attached to the Form of Tender.

Name of the Tenderer: *[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: **[insert complete name of person duly authorized to sign the Tender]

Title of the person signing the Tender: [insert complete title of the person signing the Tender]

Signature of the person named above: [insert signature of person whose name and capacity are shown above]

Date signed [insert date of	of signing] day of [insert month], [insert year]	
Datesigned	_dayof	,

Notes

^{*} In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer.

**Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

$(a) \ \underline{\textbf{TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE}}$

Instruction to Tenderer

Tender is in structed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer isfurtherreminded that it is an offence to give false information on this Form.

(a) Tenderer'sdetails

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	 Country City Location Building Floor Postal Address Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (postal and physical addresses, email, and telephone number) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (postal and physical addresses, email, and telephone number) of state which stock exchange	

General and Specific Details

Gei	ierar and Specific Details			
(b)	Sole Proprietor, provide the following	lowing details.		
Nan	ne in full	Age		
Nati	ne in full onality	Country of Ori	gin	
Citi	zenship			
(c)	Partnership, provide the follow	ing details.		
	Names of Partners	Nationality	Citizensh	ip % Shares owned
1				
2				
3				
(d)	Nominal Kenya Shillings (Equiva Issued Kenya Shillings (Equiva iii) Give details of Directors	ued capital of the Company valent)lent)as follows.		
1	Names of Director	Nationality	Citizenshi	p % Shares owned
2				
3				
(e)	interest or relationship in the latest of the latest are followed in the la	ons in(Athis firm? Yes/No	Name of Procus	ring Entity) who has/have an
	Names of Person	Designation in	ATTICLE STATE OF THE PARTY OF T	nterest or Relationship with
1		Procuring Entit	y	Tenderer
2				
3				

(ii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES ORNO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		
6	Tenderer would be providing goods, works, non-consulting services or consulting services during implementation of the contract Specified in this Tender Document.		
	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.	MBE	
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the such Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.		

Certification

On behalf of the Tenderer, I certify that the information given above submission.	e is complete, current and accurate as at the date of
Full Name	
Titleor Designation	
(Signature)	(Date)

b) <u>CERTIFICATE OF INDEPENDENT TENDER DETERMINATION</u>

I, tl	he un	indersigned, in submitting the accompanying Letter of Tender to the	IName of Procuring Entityl for:
res _j	pons ke th	se to the request for tenders made by:	[Name and number of tender] in
Ice	rtify,	y, on behalf of	ameofTenderer]that:
1.	I ha	nave read and I understand the contents of this Certificate;	
2.		understand that the Tender will be disqualified if this Certificate is found no spect;	ot to be true and complete in every
3.		mthe authorized representative of the Tenderer with authority to sign this ender on behalf of the Tenderer;	Certificate, and to submit the
4.		or the purposes of this Certificate and the Tender, I understand that the wordividual or organization, other than the Tenderer, whether or not affiliated	
	a) b)	1 1	
5.	The	neTenderer discloses that [check one of the following, as applicable]:	
	a)	The Tenderer has arrived at the Tender independently from, and without agreement or arrangement with, any competitor;	t consultation, communication,
	b)	theTenderer has entered into consultations, communications, agreement competitors regarding this request for tenders, and the Tenderer discl complete details thereof, including the names of the competitors and t consultations, communications, agreements or arrangements;	loses, in the attached document(s),
6.		particular, without limiting the generality of paragraphs (5)(a) or(5)(b) abommunication, agreement or arrangement with any competitor regarding:	ove, there has been no consultation,
	a)b)c)d)	the intentiono r decision to submit, or not to submit, a tender; or	request for Tenders; except as
7.	reg for	addition, there has been no consultation, communication, agreement or garding the quality, quantity, specifications or delivery particulars of the worr tenders relates, except as specifically authorized by the procuring autresuant toparagraph(5)(b) above;	orks or services to which this request
8.	to a	netermsofthe Tender have not been, and will not be, knowingly disclosed by any competitor, prior to the date and time of the official tender opening, hichevercomesfirst, unless otherwise required byl aw or as specifically dispove.	or of the awarding of the Contract,
Na: Tit			

[Name, title and signature of authorized agent of Tenderer and Date]

(c) SELF- DECLARATION FORMS

FORM SD1

SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

	, of Post Office Box being a resident of do hereby make a statement as
	ollows: -
1.	THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Direct or of
2.	THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
3.	THAT what is deponed to here in above is true to the best of my knowledge, information and belief.
	(Title) (Signature) (Date)
	Bidder Official Stamp

FORM SD2

SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

I,	I,of P.O. Box	being a resident of	
• • •	in the Republic of do hereb	y make a statement as follows: -	
1.	THAT I am the Chief Executive/Managing Director/Principal Officer/Director of		
2.	THAT theafore said Bidder, its servants and/oragents/subcontractorswillnotengageinanycorruptorfrauduler practice and has not been requested to pay any inducement to any member of the Board, Management, Sta and/or employees and/or agents of (insert name of the Procuring entity) which is the procuring entity.		
3.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to an member of the Board, Management, Staff and/or employees and/or agents of		
4.	THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender		
5.	THAT what is deponed to here in above is true to the best of my knowledge information and belief.		
	(Title) (Signature)	(Date)	
	Bidder's Official Stamp		

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

(person) on behalf of (Name of the Business/ Company/Firm)		
Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in Public Procurement Asset Disposal and my responsibilities under the Code.		
I do here by commit to abide by the provisions of the Code of Ethics for persons participating in Public Procuremen and Asset Disposal.		
Name of Authorized signatory		
Sign.		
Position		
Office address		
E-mail		
Name of the Firm/Company.		
Date		
(Company Seal/ Rubber Stamp where applicable)		
Witness		
Name		
Sign.		
Date		

(d) APPENDIX 1 - FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

1. Purpose

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

2. Requirements

- 21 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.
- 22 Kenya's public procurement and asset disposal act (*no. 33 of 2015*) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:
 - 1) A person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or as set disposal proceeding;
 - 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence:
 - 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
 - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
 - b) if a contract has already been entered into with the person, the contract shall be voidable;
 - 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
 - 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity whohas a conflict of interest with respect to a procurement:
 - a) Shall not take part in the procurement proceedings;
 - b) shall not, after a procurement contract has been entered in to, take part in any decision relating to the procurement or contract; and
 - c) shall not be a subcontract or for the tender to whom was awarded contract, or a member of the group of tenderers to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
 - 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflictofinteresttotheprocuringentity;
 - 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.
- 3. In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms setf orth below as follows:
 - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
 - ii) "fraudulent practice" is any act or omission, including is representation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
 - "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party; "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
 - iv) "obstructive practice" is:
 - Deliberately destroying, falsifying, altering, or concealing of evidence material to the
 investigation or making false statements to investigators in order to materially impede
 investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate
 authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive,
 or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from
 disclosing its knowledge of matters relevant to the investigation or from pursuing the
 investigation; or
 - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
 - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal processorthe exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- c) Rejects a proposal for award of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may recommend to appropriate authority(ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- Requires that a clause be included in Tender documents and Request for Proposal documents requiring(i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect² all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

¹For the avoidance of doubt, a party's in eligibility to be awarded a contract shall includee, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

² Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, suc has evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copyor electronic format) deemed relevant for th einvestigation/audit, and making copies there of as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

2. FORM OF TENDER SECURITY-DEMAND BANK GUARANTEE

Bei	neficiary:
	quest forTenders No:
Dat	te:
TE	NDER GUARANTEE No.:
	arantor:
1.	We have been informed that
2.	Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3.	At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of() upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
(a)	has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
b)	having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4.	This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5.	Consequently, any demand for payment under this guarantee must be received by us at the office indicated above onor before that date.
	[signature(s)]

4. FORM OF TENDER SECURITY (TENDER BOND)

	[TheSuretyshallfillin this Tender Bond Form in accordance with the instructions		
	indicated.] BOND NO		
1.	BY THIS BOND [name of tenderer] as Principal (hereinafter called "the Principal"), and [name, legal title, an address of surety], authorized to transact business in [name of country of Purchaser], as Surety (hereinafter called "the Surety"), are held and firmly bound unto [name of Purchaser] as Obligee (hereinafter called "the Purchaser") in the sum of [amount of Bond][amount in words], for the payment of which sum, well and truly be made, we, the said Principal and Surety, bind ourselves, our successors and as signs, jointly and severall firmly by these presents.		
2.	WHERE AS the Principal has submitted or will submit a written Tender to the Purchaser dated thedayo, 20, for the supply of [name of Contract] (herein after called the "Tender").		
3. NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Principal:			
	a) Has with drawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender ("the Tender Validity Period"), or any extension there to provided by the Principal; or		
	b) Having been notified of the acceptance of its Tender by the Purchaser during the Tender Validity Period of any extension there to provided by the Principal;(i) failed to execute the Contract agreement; or (i hasfailedtofurnish the Performance Security, in accordance with the Instructions to tenderers ("ITT") of the Purchaser's Tendering document.		
	then the Surety undertakes to immediately pay to the Purchaser up to the above amount upon receipt of the Purchaser's first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser shall state that the demand arises from the occurrence of any of the above events, specifying which event (s) has occurred.		
4.	The Surety here by agrees that its obligation will remain in full force and effect upto and including the date 3 days after the date of expiration of the Tender Validity Period set forth in the Principal's Letter of Tender or an extension thereto provided by the Principal.		
5.	IN TESTIMONY WHEREOF, the Principal and the Surety have caused these presents to be executed in their respective names this day of20.		
	Principal: Surety: Corporate Seal (where appropriate)		
	(Signature) (Signature) (Printed name and title) (Printed name and title)		

4. FORM OF TENDER - SECURING DECLARATION

[T	e Bidder shall complete this Form in accordance with the instructions indicated]
Da	e:[insert date (as day, month and year) of Tender Submission]
Te	nder No.:[insert number of tendering process]
To	
1.	I/We understand that, according to your conditions, bids must be supported by a Tender-Securing Declaration.
2.	I/We accept that I/we will automatically be suspended from being eligible for tendering in any contract with the Purchaser for the period of time of [insert number of months or years] starting on [insert date], if we are in breach of ourobligation(s) under the bid conditions, because we—(a) have withdrawn our tender during the period of tender validity specified by us in the Tendering Data Sheet; or (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the instructions to tenders.
3.	I/We understand that this Tender Securing Declaration shall expire if we are not the successful Tenderer(s), upon the earlier of: a) Our receipt of a copy of your notification of the name of the successful Tenderer; or b) thirty days after the expiration of our Tender.
4.	I/We understand that if Iam /we are/ in a Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture that submits the bid, and the Joint Venture has not been legally constituted at the time of bidding, the Tender Securing Declaration shall be in the names of all future partners as named in the letter of intent.
Sig	ned:
sol	e proprietor, etc.)
Na	me:
bid	for and on behalf of: [insert complete name of Tenderer]
Da	ted on

5. Appendix to Tender

Schedule of Currency requirements

Summary of currencies of the Tender for	[insert name of Section of the Works]	
Name of currency	Amounts payable	
Local currency:		
Foreign currency #1:		
Foreign currency #2:		
Foreign currency #3:		
Provisional sums expressed in local currency	[To be entered by the Procuring Entity]	



SECTION V - BILLS OF QUANTITIES

A. Notes and Sample Items for Preparing a Bill of Quantities

- 1. These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Tender Documents. Priced Bills of Quantities shall be part and parcel of the Contract Documents.
- The objectives and purpose of the Bills of Quantities are to provide sufficient information on the specifications, descriptions and quantities of Works to be performed to enable tenders to be prepared efficiently and accurately and when a contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed. Inorder to attain these objectives, Works should be itemized in the Bill of Quantities insufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried outin different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and clear as possible.
- 3. The Bills of Quantities should be divided generally into the following sections:
 - a) Preambles
 - b) Preliminary items
 - c) Work Items
 - c) Daywork Schedule; and
 - d) Provisionalitems
 - e) Summary.

4. NOTES TO PREPARING PREAMBLES

- 4.1 The Preambles should include only those items that constitute the cost of the works but would not be priced separately as they are expected to be included in the unit prices. Care should be taken to ensure that these items are not are petition of the conditions of contract. The Preambles should indicate the inclusiveness of the unit prices and should state the methods of measurement that have been adopted in the preparation of the Bill of Quantities, that are to be used for the measurement of any part of the Works. The units of measurement and abbreviations should be defined and any mandatory national units defined and described. The methods of and procedure for re- measurement should be described in the Preambles.
- 42 Units of Measurement The following units of measurement and abbreviations shall be used, unless other national units are mandatory in Kenya.

nit	Abbreviation	Unit	Abbreviation
cubic meter	m ³ or cu m t	millimetre	mm

- The Bills of Quantities shall be read in conjunction with the Instructions to Tenders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 44. The quantities given in the Bills of Quantities are estimated and partly provisional and are given to provide a common basis for tendering. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Architect and valued at the rates and prices tender in the priced

Bills of Quantities, where applicable, and otherwise at such rates and prices as the Architect may fix within the terms of the Contract.

- 45. The rates and prices tender in the priced Bills of Quantities shall, except in so far as it is otherwise provided under the Contract, include all Constructional Plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- 4.6 Arateorprice shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 47. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bills of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the ratesand prices entered for the related Items of Work.
- 48 General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bills of Quantities. References to the relevant sections of the Contract documents shall be made before entering prices against each item in the priced Bills of Quantities.
- 49 Provisional Sums and contingency sums included and so designated in the Bills of Quantities shall be expended in whole or in part at the direction and discretion of the Architect in accordance with Sub-Clause 13.5 and Clause 13.6 of the General Conditions of contract.
- In preparing the Bills of Quantities, notes should be removed as they are intended to guide the person preparing the Tender Documents. The Contractor must allow in his rates for any costs associated with and complying with the requirements in the Preambles.
- Should a tenderer/contractor not price any item in any section of the Bills of Quantities including Preliminary items, it will be assumed that he/she has spread its cost in other areas that he/she will have priced. Therefore, the itemor items will be executed without any additional costs or without being treated like variations.

5. NOTES ON PREPARING BILLS OF QUANTITIES

- 5.1 The <u>Preliminary Items</u> should be limited to tangible items that should be priced by the tenderer, are identifiable and can be priced separately and included in the interim valuations precisely. Such items may include such items as site office, notice boards, and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.
- 52 The work items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. Such groups could be ground excavations, structures, external works, services, etc. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
- Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded upwhere appropriate.
- Where the measured items a redeemed not to be exact because of the likelihood that the scope can change during the execution of the works, such items could be subject to re-measurement, the word "provisional" should be used to identify such cases. Where whole sections of the work items fall in this class, for example foundations, they should be labelled "Provisional Quantities" or "Provisional Items" so that the Tenderer/Contractor is advised up front that such items are subject to re-measurement to done before such work is cover-up.
- 5.5 All items that have not been measured and therefore not subject tot enders pricing should be listed in the Bills of Quantities as **Provisional Sums** for particular item or class of Work, which may be subject to a nominated subcontract or separate measurements at a later date during the execution of the works. For example, if it is deemed not possible to measure electrical works before going to tender because detail designs are not ready, a provisional sum can be allowed in the Bills of Quantities for "Installation of Electrical Works" to be executed later when actual design details are completed. To the extent not covered above, there should be in the Bills of Quantities a general provision for physical and financial contingencies made as a "Provisional Sum for

- Contingencies" and "Provisional Sum for Fluctuations". The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.
- Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialized Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name(s) of the specialized firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to cover specialized Works by statutory authorities should be included in the Bills of Quantities.
- 5.7 A Daywork Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the tenderers, the Daywork Schedule should normally comprise:
 - i) A list of the various classes of labor, and materials for which basic.
 - ii) Daywork rates and prices for various categories of labor are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Daywork basis.
 - iii) A percent a get o be entered by the tenderer agains teach basic Day work item.
 - iv) Subtotal amount for labor, materials and plant representing the Contractor's profit, overheads, supervision and other charges.
- 5.8 The Summary should contain a tabulation of the separate parts of the Bills of Quantities carried forward, with provisional sums for Daywork, Provisional sums and Contingencies, and provision for Total Costing. The last line should allow for tenderer to indicate any discounts before arriving at a total cost carried forward to the Form of Tender.

BILLS OF QUANTITIES

(a) Preambles

1. The method of measurement of completed work for payment shall be in accordance with [insert the name of a standard reference guide, or full details of the methods to be used].

2.	The Site is situated in (provide full description where	e the site is situated, coordinates from the	nearest known
	landmark like a town and its size)	It is approximately	Kilometers from
	Nairobi. Access to the site shall be through		

Which is an existing public road. Any damage caused to the surfaces of this road shall be made good at the Contractor's expense. The Contractor shall visit the site and acquaint itself with its nature and position, the nature of the ground, substrata and other local conditions, positions of existing power, water and other services, access roads or any other limitations that might affect his cost or progress. No claim for extras shall be considered on account of lack of knowledge in this respect.

- 3. The Contractor shall obtain the Architect's approval on the siting of all temporary buildings, spoil heaps, temporary access path, and storage of materials. The Contractor shall also obtain the Architect approval and direction regarding the use of any materials found on the Site.
- 4. The drawings used in the preparation of these Bills of Quantities can be inspected at the offices of the Procuring Entityor Procuring Entity's Representative during normal working hours. Two sets of the Working Drawings shall be provided to the contractor but additional copies shall be provided at a cost to be determined by the Engineer.
- 5. The Contractor shall allow for the payment of all bank charges in connection with the procurement of Bank Guarantees and stamp charges in connection with this contract Agreement.
- 6. The Contractor shall carry out the various sections of the Works in such an order as the Architect May direct. The Procuring Entity reserves the right to occupy the Works by sections on completion provided that such occupation is considered to be both practical and reasonable and will not interfere with the Works. The Contractor shall allow any costs associated with such occupation.
- 7. The main Contractor will be fully responsible for paying his Sub-Contractor but the Procuring Entity reserves the right in very exceptional circumstances to make such payments direct in the interests of the project where the completion thereof might be jeopardized by any dispute or vicariousness between the Contractor and the Sub-Contractor involve.
- 8. The Contractor shall complete and deliver the Works in the period inserted in the Form of Tender as his time for completion of the Works from the date for Possession, to be agreed with the Engineer. The Contract Period is presumed to have been calculated making due allowance for seasonal inclement weather conditions. Noclaimfor extension of time due to the normal in clement weather for this area shall be entertained.
- 9. The Contractor shall, upon receiving instructions to proceed with the Works, draw up a Programme and Progress Chart setting out the order in which the Works are to be carried out, with the appropriate dates there of. This Chart shall be agreed with the Architect and no deviation from the order set out in it will be permitted without the written consent of the Engineer. The Contractor will be responsible for arranging the above programme with all his sub-Contractors and Specialties. The Contractor shall allow in his rates for carrying out this exercise, and for updating it as required.
- 10. The Contractor shall submit to the Architect on the first day of each week or such longer period as the Architect from time to time direct, a Progress Report and any information for the proceeding period, showing the progress during the period and the up-to-date cumulative progresson all important items of each section or portion of the Works.
- 11. The Contractor shall arrange for photographs of the Site to be taken by a professional photographer approved by the Engineer. The Photographs shall provide a record of the Site and adjacent are as prior to the commencement of the Works and shall cover such portion of the works in progress and completion as the Architect shall direct. All prints shall be full plate size, unmounted, and marked on the reverse side with the date of exposure, identification reference and brief description. The copyright of all photographs shall be vested in the Procuring Entity. The negatives and four prints from each negative shall be delivered to the Architect within two weeks of exposure.

63

- 12. Figured dimensions are to be followed in preference to dimensions scaled from the Drawings, but whenever possible dimensions are to be taken on the Site or from the buildings. Before any work is commenced by Sub-Contractors or Specialist Firms, dimensions must be checked on the site comparable dimensions shown on the drawings. The Contractor shall be responsible for the accuracy of such dimensions.
- 13. Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, waterpipes or other services in the are and he shall make whatever provisions may be required by the Authorities concerned for the support and protection of such services. Any damage or disturbance caused to any services shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense. Where appropriate the Contractor shall open up the ground in advance of the main work by hand digging if necessary, to locate precisely the position and details of the services which are likely to affect his operations.
- 14. The Contractor shall include in his prices for the transport of materials, workmen, etc./, to and from the site of the proposed works, at such hours and by such route as are permitted by the Authorities.
- 15. The Contractor will be required to make good, at his own expense and damage he may cause to the present road surface and pavements within or beyond the boundary of the Site, during the period of the works. All existing paths, storm water channels, etc., that may be destroyed or damaged during the progress of the Works shall be reinstated by the Contractor to the satisfaction of the Engineer.
- 16. The Contractor is to allow for complying with all instructions and regulations of the Police Authorities.
- 17. All water shall be fresh, clean and pure, free from earthly, vegetable or organic matter, acid or alkaline substance in solution. The Contractor shall provide at his own risk and cost all water for use in connection with the Works, (including works of sub–contractors). If need be, he shall make arrangements with the Local Water Authority for the installation of a separate meter for all water used by him throughout the Contract and pay all cost and fees in connection therewith. He shall also provide temporary storage tanks and tubing, etc., as may be necessary, and clear away at completion.
- 18. The Contractor shall provide all artificial lighting and power for his own use on the Works, (including Sub Contractor's) including all temporary connections, wiring, fittings, etc., and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection there with.
- 19. The Contractor shall constantly keep on the Works a Literate English-speaking Agent or Representative, competent and experienced in the kind of work involved, who shall given is whole time to the superintendence of the works. (Including works of sub contractors). Such Agent or Representative shall receive on behalf of the Contractordirections and instruction from the Engineer, and such directions and instructions shall be deemed to be given to the contractor in accordance with the Conditions of Contract. The Agent shall not be replaced without the specific approval of the Engineer.
- 20. The Contractor shall ensure that the safety of his work people and all authorized visitors to the site are protected at all times. In particular, there shall be the proper provision of guard—rails to scaffolding, protection against falling materials, tools on site, dust, nail and other sharp objects. The site shall be kept tidy and clear of dangerous rubbish. The Architect shall be empowered to suspend work on site should it be considered this condition is not being observed and no claim arising from such suspension will be allowed.
- 21. The are as available to the Contractor for workyards, offices and other facilities shall be directed by the Architect and any existing features to remain shall be protected from damage throughout the Contract Period and handed back in good condition when they are vacated at the end of the Contract. If additional areas are required, the contractorshallsourcethenatowncost.
- 22. The Contractor shall give the Architect reasonable notice of the intention to set out or take levels for any part of the Works so that arrangements may be made for checking the work. The accuracy of setting out and leveling shall be within the tolerances specified in the Specifications or on the Drawings. The checking of setting out or leveling by the Architect shall not relieve the Contractor of his duties or responsibilities under the Contract.
- 23. The Contractor must take steps necessary to safe guard and shall beheld fully responsible for any damage caused to existing and adjacent property, including buildings that are not a subject of demolition. He shall make good at his own cost damage to persons and property caused there on, and he shall indemnify the Procuring Entity against any loss or claim that may arise.

- 24. The Contractor shall take such steps and exercise such care and diligence as to minimize nuisance arising from dust, noise or any other cause to the occupiers of the existing and adjacent property. He must provide such temporary and special screens and tarpaulins or gummy bags, hoarding, barriers, warning signs etc. as he considers necessary and sufficient for the protection of the existing and adjacent property and or prevention of nuisance etc. as directed by Engineer.
- 25. The Contractors attention is drawn to the standards levy order which was amended on 15thOctober 1998.Legal notice No.154 of 1998. The Contractor is required to pay a monthly level of 0.2% of his factory price of construction works with effect from January 1999. Tenderer shall allow for this in the build-upo f his rates.
- 26. The Contractor shall provide temporary sheds, offices meshrooms, sanitary, accommodation and other temporary buildings for the use of the contractor and sub-contractors, including lighting furniture equipment and attendance.
- 27. Contractor shall provide/build labor camp sat areas to be agreed with the Engineer. Labor camps shall be complete with sanitary accommodation and fencing gates.
- 28. The Contractor must provide the necessary toilet facilities to the requirement and satisfaction of the Health Authorities and maintain the same in a thoroughly clean and sanitary condition and pay all conservancy fees during the period of the Works and remove when no longer required.
- 29. The Contractor shall provide at his own risk and cost all watching and lighting as necessary to safeguard the Works, Plant and materials against damage and theft.
- 30. The Contractor shall provide all necessary hoists, tackle, plant, equipment, vehicles, tools and appliances of every description for the due and satisfactory completion of the Works and shall remove the same on completion. All such plant, tools and equipment shall comply with all regulations in force throughout the period of the Contract and shall be altered or adopted during the Contract period as may be necessary to comply with any amendments in or additions to such regulations.
- 31. Provide, erect and maintain all necessary scaffolding, sufficiently strong and efficient for the due performance of the works, including Sub-Contract Works, provide special scaffolding as required by Sub-Contractors, alter and adopt all scaffolding as and when required during the Works, and remove on completion. No scaffolding is measured here in after and the Contractor must allow in his rates for this.
- 32. The Contractor shall take all necessary precautions such as temporaryf encing, hoarding fans, planked footways, guard–rails gantries screen, etc., for the safe custody of the Works, materials and public protection and adjacent properties.
- 33. Cover up all and protect from damage, including damage from in clement weather, all finished work and unfixed materials, including that of Sub-Contractors, etc., to the satisfaction of the Architect until the completion of the Contract.
- 34. The Contractor shall, after completion of the works, at his own expense, remove and clear away all surplus excavated demolition materials, plant, rubbish and unused materials and shall leave the whole of the Site and Works in a clean and tidy state to the satisfaction of the Engineer, sheds, camps, etc. Particular care shall be taken toleavecleanallfloors and windows and tore move all paint and cement all rubbis hand dirt as it accumulates. The Contractor is to find his own dump and shall pay all charges in connection there with.
- 35. Concrete test cubes shall be prepared in a set of three, as described including testing fees, labor and materials, making molds, transport, handling, etc. Allow in your rates for making at least four cubes on each occasion, from different batches; the concrete being taken from the point of deposit.
- 36. The Contractors hall furnish at the earliest possible opportunity before work commences, and at his own cost, any samples of materials and workmanship that may be called for by the Architect for the approval or rejection, and any further samples in the case of rejection, until such samples are approved by the Engineer. Such samples, when approved, shall be the minimum standard for the work to which they apply. The proceduref or submitting samples of materials for testing or approval and the method of marking for identification shall be as laid down by the Engineer. The Contractor shall allow in his Tender for such samples and tests, including those in connection with his Sub-Contractors work.

- 37. The Contractors attention is drawn to the Finance Bill of the year 2000/2001 on withholding tax on contractual payment section 35(7)(i)(ii) which became effective on 1st July 2000. A 3% withholding tax will be applicable to all in terim payments exceeding Kshs................................ for work done in respect of building or civil works. The contractor shall allow for any costs arising resulting there from in the build-up of rates.
- 38. Blasting will only be allowed with the express permission of the Architect in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost, in accordance with any Government regulations in force for the time being, and any special regulations laid down by the Architect governing the use and storage of explosives.
- 39. The National Construction Authority is a state corporation established under the national construction authority Act No.14 of 2011. The broad Mandate of the Authority is to over see the construction industry and coordinate its development. The National Construction Authority Regulations 2014 with an effective date of 6th June 2014, regulation 25, Allow 0.5% of the tender sum/contract sum for construction levy.
- 40. The Contractor attention is drawn to Finance Bill of 1993 where VAT was introduced in all contracts for construction services. The tenderer is also drawn to VAT Act Cap 476 clause 19(9). The tenderer must allow for VAT 1.19 as instructed else where.
- 41. The contractor shall allow and pay for all insurance to cover risks and indemnities required Items 17 and 18 of the Conditions of contract and also specified in the Special Conditions of Contract.

BILL NO. 1 - PRELIMINARY ITEMS

ITEM No.	DESCRIPTION	AMOUNT
1.	The Contractor shall provide, or erect and maintain an approved lock-up office for the sole use of the Architect and his own site staff. The office, which will have a total floor area of not less thansquare metres, will be divided into two separate interconnected offices. Services to be provided shall include a telephone, water sanitary and electrical supply and drainage. The offices shall be supplied with furniture and equipment that shall include:	
	4 No. desks with chairs; 1 No. large table with sufficient number of chairs; drawing table along the full length of one side with plan drawers and drawing stools: 4 No. waste paper baskets: sufficient number of pin boards: and any additional furniture and fittings as may reasonably be required during the Contract period. The Contractor shall provide the Architect and site staff with computer sets or laptops, printers and telephones all that are necessary for project use.	
	The office furniture and equipment shall all be to the approval of the Engineer. The Contractor shall also provide all labor, equipment and consumable stores equipment throughout the currency of the contract.	
2	[OPTIONAL] Contractor shall provide a house for Engineers site agent, which shall be one bedroomed temporary house with a sitting room, toilet, bathroom and a kitchen complete with electrical and sanitary installations and provide maintenance and paying of bills of water and electricity up to and including end of the contract period.	
3	Provide a signboard notless thansquare meters in size of a design type, and with lettering and coloring and in a position approved by the Engineer. The signboard shall be for the display of the Main Contractor's name and the names of all his Sub-Contractors, with the Procuring Entity's name painted thereon. All Consultants names be printed in letters not exceeding 50 mm high. No other signboard or advertising shall be allowed. The signboard shall be fully maintained during the Contract Period and shall be pulled down and removed at the end of the contract.	
4	Add others (if any)	
5		
6		
	TOTAL CARRIED TO GRAND SUMMARY	

BILL NO. 2: WORK ITEMS

(organized appropriately into work sections, such as foundations, walls/structure, finishes, doors and windows, mechanical installations. etc.

Bill No 2 - (Name of Section e.g. Foundations).

Itemno.	Description	Unit	Quantity	Rate	Amount
Total for	Bill No. 2 (carried forward to S	Summary, p.)			

Bill No. 3: Schedule of Daywork Rates - Labor

Itemno.	Description	Unit	Nominal quantity	Rate	Amount
	Subtotal				
	Allow percent ^a of Subtotal for C profit, etc., in accordance with paragra	ontractor's outph 3 (b) abo	overhead,		

a. To be entered by the Tenderer.

Bill No. 4: Schedule of Daywork Rates - Materials

Description	Unit	Nominal quantity	Rate	Extended amount
		/		
	S 6			
マンシ は高原		178		
		(3)		
GE LA				
Subtotal				
Allow percent a. of Subtotal for Contra profit, etc., in accordance with paragraph 4 (actor's ove b) above.	erhead,		
	Subtotal Allow percent a. of Subtotal for Contra	Subtotal	Subtotal Allow percent a. of Subtotal for Contractor's overhead,	Subtotal Allow percent a. of Subtotal for Contractor's overhead,

a. To be entered by the Tenderer.

Bill No. 5: Schedule of Daywork Rates - Contractor's Equipment

Itemno.	Description	Nominal quantity (hours)	Basic hourly rental rate	Extended amount
	Allow percent ^a of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 5 above.			
Total for I	Daywork: Contractor's Equipment (carried fo	rward to Dayv	work Summary,	

a. To be entered by the Tenderer.

Bill No. 6: Daywork Summary

	Amount ^a	% Foreign	Currency
1.Total for Daywork:Labor			
2.Total for Daywork:Materials			
3.Total for Daywork:Contractor's Equipment			
Total for Daywork (Provisional Sum) (carried forward to Summary of Bills of Quantities, p)			

Bill No. 7: Provisional Sums

Billno.	Itemno.	Description	Amount
1			
2			
3			
4			
etc.			
Total for S	pecified Pro	visional Sums (carried forward to Grand Summary	

GRAND SUMMARY

SUMMARY ITEMS	Page	Amount
BillNo.1:Preliminary Items		
BillNo2:Work Items		
Bill No 3: Daywork Summary		
Bill No 4: Provisional Sums		
Subtotal of Bills No 1-4		
Allow for any Discounts ⁱ		
TOTAL TENDER PRICE Carried forward to Form of Tender		

⁽i) If a percentage used, it should be indicated on which Bill No. items but on Bill No.4 – Provisional Sums.

SECTION VI - SPECIFICATIONS

Notes for preparing Specifications

- 1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanshipfor tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
- 3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as high ways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4. Caremust be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.
- 6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
- 7. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.

SECTION VII - DRAWINGS

<u>Note</u> A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.

	HE CONDITIONS OF
CONTRAC	Γ AND CONTRACT

SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)

[Name of Procuring Entity]

[Name of Contract]

[Architect Name and Address]

General Conditions of Contract

1. GENERALPROVISIONS

1.1 Definitions

In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated below. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

- "Accepted Contract Amount" means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
- "Base Date" means a date 30 day prior to the submission of tenders.
- "Bill of Quantities" means the priced and completed Bill of Quantities forming part of the tender.
- "Completion Date" meansthedateofcompletionoftheWorksascertifiedbytheEngineer.
- "Contract Price" means the price defined in the contract and there after as adjusted in accordance with the provisions of the Contract.
- "Contract" means the agreement entered into between the Procuring Entity and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works.
- "Contractor's Documents" means the calculations, computer programs and other software, progress reports, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.
- "Contractor's Equipment" means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Procuring Entity's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.
- "Contractor's Personnel" means the Contractor's Representative and all personnel whom the Contractor utilizes on Site, who may include the staff, labor and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.
- "Contractor's Representative" means the person named by the Contractor in the Contractor appointed from time to timeby the Contractor who acts on behalf of the Contractor.
- "Contractor" means the person(s) named as contractor in the Form of Tender accepted by the Procuring Entity.
- "Cost" means expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.
- "Day" means a calendar day and "year" means 365 days.
- "Dayworks" means Work inputs subject to payment on a time basis for labour and the associated materials and plant.

- "Defect" means any part of the Works not completed in accordance with the Contract.
- "Defects Liability Certificate" means the certificate issued by Architect upon correction of defects by the Contractor.
- "Defects Liability Period" means the period named in the Special Conditions of Contract and calculated from the Completion Date, within which the contractor is liable for any defects that may develop in the handed over works.
- "Defects Notification Period" means the period for notifying defects in the Works oraSection(asthecasemaybe) under Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects], whichextendsoverthedaysstated intheSpecialConditionsofContract.
- "**Drawings**" means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract.
- "Final Payment Certificate" means the payment certificate issued under Sub-Clause 14.13 [Issue of Final Payment Certificate].
- "Final Statement" means the statement defined in Sub-Clause 14.11 [ApplicationforFinalPaymentCertificate].
- "Force Majeure" is defined in Clause19 [Force Majeure].
- **"Foreign Currency"** means a currency of another country (not Kenya) in which part (or all) of the Contract Price is payable, but not the Local Currency.
- "Goods" means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.
- "Interim Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment], other than the Final Payment Certificate.
- "Laws" means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.
- "Letter of Acceptance" means the letter of formal acceptance of a tender, signed by Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.
- "Local Currency" means the currency of Kenya.
- "Materials" means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.
- "Notice of Dissatisfaction" means the notice given by either Party to the other under Sub-Clause 20.3 indicating its dissatisfaction and intention to commence arbitration.
- "Special Conditions of Contract" means the pages completed by the Procuring Entity entitled Special Conditions of Contract which constitute Part A of the Special Conditions.
- "Party" means the Procuring Entity or the Contractor, as the context requires.
- "Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment].
- "Performance Certificate" means the certificate issued under Sub-Clause 11.9 [Performance Certificate].
- "Performance Security" means the security (or securities, if any) under Sub-Clause 4.2 [Performance Security].
- "Permanent Works" means the permanent works to be executed by the Contractor under the Contract.
- **"Plant"** means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Procuring Entity and relating to the construction or operation of the Works.
- "Procuring Entity's Equipment" means the apparatus, machinery and vehicles (if any) made available by the

Procuring Entity for the use of the Contract or in the execution of the Works, as stated in the Specification; but does not include Plant which has not been taken over by the Procuring Entity.

- "Procuring Entity's Personnel" means the Engineer, the Engineer, the assistants and all other staff, labor and other employees of the Architect and of the Procuring Entity; and any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as Procuring Entity's Personnel.
- "Procuring Entity" means the Entity named in the Special Conditions of Contract.
- **"Engineer"** is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract and shall be an "Architect" or a "Quantity Surveyor" registered under the Architects and Quantity Surveyors Act Cap 525 or an "Engineer" registered under Engineers Registration Act Cap 530.
- **"Engineer"** means the person appointed by the Procuring Entity to act as the Architect for the purposes of the Contract and named in the Special Conditions of Contract, or other person appointed from time to time by the Procuring Entity and notified to the Contractor
- "Provisional Sum" means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under Sub-Clause 13.5 [Provisional Sums].
- "Retention Money" means the accumulated retention moneys which the Procuring Entity retains under Sub-Clause 14.3 [Application for Interim Payment Certificates] and pays under Sub-Clause 14.9 [Payment of Retention Money].
- "Schedules" means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Tender, as included in the Contract.
- "Section" means a part of the Works specified in the Special Conditions of Contract as a Section (if any)
- "Site Investigation Reports" are those reports that may be included in the tendering documents which a ref actual and interpretative about the surface and sub-surface condition sat the Site.
- "Site" means the places where the Permanent Works are to be executed, including storage and working areas, and to which Plant and Materials are to be delivered, and any other places as may be specified in the Contract as forming part of the Site.
- "Specification" means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.
- "Start Date" or "Commencement Date" is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).
- "Statement" means a statement submitted by the Contractor as part of an application, under Clause 14 [Contract Price and Payment], for a payment certificate.
- "Subcontractor" means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works.
- "Taking-Over Certificate" means a certificate issued under Clause 10 [Procuring Entity's Taking Over].
- "Temporary Works" means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.
- "Temporary works" means works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.
- "Tender" means the Form of Tender and all other documents which the Contractor submitted with the Form of Tender, as included in the Contract.
- "Tests after Completion" means the tests (if any) which are specified in the Contract and which are carried out in

accordance with the Specification after the Works or a Section (as the case may be) are taken over by the Procuring Entity.

- "Testson Completion" means the tests which are specified in the Contractor agreed by both Parties or instructed as a Variation, and which are carried out under Clause 9 [Tests on Completion] before the Works or a Section (as the case may be) are taken over by the Procuring Entity.
- "Time for Completion" means the time for completing the Works or a Section (as the case may be) as stated in the Special Conditions of Contract (with any extension calculated from the Commencement Date.
- "Unforeseeable" means not reasonably foreseeable by an experienced contractor by the Base Date.
- "Variation" means any change to the Works, which is instructed or approved as a variation under Clause 13 [Variations and Adjustments].
- "Works" means the items the Procuring Entity requires the Contractor to undertake as defined in the Appendix to Conditions of Contract. "Works" may also mean the Permanent Works and the Temporary Works, or either of them as appropriate.

1.2 Interpretation

In the Contract, except where the context requires otherwise:

- a) Words indicating one gender include all genders;
- b) words indicating the singular also include the plural and words indicating the plural also include the singular;
- c) provisions including the word "agree", "agreed" or "agreement" require the agreement to be recorded in writing;
- d) "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record; and

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

1.3 Communications

- 1.3.1 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:
 - a) In writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the Special Conditions of Contract; and
 - b) delivered, sentor transmitted to the addressf or the recipient's communications as stated in the Special Conditions of Contract. However:
 - i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
 - ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the addressfromwhichtherequestwasissued.
- 1.3.2 Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Engineer, a copy shall be sent to the Architect or the other Party, as the case may be.

1.4 Law and Language

- **14.1** The Contract shall be governed by the laws of **Kenya**.
- 14.2 The ruling language of the Contract shall be English.

1.5 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- a) The Contract Agreement,
- b) The Letter of Acceptance,
- c) The Special Conditions Part A,
- d) the Special Conditions Part B
- e) the General Conditions of Contract
- f) the Form of Tender,
- g) the Specifications and Bills of Quantities
- h) the Drawings, and
- i) the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Architect shall issue any necessary clarification or instruction.

1.6 Contract Agreement

The Parties shall enter into a Contract Agreement within 14 days after the Contractor receives the Contract Agreement, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the formannexed to the Special Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Procuring Entity.

1.7 Assignment

The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:

- a) May as sign the whole or any part with the prior consent of the Procuring Entity, and
- b) may, as security in favor of a bank or financial institution, assign its right to moneys due, or to become due, under the Contract.

1.8 Care and Supply of Documents

- 1.8.1 The Specifications and Drawings shall be in the custody and care of the Procuring Entity. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawings and Bills of Quantities shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
- 1.8.2 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over bythe Procuring Entity. Unless otherwise stated in the Contract, the Contractor shall supply to the Architect two copies of each of the Contractor's Documents.
- 1.8.3 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Procuring Entity's Personnel shall have the right of access to all these documents at all reasonable times.
- 1.84 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

1.9 Timely provision of Drawings or Instructions

- 1.9.1 The Contractor shall give notice to the Architect whenever the Works are likely to be delayed or disrupted if any necessary drawing or instruction is not issued to the Contractor within a particular time, which shall be reasonable. The notice shall include details of the necessary drawing or instruction, details of why and by when it should be issued, and the nature and amount of the delay or disruption likely to be suffered if it is late.
- 1.9.2 If the Contractor suffers delay and/or incurs Cost as a result of a failure of the Architect to issue the notified drawing or instruction within a time which is reasonable and is specified in the notice with supporting details, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and

- b) payment of any other associated costs accrued, which shall be included in the Contract Price.
- 1.9.3 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 1.9.4 However, if and to the extent that the Architect failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, or costs accrued.

1.10 Procuring Entity's Use of Contractor's Documents

- 1.10.1 Asagreed between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor.
- 1.10.2 The Contractor shall be deemed (by signing the Contract) to give to the Procuring Entity a non-terminable transferable non-exclusive royalty-free license to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This license shall:
 - a) apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
 - b) entitle any person in proper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and
 - c) in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.
- 1.10.3 The Contractor's Documents and other design documents made by (or on behalf of) the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Procuring Entity or purposes other than those permitted under Sub-Clause 1.10.2.

1.11 Contractor's Use of Procuring Entity's Documents

As agreed between the Parties, the Procuring Entity shall retain the copyright and other intellectual property rights in the Specification, the Drawings and other documents made by (or on behalf of) the Procuring Entity. The Contractor may, at his cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Procuring Entity's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.

1.12 Confidential Details

- 1.12.1 The Contractor's and the Procuring Entity's Personnel shall ensure confidentiality at all times. The confidentiality shall survive termination or completion of the contract. They shall disclose all such confidential and other information as may be reasonably required in order to verify compliance with the Contract and allow its proper implementation.
- 1.122 The Contractor's and the Procuring Entity's Personnel shall also treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

1.13 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the Special Conditions of Contract:

a) The Procuring Entity shall have obtained (or shall obtain) the planning, zoning, building permitor similar permission for the Permanent Works, and any other permissions described in the Specifications as having been (or to be) obtained by the Procuring Entity; and the Procuring Entity shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and

b) the Contractor shall give all notices, pay all taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Procuring Entity harmless against and from the consequences of any failure to do so, unless the Contractor is impeded to accomplish these actions and shows evidence of its diligence.

1.14 Joint and Several Liability

If the Contractor constitutes (under applicable Laws) a joint venture, consortium or other unincorporated grouping of two or more persons:

- a) These persons shall be deemed to be jointly and severally liable to the Procuring Entity for the performance of the Contract;
- b) these persons shall notify the Procuring Entity of their leader who shall have authority to bind the Contractor and each of these persons; and
- c) the Contractor shall not alter its composition or legal status without the prior consent of the Procuring Entity.

1.15 Inspections and Audit by the Procuring Entity

Pursuant to paragraph 2.2(e). of Appendix B to the General Conditions, the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Public Procurement Regulatory Authority, Procuring Entity and/or persons appointed or designated by the Government of Kenya to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity if requested by the Procuring Entity. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 15.6 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise ofthe Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of in eligibility pursuant to the Procuring Entity's prevailing sanctions procedures).

2 THE PROCURING ENTITY

21 Right of Access to the Site

- 2.1.1 The Procuring Entity shall give the Contractor right of access to, and possession of, all parts of the Site within thetime (or times) stated in the **Special Conditions of Contract.** The right and possession may not be exclusive to the Contractor. If, under the Contract, the Procuring Entity is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Procuring Entity shall do so in the time and manner stated in the Specification. However, the Procuring Entity may withhold any such right or possession until the Performance Security has been received.
- If no such time is stated in the Special Conditions of Contract, the Procuring Entity shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under Sub-Clause 8.3 [Programme].
- 21.3 If the Contractor suffers delay and/or incurs Cost as a result of a failure by the Procuring Entity to give any such right or possession within such time, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 21.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- However, if and to the extent that the Procuring Entity's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, Cost or profit.

22 Permits, Licenses or Approvals

- The Procuring Entity shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:
 - a) Copies of the Laws of Kenya which are relevant to the Contract but are not readily available, and
 - b) any permits, licenses or approvals required by the Laws of Kenya:
 - i) which the Contractor is required to obtain under Sub-Clause 1.13 [Compliance with Laws],
 - ii) for the delivery of Goods, including clearance through customs, and
 - iii) for the export of Contractor's Equipment when it is removed from the Site.

23 Procuring Entity's Personnel

The Procuring Entity shall be responsible for ensuring that the Procuring Entity's Personnel and the Procuring Entity's other contractor son the Site:

- a) co-operate with the Contractor's efforts under Sub-Clause 4.6 [Co-operation], and
- b) take action ssimilar to those which the Contractor is required to take under sub-paragraphs (a), (b) and (c) of Sub-Clause 4.8 [Safety Procedures] and under Sub-Clause 4.18 [Protection of the Environment].

24 Procuring Entity's Financial Arrangements

The Procuring Entity shall make and maintain all necessary financial arrangements which will enable the Procuring Entity to pay the Contract Price punctually (as estimated at that time) in accordance with Clause14 [Contract Price and Payment].

3 THE ENGINEER

3.1 Architect Duties and Authority

- 31.1 The Procuring Entity shall appoint the Architect who shall carry out the duties as signed to him in the Contract.

 The Architect staff shall include suitably qualified Assistants and other professionals who are competent to carry out these duties. The Architect Name and Address shall be provided in the **Special Conditions of Contract.**
- 3.1.2 The Architect shall have no authority to amend the Contract.
- 3.1.3 The Architect May exercise the authority attributable to the Architect as specified in or necessarily to be implied from the Contract. If the Architectis required to obtain the approval of the Procuring Entity before exercising a specified authority, the requirements shall be as stated in the Special Conditions of Contract. The Procuring Entity shall promptly inform the Contractor of any change to the authority attributed to the Engineer.
- 3.1.4 However, whenever the Architect exercises a specified authority for which the Procuring Entity's approvalis required, then (for the purposes of the Contract) the contractor shall require the Architect toprovideevidence of such approval before complying with the instruction.
- 3.1.5 Except as otherwise stated in these Conditions:
 - a) Whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Architect shallbedeemedtoactfortheProcuring Entity;
 - b) the Architect has no authority to relieve either Party of any duties, obligations or responsibilities under the Contract;
 - any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Architect (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances; and
 - d) anyact by the Architect in response to a Contractor's request shall be notified in writing to the Contractor within 14 days of receipt.

3.1.6 The following provisions shall apply:

The Architect shall obtain the specific approval of the Procuring Entity before taking action under thefollowing Sub-Clauses of these Conditions:

- a) Sub-Clause 4.12: agreeing or determining an extension of time and/or additional cost.
- b) Sub-Clause 13.1: instructing a Variation, except;
 - i) In an emergency situation as determined by the Engineer, or
 - ii) If such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the **Special Conditions of Contract.**
- c) Sub-Clause 13.3: Approving a proposal for Variation submitted by the Contractor in accordance with Sub Clause 13.1 or 13.2.
- d) Sub-Clause 13.4: Specifying the amount payable in each of the applicable three currencies.
- 3.1.7 Not withstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Engineer, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forth with comply, despite the absence of approval of the Procuring Entity, with any such instruction of the Engineer. The Architect shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Procuring Entity.

3.2 Delegation by the Engineer

- 321 The Architect may from time to time assign duties and delegate authority to assistants and may also revoke such assignment or delegation. These assistants may include a resident Engineer, and/or independent inspectors appointed to inspect and/ or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties. However, unless otherwise agreed by both Parties, the Architect shall not delegate the authority to determine any matter in accordance with Sub-Clause 3.5 [Determinations].
- Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorized to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Engineer. However:
 - a) Any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Architect to reject the work, Plant or Materials;
 - b) If the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Engineer, who shall promptly confirm, reverse or vary the determination or instruction.

3.3 Instructions of the Engineer

- 3.3.1 The Architect may issue to the Contractor (at anytime) instructions and additional or modified Drawings which may benecessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Engineer, or from an assistant to whom the appropriate authority has been delegated under Clause 3.2.1.
- The Contractor shall comply with the instructions given by the Architect or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Architec tor a delegated assistant:
 - a) Gives an oral instruction,
 - b) receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and

c) does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation,

Then the confirmation shall constitute the written instruction of the Architect or delegated assistant (as the case may be).

3.4 Replacement of the Engineer

IftheProcuring Entity intends to replace the Engineer, the Procuring Entity shall, in not less than 21 days before theintendeddateofreplacement, give notice to the Contractor of the name, address and relevant experience of the intended person to replace the Engineer.

35 Determinations

- 35.1 Whenever these Conditions provide that the Architect shall proceed in accordance with this Sub-Clause3.5 to agreeor determine any matter, the Architect shall consult with each Party in an endeavor to reach agreement. If agreement is not achieved, the Architect shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.
- 3.5.1 The Architect shall give notice to both Parties of each agree mentor determination, with supporting particulars, within 30 days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under Clause 20 [Claims, Disputes and Arbitration].

4 THE CONTRACTOR

4.1 Contractor's General Obligations

- 4.1.1 The Contractor shall design (to the extent specified in the Contract), execute and complete the Works in accordance with the Contract and with the Architect instructions, ands hall remedy any defects in the Works.
- 4.1.2 The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.
- 4.1.3 All equipment, material, and services to be incorporated in or required for the Works shall have their origin in any eligible source country.
- 4.14 The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction. Except to the extent specified in the Contract, the Contractor (i) shall be responsible for all Contractor's Documents, Temporary Works, and such design of each item of Plant and Materials as is required for the item to be in accordance with the Contract, and (ii) shall not otherwise be responsible for the designor specification of the Permanent Works.
- 4.1.5 The Contractor shall, whenever required by the Engineer, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Engineer.
- 4.1.6 If the Contract specifies that the Contractor shall design any part of the Permanent Works, then unless otherwise stated in the Special Conditions:
 - a) The Contractor shall submit to the Architect the Contractor's Documents for this part in accordance with the procedures specified in the Contract;
 - b) these Contractor's Documents shall be in accordance with the Specification and Drawings, shall be written in the language for communications defined in Sub-Clause 1.4 [Law and Language], and shall include additional information required by the Architect to add to the Drawings for co-ordination of each Party's designs;
 - c) the Contractor shall be responsible for this part and it shall, when the Works are completed, befit for such purposes for which the part is intended as are specified in the Contract; and
 - d) prior to the commencement of the Tests on Completion, the Contractor shall submit to the Architectthe "as-built" documents and, if applicable, operation and maintenance manuals in accordance with the

Specification and in sufficient detail for the Procuring Entity to operate, maintain, dismantle, reassemble, adjust and repair this part of the Works. Such part shall not be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections] until these documents and manuals have been submitted to the Engineer.

42 Performance Security

- 421 The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the amount stated in the **Special Conditions of Contract** and denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Procuring Entity. If an amount is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- The Contractor shall deliver the Performance Security to the Procuring Entity within 30 days after receiving the Notification of Award and shall send a copy to the Engineer. The Performance Security shall be issued by a reputable bank selected by the Contractor and shall be in the form annexed to the Special Conditions, as stipulated by the Procuring Entity in the Special Conditions of Contract, or in another form approved by the Procuring Entity.
- 4.23 The Contractor shall ensure that the Performance Security is valid and enforceable until the Contractor has executed and completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.
- 4.24 The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract.
- The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.
- 4.26 The Procuring Entity shall return the Performance Security to the Contractor within 14 days after receiving a copyof the Taking-Over Certificate.
- Without limitation to the provisions of the rest of this Sub-Clause, whenever the Architect determines an addition or a reduction to the Contract Price as a result of a change in cost and/ or legislation, or as a result of a Variation, amounting to more than 25 percent of the portion of the Contract Price payable in a specific currency, the Contractor shall at the Architect request promptly increase, or may decrease, as the case may be, the value of the Performance Security in that currency by an equal percentage.

43 Contractor's Representative

- 43.1 The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract. The Contractor's Representative's Name and Address shall be provided in the **Special Conditions of Contract.**
- 4.32 Unless the Contractor's Representative **is named in the Contract**, the Contractor shall, prior to the Commencement Date, submit to the Architect for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is with held or subsequently revoked in terms of Sub-Clause 6.9 [Contractor's Personnel], or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of an other suitable person for such appointment.
- 4.3.3 The Contractor shall not, without the prior consent of the Engineer, revoke the appointment of the Contractor's Representative or appoint are placement.
- 4.3.4 The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Architect prior consent, and the Architect shall be notified accordingly.
- The Contractor's Representative shall, on behalf of the Contractor, receive instructions under Sub-Clause 3.3 [Instructions of the Engineer].

- 4.36 The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Architect has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.
- 4.37 The Contractor's Representative shall be fluent in the language for communications defined in Sub-Clause1.4 [Law and Language]. If the Contractor's Representative's delegates are not fluent in the said language, the Contractor shall make competent interpreter savailable during all working hours in a number deemed sufficient by the Engineer.

4.4 Sub-contractors

- 4.4.1 The Contractor shall not subcontract the whole of the Works. The contractor may however subcontract the works as provided in Clause 34.2.
- The Contractor shall be responsible for the acts or defaults of any Subcontractor, his agents or employees, as if theyweret heacts or defaults of the Contractor. Unless otherwise stated in the Special Conditions:
 - a) The Contractor shall not be required to obtain consent to suppliers solely of Materials, or to a subcontract for which the Subcontractor is named in the Contract;
 - b) The prior consent of the Procuring Entity shall be obtained to other proposed Subcontractors;
 - c) the Contractor shall give the Procuring Entity not less than 14 days' notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site; and
 - d) each subcontract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under Sub-Clause 4.5 [Assignment of Benefit of Subcontract] (if or when applicable) or in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity].
- The Contractor shall ensure that the requirements imposed on the Contractor by Sub-Clause 1.12 [Confidential Details] apply equally to each Subcontractor.
- 4.4.4 Wher epracticable, the Contractor shall give fair and reasonable opportunity for contractors from Kenya to be appointed as Subcontractors.

45 Assignment of Benefit of Subcontract

If a Subcontractor's obligations extend beyond the expiry date of the relevant Defects Notification Period and the Engineer, prior to this date, instructs the Contractor to assign the benefit of such obligations to the Procuring Entity, then the Contractor shall do so. Unless otherwise stated in the assignment, the Contractor shall have no liability to the Procuring Entity for the work carried out by the Subcontractor after the assignment takes effect.

4.6 Co-operation

- 4.61 The Contractor shall, as specified in the Contract or as instructed by the Engineer, allow appropriate opportunities for carrying out work to:
 - a) The Procuring Entity's Personnel,
 - b) Any other contractors employed by the Procuring Entity, and
 - c) The personnel of any legally constituted public authorities, who may be employed in the execution on or near the Site of any work not included in the Contract.
- 4.62 Any such instruction shall constitute a Variation if and to the extent that it cause sthe Contractor to suffer delays and/ortoincur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access arrangements which are the responsibility of the Contractor.
- 4.63 If, under the Contract, the Procuring Entity is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Architect in the time and manner stated in the Specification.

4.7 Setting Out of the Works

- 4.7.1 The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contractor notified by the Engineer. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.
- 4.7.2 The Procuring Entity shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.
- 4.73 If the Contractor suffers delay and/or incurs Cost from executing work which was necessitated by an errorin these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/ or Cost, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such costs accrued, which shall be included in the Contract Price.
- 4.7.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent the error could not reasonably have been discovered, and (ii) the matters described in sub-paragraphs (a) and (b) above related to thise.

48 Safety Procedures

The Contractor shall:

- a) Comply with all applicable safety regulations,
- b) Takec are for the safety of all persons entitled to be on the Site,
- c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,
- d) provide fencing, lighting, guarding and watching of the Works until completion and taking over under Clause 10 [Procuring Entity's Taking Over], and
- e) provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.

4.9 Quality Assurance

- 4.9.1 The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Architect shall be entitled a audit any aspect of the system.
- 4.9.2 Details of all procedures and compliance documents shall be submitted to the Architectf or information before each design and execution stage is commenced. When any document of a technical nature is issued to the Engineer, evidence of the prior approval by the Contractor itself shall be apparent on the document itself.

Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.

4.10 Site Data

- 4.10.1 The Procuring Entity shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Procuring Entity's possession on sub-surface and hydrological conditions at the Site, including environmental aspects. The Procuring Entity shall similarly make available to the Contractor all such data which come into the Procuring Entity's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.
- 4.10.2 To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined

the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):

- a) The form and nature of the Site, including sub-surface conditions,
- b) the hydrological and climatic conditions,
- c) the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,
- d) the Laws, procedures and labour practices of Kenya, and
- e) the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

4.11 Sufficiency of the Accepted Contract Amount

- 4.11.1 TheContractor shall be deemed to:
 - a) Have satisfied itself as to the correctness and sufficiency of the Accepted Contract Amount, and
 - b) have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.10 [Site Data].
- 4.11.2 Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper execution and completion of the Works and the remedying of any defects.

4.12 Unforeseeable Physical Conditions

- 4.12.1 In this Sub-Clause, "physical conditions" means natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including sub-surface and hydrological conditions but excluding climatic conditions.
- 4.122 If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Architect as soon as practicable.
- 4.123 This notice shall describe the physical conditions, so that they can be inspected by the Architect and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Architect may give. If an instruction constitutes a Variation, Clause 13 [Variations and Adjustments] shall apply.
- 4.124 If and to the extent that the Contractor encounters physical conditions which are Unforeseeable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor shall be entitled subject to notice under Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.
- 4.125 Upon receiving such notice and inspecting and/or investigating these physical conditions, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent these physical conditions were Unforeseeable, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this extent.
- 4.126 However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the Architect may also review whether other physical conditions in similar parts of the Works (if any) were more favorable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favorable conditions were encountered, the Architect may proceed in accordance with Sub-Clause 3.5

[Determinations] to agree or determine the reductions in Cost which were due to these conditions, which may be included (as deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a net reduction in the Contract Price.

4.12.7 The Architect shall take account of any evidence of the physical conditions foreseen by the Contractorwhen submitting the Tender, which shall be made available by the Contractor, but shall not be bound by the Contractor's interpretation of any such evidence.

4.13 Rights of Way and Facilities

Unless otherwise specified in the Contract the Procuring Entity shall provide effective access to and possession of the Site including special and/or temporary rights-of-way which are necessary for the Works. The Contractor shall obtain, at his risk and cost, any additional rights of way or facilities out side the Site which he may require for the purposes of the Works.

4.14 Avoidance of Interference

- 4.14.1 The Contractor shall not interfere unnecessarily or improperly with:
 - a) The convenience of the public, or
 - b) The access to and use and occupation of all roads and foot paths, irrespective of whether they are public or in the possession of the Procuring Entity or of others.
- 4.14.2 The Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.

4.15 Access Route

- 4.15.1 The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.
- 4.15.2 Except as otherwise stated in these Conditions:
 - a) The Contractor shall (as be tween the Parties) be responsible for any maintenance which may be required for his use of access routes;
 - b) the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;
 - c) the Procuring Entity shall not be responsible for any claims which may arise from the use or otherwise of any access route;
 - d) the Procuring Entity does not guarantee the suitability or a vailability of particular access routes; and
 - e) Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.

4.16 Transport of Goods

Unless otherwise stated in the Special Conditions:

- a) the Contractor shall give the Architect not less than 21 days' notice of the date on which any Plant or a major item of other Goods will be delivered to the Site;
- b) the Contractor shall be responsible for packing, loading, transporting, receiving, unloading, storing and protecting all Goods and other things required for the Works; and
- c) the Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from thetransport of Goods and shall negotiate and pay all claims arising from their transport.

4.17 Contractor's Equipment

The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Engineer. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.

4.18 Protection of the Environment

- 4.18.1 The contractor shall comply with the applicable environmental laws, regulations and policies.
- 4.18.2 The Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.
- 4.18.3 The Contractors hall ensure that emissions, surfaced is charges and effluent from the Contractor's activities shall not exceed the values stated in the Specification or prescribed by applicable Laws.

4.19 Electricity, Water and Gas

- 4.19.1 The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Specifications, for the tests.
- 4.19.2 The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water, gas and other services as may be available on the Site and of which details and prices are given in the Specifications. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.
- 4.19.3 The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.

4.20 Procuring Entity's Equipment and Free-Issue Materials

- 4.20.1 The Procuring Entity shall make the Procuring Entity's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Specification. Unless otherwise stated in the Specification:
 - a) The Procuring Entitys hall be responsible for the Procuring Entity's Equipment, except that
 - b) the Contractor shall be responsible for each item of Procuring Entity's Equipment whilst any of the Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.
- 4.20.1 The appropriate quantities and the amounts due (at such stated prices) for the use of Procuring Entity's Equipment shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.
- 4.202 The Procuring Entity shall supply, free of charge, the "free-issue materials" (if any) in accordance with the details stated in the Specification. The Procuring Entity shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them and shall promptly give notice to the Architect of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Procuring Entity shall immediately rectify the notified shortage, defector default.
- 4.203 After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Procuring Entity of liability for any shortage, defect or default not apparent from a visual inspection.

4.21 Progress Reports

- 4.21.1 Unless otherwise stated in the Special Conditions, monthly progress reports shall be prepared by the Contractor and submitted to the Architect in six copies. The first report shall cover the period up to the end of the first calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 days after the last day of the period to which it relates.
- 4.212 Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works. Each report shall include:
 - a) charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in Clause 5 [NominatedSubcontractors]),
 - b) photographs showing the status of manufacture and of progress on the Site;
 - c) for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected dates of:
 - i) commencement of manufacture.
 - ii) Contractor's inspections,
 - iii) tests, and
 - iv) shipment and arrival at the Site;
 - d) the details described in Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment];
 - e) copies of quality assurance documents, test results and certificates of Materials;
 - f) list of notices given under Sub-Clause 2.5 [Procuring Entity's Claims] and notices given under Sub-Clause 20.1 [Contractor's Claims];
 - g) safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and
 - h) comparison so factual and planned progress, with details of any events or circumstances which may jeopardize the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.

4.22 Security of the Site

Unless otherwise stated in the Special Conditions:

- a) The Contractor shall be responsible for keeping unauthorized persons off the Site, and
- b) authorized persons shall be limited to the Contractor's Personnel and the Procuring Entity's Personnel; and to any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as authorized personnel of the Procuring Entity's other contractors on the Site.

4.23 Contractor's Operations on Site

- 4.23.1 The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Architect as additional working areas. The Contractor shall take all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacentl and.
- 4.232 During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.
- 4.233 Upon the issue of a Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Notification Period, such Goods as are required for the Contractor to fulfil obligations under the Contract.

4.24 Fossils

- 4.24.1 All fossils, coins, articles of value or antiquity, and structures and other remains or items of geological or archaeological interest found on the Site shall be placed under the care and authority of the Procuring Entity. The Contractor shall take reasonable precautions to prevent Contractor's Personnel or other persons from removing or damaging any of these findings.
- 4.24.2 The Contractor shall, upon discovery of any such finding, promptly give notice to the Engineer, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.

 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

5. NOMINATED SUBCONTRACTORS

5.1 Definition of "nominated Subcontractor"

In this Contract, "nominated Subcontractor" means a Subcontractor:

- a) Who is nominated by the Procuring Entity, or
- b) Contractor has nominated as a Subcontractor subject to Sub-Clause 5.2 [Objection to Notification].

52 Objection to Nomination

The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Procuring Entity as soon as practicable, with supporting particulars. An objection shall be deemed reasonable if it arises from (among other things) any of the following matters, unless the Procuring Entity agrees in writing to indemnify the Contractor against and from the consequences of the matter:

- a) there are reasons to believe that the Subcontractor does not have sufficient competence, resources or financial strength;
- b) the nominated Subcontractor does not accept to indemnify the Contractor against and from any negligence or misuse of Goods by the nominated Subcontractor, his agents and employees; or
- c) the nominated Subcontractor does not accept to enter into a subcontract which specifies that, for the subcontracted work (including design, if any), the nominated Subcontractor shall:
 - i) undertake to the Contractor such obligations and liabilities as will enable the Contractor to discharge hisobligations and liabilities under the Contract;
 - ii) indemnify the Contractor against and from all obligations and liabilities arising under or in connection with the Contract and from the consequences of any failure by the Subcontractor to perform these obligations or to fulfil these liabilities, and
 - iii) be paid only if and when the Contractor has received from the Procuring Entity payments for sums due under the Subcontract referred to under Sub-Clause 5.3 [Payment to nominated Subcontractors].

53 Payments to nominated Subcontractors

The Contractor shall pay to the nominated Subcontractor the amounts shown on the nominated Subcontractor's invoices approved by the Contractor which the Architect certifies to be due in accordance with the subcontract. These amounts plus other charges shall be included in the Contract Price in accordance with sub-paragraph (b) of Sub-Clause 13.5 [Provisional Sums], except as stated in Sub-Clause 5.4 [Evidence of Payments].

5.4 Evidence of Payments

5.4.1 Before issuing a Payment Certificate which includes an amount payable to a nominated Subcontractor, the Architect may request the Contractor to supply reasonable evidence that the nominated Subcontractor has received all amounts due in accordance with previous Payment Certificates, less applicable deductions for retention or otherwise. Unless the Contractor:

- (a) Submits this reasonable evidence to the Engineer, or
- (b) i) Satisfies the Architect in writing that the Contractor is reasonably entitled to withhold or refuse to pay these amounts, and
 - ii) Submits to the Architect reasonable evidence that the nominated Subcontractor has been notified of the Contractor's entitlement, then the Procuring Entity may (at his sole discretion) pay, direct to the nominated Subcontractor, part or all of such amounts previously certified (less applicable deductions) as are due to the nominated Subcontractor and for which the Contractor has failed to submit the evidence described in sub-paragraphs (a) or (b) above. The Contractor shall then repay, to the Procuring Entity, the amount which the nominated Subcontractor was directly paid by the Procuring Entity.

6 STAFF AND LABOR

6.1 Engagement of Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing. The Contractor is encouraged, to the extent practicable and reasonable, to employ staff and labor with appropriate qualifications and experience from sources within Kenya.

6.2 Rates of Wages and Conditions of Labor

- The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entity's whose trade or industry is similar to that of the Contractor.
- The Contractor shall inform the Contractor's Personnel about their liability to pay personal income taxes in Kenya in respect of such of their salaries, wages, allowances and any benefits as are subject to tax under the Laws of Kenya for the time being in force, and the Contractor shall perform such duties in regard to such deductions there of as may be imposed on him by such Laws.

6.3 Persons in the Service of Procuring Entity

The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Procuring Entity's Personnel.

6.4 Lab or Laws

The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, employment of children, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.

6.5 Working Hours

Nowork shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **Special Conditions of Contract**, unless:

- a) Otherwise stated in the Contract,
- b) The Architect gives consent, or
- c) The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Engineer, provided that work done outside the normal working hours shall be considered and paid for as overtime.

6.6 Facilities for Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities on site for the Contractor's Personnel. The Contractor shall also provide facilities for the Procuring Entity's Personnel as stated in the Specifications. The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

67 Health and Safety

- 67.1 The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with loca lhealth authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.
- 67.2 The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide what ever is required by this person to exercise this responsibility and authority.
- 67.3 The Contractor shall send, to the Engineer, details of any accident as soon as practicable after itsoccurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Architect may reasonably require.
- 67.4 The Contractor shall conduct an awareness programme on HIV and other sexually transmitted diseases via an approved service provider and shall undertake such other measures taken to reduce the risk of the transfer of these diseases between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

68 Contractor's Superintendence

- Throughout the execution of the Works, and as long thereafter as is necessary to fulfil the Contractor's obligations, the Contractor shall provide all necessary super intendence to plan, arrange, direct, manage, inspect and test the work.
- 682 Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in Sub-Clause 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

69 Contractor's Personnel

- 69.1 The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Contractors Key personnel shall be named in the Special Conditions of Contract. The Architect may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:
 - a) Persists in any misconduct or lack of care,
 - b) Carries out duties in competently or negligently,
 - c) fails to conform with any provisions of the Contract,
 - d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment, or
 - e) based on reasonable evidence, is determined to have engaged in Fraud and Corruption during the execution of the Works.
- 69.2 If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

6.10 Records of Contractor's Personnel and Equipment

The Contractor shall submit, to the Engineer, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Engineer, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

6.11 Disorderly Conduct

The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.

6.12 Foreign Personnel

- 6.12.1 The Contractor shall not employ foreign personnel unless the contractor demonstrates that there are no Kenyans with the required skills.
- 6.122 The Contractor shall be responsible for the return of any foreign personnel to the place where they were recruited or to their domicile. In the event of the death in Kenya of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

6.13 Supply of Water

The Contractor shall, having regard to local conditions, provide on the Sitea n adequate supply of drinking and other water for the use of the Contractor's Personnel.

6.14 Measures against Insect and Pest Nuisance

The Contractor shall a tall times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce the danger to their health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

6.15 Alcoholic Liquor or Drugs

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, onsite, import, sell, give, barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift, barter or disposal there of by Contractor's Personnel.

6.16 Prohibition of Forced or Compulsory Labour

The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of involuntary or compulsory labor, such as indentured labor, bonded labor or similar labor-contracting arrangements.

6.17 Prohibition of Harmful Child Labor

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws of Kenya have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

6.18 Employment Records of Workers

The Contractor shall keep complete and accurate records of the employment of labour at the Site. The records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Engineer. These records shall be included in the details to be submitted by the Contractor under Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment].

6.19 Workers' Organizations

The Contractor shall comply with the relevant labor laws that recognize workers' rights to form and to join workers' organizations of their choosing without interference.

6.20 Non-Discrimination and Equal Opportunity

The Contractor shall base the labour employment on the principle of equal opportunity and fair treatment and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employ mentor retirement, and discipline.

7. PLANT, MATERIALS AND WORKMANSHIP

7.1 Manner of Execution

The Contractor shall carry out the manufacture/assemble of plant, the production and manufacture of Materials, and all other execution of the Works:

- a) In the manner (if any) specified in the Contract,
- b) in a proper workman like and careful manner, in accordance with recognized good practice, and
- c) with properly equipped facilities and non-hazardous Materials, except as otherwise specified in the Contract.

7.2 Samples

The Contractor shall submit the following samples of Materials, and relevant information, to the Architect for consent prior to using the Material sin or for the Works:

- a) manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
- b) additional samples instructed by the Architect as a Variation.

Each sample shall be labeled as to origin and intended use in the Works.

7.3 Inspection

- 7.3.1 The Procuring Entity's Personnel shall at all reasonable times:
 - a) Have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
 - b) during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.
- 7.32 The Contractor shall give the Procuring Entity's Personnel full opportunity to carry out these activities, including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.
- 7.33 The Contractor shall give notice to the Architect whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Architect shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that the Architect does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Engineer, uncover the work and there after reinstate and make good, all at the Contractor's cost.

7.4 Testing

- 7.4.1 This Sub-Clause shall apply to all tests specified in the Contract.
- 7.4.2 Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labor, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Engineer, the time and placef ort he specified testing of any Plant, Materials and other parts of the Works.
- 7.4.3 The Architect may, under Clause 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, not withstanding other provisions of the Contract.
- 7.4.4 The Architect shall give the Contractor not less than 24 hours' notice of the Architect intention to attend the tests. If the Architect does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Engineer, and the tests shall then be deemed to have been made in the Architect presence.

- 7.45 If the Contractor suffers delay and/ or incurs Cost from complying with these instructions or as a result of a delay for which the Procuring Entity is responsible, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 7.4.6 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 7.4.7 The Contractor shall promptly forward to the Architect duly certified reports of the tests. When thespecified tests have be enpassed, the Architect shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Architect has not attended the tests, he shall be deemed to have accepted the readings as accurate.

7.5 Rejection

- 7.5.1 If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Architect may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.
- 7.5.2 If the Architect requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Procuring Entity to incur additional costs, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity.

7.6 Remedial Work

- 7.6.1 Not withstanding any previous test or certification, the Architect may instruct the Contractorto:
 - a) Remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,
 - b) remove and re-execute any other work which is not in accordance with the Contract, and
 - c) execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseen able event or otherwise.
- 7.62 The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph (c).
- 7.63 If the Contractor fails to comply with the instruction, the Procuring Entity shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity all costs arising from this failure.
- 7.64 If the contractor repeatedly delivers defective work, the Procuring Entity may consider termination in accordance with Clause 15.

7.7 Ownership of Plant and Materials

Except as otherwise provided in the Contract, each item of Plant and Materials shall become the property of the Procuring Entity at whichever is the earlier of the following times, free from liens and other encumbrances:

- a) When it is in corporated in the Works;
- b) when the Contractor is paid the corresponding value of the Plant and Materials under Sub-Clause 8.10 [Payment for Plant and Materials in Event of Suspension].

7.8 Royalties

Unless otherwise stated in the Specification, the Contractor shall pay all royalties, rents and other payments for:

- a) Natural materials obtained from outside the Site, and
- b) the disposal of material from demolitions and excavations and of other surplus material (whether natural orman-made), except to the extent that disposal are as within the Site are specified in the Contract.

8 COMMENCEMENT, DELAYS AND SUSPENSION

81 Commencement of Works

- 8.1.1 Except as otherwise specified in the Special Conditions of Contract, the Commencement Date shall be the date at which the following precedent condition shave all been fulfilled and the Architect notification recording the agreement of both Parties on such fulfilment and instructing to commence the Work is received by the Contractor:
 - a) Signature of the Contract Agreement by both Parties, and if required, approval of the Contract by relevant authorities of Kenya;
 - b) except if otherwise specified in the Special Conditions of Contract, effective access to and possession of the Site given to the Contractor together with such permission(s) under (a) of Sub-Clause 1.13 [Compliance with Laws] as required for the commencement of the Works.
 - c) Receipt by the Contractor of the Advance Payment under Sub-Clause 14.2 [Advance Payment] provided that the corresponding bank guarantee has been delivered by the Contractor.
- 8.1.2 If the said Architect instruction is not received by the Contractor within 180 days from his receipt of the Letter of Acceptance, the Contractor shall be entitled to terminate the Contract under Sub-Clause 1 6.2 [Termination Contractor].
- 8.1.3 The Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date and shall then proceed with the Works with due expedition and without delay.

82 Time for Completion

The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including:

- a) Achieving the passing of the Testson Completion, and
- b) completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections].

8.3 Programme

- 8.3.1 The Contractor shall submit a detailed time programme to the Architect within 1 4 days after receiving the notice under Sub-Clause 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:
 - a) The order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design (if any), Contractor's Documents, procurement, manufacture of Plant, delivery to Site, construction, erection and testing,
 - b) each of these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
 - c) the sequence and timing of inspections and tests specified in the Contract, and
 - d) a supporting report which includes:
 - i) a general description of the methods which the Contractor intends to adopt, and of the major stages, in the execution of the Works, and
 - details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of Contractor's Equipment, required on the Site for each major stage.
- 8.3.2 Unless the Engineer, within 14 days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Procuring Entity's Personnel shall be entitled to rely upon the programme when planning their activities.
- 8.3.3 The Contractor shall promptly give notice to the Architect of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works.

If, at anytime, the Architect gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contractor to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Architect in accordance with this Sub-Clause.

8.4 Extension of Time for Completion

- The Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of Sub-Clause 10.1 [Taking Over of the Works and Sections] is or will be delayed by any of the following causes:
 - a) a Variation (unless an adjustment to the Time for Completion has been agreed under Sub-Clause 13.3 [Variation Procedure]) or other substantial change in the quantity of an item of work included in the Contract,
 - b) a cause of delay giving an entitlement to extension of time under a Sub-Clause of these Conditions,
 - c) exceptionally adverse climatic conditions,
 - d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
 - e) any delay, impediment or prevention caused by or attributable to the Procuring Entity, the Procuring Entity's Personnel, or the Procuring Entity's other contractors.
- If the Contractor considers itself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Architect in accordance with Sub-Clause 20.1 [Contractor's Claims]. When determining each extension of time under Sub-Clause 20.1, the Architect shall review previous determinations and may increase, but shall not decrease, the total extension of time.

8.5 Delays Caused by Authorities

If the following conditions apply, namely:

- a) The Contractor has diligently followed the procedures laid down by the relevant legally constituted public authorities in Kenya,
- b) These authorities delay or disrupt the Contractor's work, and
- c) the delay or disruption was Unforeseeable, then this delay or disruption will be considered as a cause of delay under sub-paragraph (b) of Sub-Clause 8.4 [Extension of Time for Completion].

8.6 Rate of Progress

- 8.6.1 If, at anytime:
 - a) Actual progress is too slow to complete within the Time for Completion, and/or
 - b) Progress has fallen (or will fall) behind the current programme under Sub-Clause 8.3 [Programme], other than as a result of a cause listed in Sub-Clause 8.4 [Extension of Time for Completion], then the Architect may instruct the Contractor to submit, under Sub-Clause 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.
- Unless the Architect notifies otherwise, the Contractor shall adopt these revised methods, which mayrequire increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Procuring Entity to incur additional costs, the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity, in addition to delay damages (if any) under Sub-Clause 8.7 below.
- Additional costs of revised methods including acceleration measures, instructed by the Architect to reduce delays resulting from causes listed under Sub-Clause 8.4 [Extension of Time for Completion] shall be paid by the Procuring Entity, without generating, however, any other additional payment benefit to the Contractor.

8.7 Delay Damages

87.1 If the Contractor fails to comply with Sub-Clause 8.2 [Time for Completion], the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay delay damages to the Procuring Entity for this default. These delay damages shall be the sum stated in the **Special Conditions of Contract**, which shall be paid for everyday which shall elapse between the relevant Time for Completion and the date stated in the

Taking-Over Certificate. However, the total amount due under this Sub-Clause shall not exceed the maximum amount of delay damages (if any) stated in the Special Conditions of Contract.

These delay damages shall be the only damages due from the Contractor for such default, other than in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity] prior to completion of the Works. These damages shall not relieve the Contractor from his obligation to complete the Works, or from any other duties, obligations or responsibilities which he may have under the Contract.

8.8 Suspension of Work

- The Architect may at anytime instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works a gainst any deterioration, loss or damage.
- The Architect may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following Sub-Clauses 8.9, 8.10 and 8.11 shall not apply.

8.9 Consequences of Suspension

- 89.1 If the Contractor suffers delay and/or incurs Cost from complying with the Architect instructions under Sub-Clause 8.8 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) Payment of any such Cost, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause3.5 [Determinations] to agree or determine these matters.
- 89.3 The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with Sub-Clause 8.8 [Suspension of Work].

8.10 Payment for Plant and Materials in Event of Suspension

The Contractor shall be entitled to payment of the value (as at the date of suspension) of Plant and/ or Materials which have not been delivered to Site, if:

- a) The work on Plant or delivery of Plant and/ or Materials has been suspended for more than 30 days, and
- b) the Contractor has marked the Plant and/or Materials as the Procuring Entity's property in accordance with the Architect instructions.

8.11 ProlongedSuspension

If the suspension under Sub-Clause 8.8 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Architect permission to proceed. If the Architect does not give permission within 30 days after being requested to do so, the Contractor may, by giving notice to the Engineer, treat the suspension as an omission under Clause 13 [Variations and Adjustments] of the affected part of the Works. If the suspension affects the whole of the Works, the Contractor may give notice of termination under Sub-Clause 16.2 [Termination by Contractor].

8.12 Resumption of Work

After the permission or instruction to proceed is given, the Contractor and the Architect shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or defect in or loss of the Works or Plant or Materials, which has occurred during the suspension after receiving from the Architect an instruction to this effect under Clause 13 [Variations and Adjustments].

9. TESTS ON COMPLETION

9.1 Contractor's Obligations

- 9.1.1 The Contractor shall carry out the Tests on Completion in accordance with this Clause and Sub-Clause 7.4 [Testing], after providing the documents in accordance with sub-paragraph (d) of Sub-Clause 4.1 [Contractor's General Obligations].
- 9.1.2 The Contractor shall give to the Architect not less than 21 days' notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 days after this date, on such day or days as the Architect shall instruct.
- 9.1.3 In considering the results of the Tests on Completion, the Architect shall make allowances for the effect of any use of the Works by the Procuring Entity on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the results of these Tests to the Engineer.

9.2 Delayed Tests

- 9.21 If the Tests on Completion are being unduly delayed by the Procuring Entity, Sub-Clause 7.4 [Testing] (fifth paragraph) and/ or Sub-Clause 10.3 [Interference with Tests on Completion] shall be applicable.
- 9.22 If the Tests on Completion are being unduly delayed by the Contractor, the Architect may by notice require the Contractor to carry out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Testson such day or days within that period as the Contractor may fix and of which he shall give notice to the Engineer.
- 9.23 If the Contractor fails to carryout the Tests on Completion within the period of 21 days, the Procuring Entity's Personnel may proceed with the Test sat the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted asaccurate.

9.3 Retesting of related works

If the Works, or a Section, fail to pass the Tests on Completion, Sub-Clause 7.5 [Rejection] shall apply, and the Architect or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.

9.4 Failure to Pass Tests on Completion

- 9.4.1 If the Works, or a Section, fail to pass the Tests on Completion repeated under Sub-Clause 9.3 [Retesting], the Architect shall be entitled to:
 - a) Order further repetition of Tests on Completion under Sub-Clause 9.3; or
 - b) if the failure deprives the Procuring Entity of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Procuring Entity shall have the same remedies as are provided in sub-paragraph (c) of Sub-Clause 1 1.4 [Failure to Remedy Defects].

10. PROCURING ENTITY'S TAKING OVER

10.1 Taking Over of the Works and Sections

- 10.1.1 Except as stated in Sub-Clause 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Procuring Entity when (i) the Works have been completed in accordance with the Contract, including the matters described in Sub-Clause 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and (ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this Sub-Clause.
- 10.1.2 The Contractor may apply by notice to the Architect for a Taking-Over Certificate not earlier than 14 days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contract or may similarly apply for a Taking-Over Certificate for each Section.

- 10.1.3 The Architect shall, within 30 days after receiving the Contractor's application:
 - a) Issue the Taking-Over Certificate to the Contract or, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor out standing work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
 - b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice undert his Sub-Clause.
- 10.14 If the Architect fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on thel ast day of that period.

10.2 Taking Over of Parts of the Works

- 10.2.1 The Architect may, at the sole discretion of the Procuring Entity, issue a Taking-Over Certificate for any part of the Permanent Works.
- 10.22 The Procuring Entity shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Architect has issued a Taking-Over Certificate for this part. However, if the Procuring Entity does use any part of the Works before the Taking-Over Certificate is issued:
 - a) The part which is used shall be deemed to have been taken over as from the date on which it is used,
 - b) the Contractor shall cease to be liable for the care of such part as from this date, when responsibility shall pass to the Procuring Entity, and
 - c) if requested by the Contractor, the Architect shall issue a Taking-Over Certificate for this part.
- 10.23 After the Architect has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Notification Period.
- 10.24 If the Contractor incurs Cost as a result of the Procuring Entity taking over and/or using a part of the Works, other than such use as is specified in the Contractor agreed by the Contractor, the Contractor shall (i) give notice to the Architect and (ii) be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to payment of any such accrued costs, which shall be included in the Contract Price. After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this accrued cost.
- 10.2.5 If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the delay damages there after for completion of the remainder of the Works shall be reduced. Similarly, the delay damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or Section (as the case may be) as a whole. The Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply to the daily rate of delay damages under Sub-Clause 8.7 [Delay Damages] and shall not affect the maximum amount of these damages.

10.3 Interference with Tests on Completion

- 103.1 If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Procuring Entity is responsible, the Procuring Entity shall be deemed to have taken over the Works or Section (as the case may be) on the date when the Tests on Completion would otherwise have been completed.
- 10.3.2 The Architect shall then issue a Taking-Over Certificate accordingly, and the Contractor shall carry out the Tests on Completion as soon as practicable, before the expiry date of the Defects Notification Period. The Architect shall require the Tests on Completion to be carried out by giving 14 days' notice and in accordance with the relevant provisions of the Contract.

- 10.3.3 If the Contractor suffers delay and/or incurs Cost as a result of this delay in carrying out the Tests on Completion, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such accrued costs, which shall be included in the Contract Price.
- 10.34 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

10.4 Surfaces Requiring Reinstatement

Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.

11. DEFECTS LIABILITY

11.1 Completion of Outstanding Work and Remedying Defects

- 11.1.1 In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fairwear and tear excepted) by the expiry date of the relevant Defects Notification Period or as soon as practicable there after, the Contractor shall:
 - a) complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Engineer, and
 - b) execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Procuring Entity on or before the expiry date of the Defects Notification Period for the Works or Section (as the case may be).
- 11.12 If a defect appears or damage occurs, the Contractor shall be notified accordingly by the Engineer.

11.2 Cost of Remedying Defects

- 11.21 All work referred to in sub-paragraph (b) of Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:
 - a) Any design for which the Contractor is responsible,
 - b) Plant, Materials or workmanship not being in accordance with the Contract, or
 - c) Failure by the Contractor to comply with any other obligation.
- If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Procuring Entity, and Sub-Clause 13.3 [Variation Procedure] shall apply.

11.3 Extension of Defects Notification Period

- 11.3.1 The Procuring Entity shall be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to an extension of the Defects Notification Period for the Works or a Section if and to the extent that the Works, Section or a major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they are intended by reason of a defect or by reason of damage attributable to the Contractor. However, a Defects Notification Period shall not be extended by more than two years.
- 11.3.2 If delivery and/ or erection of Plant and/ or Materials was suspended under Sub-Clause 8.8 [Suspension of Work] or Sub-Clause 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defectsor damage occurring more than two years after the Defects Notification Period for the Plant and/ or Materials would otherwise have expired.

11.4 Failure to Remedy Defects

11.4.1 If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by the Engineer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.

- 11.4.2 If the Contractor fails to remedy the defect or damage by this notified date and this remedial work was to be executed at the cost of the Contractor under Sub-Clause 11.2[Costo f Remedying Defects], the Procuring Entity may (at his option):
 - (a) Carry out the work itself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity the costs reasonably incurred by the Procuring Entity in remedying the defect or damage;
 - (b) Require the Architect to agree or determine a reasonable reduction in the Contract Price in accordance with Sub-Clause 3.5 [Determinations]; or
 - (c) if the defect or damage deprives the Procuring Entity of substantially the whole benefit of the Works or any major part of the Works, terminate the Contractas a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contractor otherwise, the Procuring Entity shall then be entitled to recover all sums paid for the Works or for such part (as the case may be), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor.

11.5 Removal of Defective Work

If the defector damage cannot be remedied expeditiously on the Site and the Procuring Entity gives consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as are defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security.

11.6 Further Tests

- 11.6.1 If the work of remedying of any defector damage may affect the performance of the Works, the Architect may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 days after the defect or damage is remedied.
- 11.6.2 These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under Sub-Clause 11.2 [Cost of Remedying Defects], for the cost of the remedial work.

11.7 Right of Access

Unti Ithe Completion Certificate has been issued, the Contractor shall have such right of access to the Works as is reasonably required in order to comply with this Clause, except as may be inconsistent with the Procuring Entity's reasonable security restrictions.

11.8 Contractor to Search

The Contractor shall, if required by the Engineer, search for the cause of any defecton parts of the works that have already accepted, under the direction of the Engineer. Unless the defect is to be remedied at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Architect in accordance with Sub-Clause 3.5 [Determinations] and shall be included in the Contract Price.

11.9 Completion Certificate

- 11.9.1 Performance of the Contractor's obligations shall not be considered to have been completed until the Architect has issued the Completion Certificate to the Contractor, stating the date on which the Contractor completed his obligations under the Contract.
- 11.9.2 The Architect shall issue the Completion Certificate within 30days after the latest of the expiry dates of the Defects Liability Period, or as soon there after as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Completionn Certificate shall be issued to the Procuring Entity.
- 11.93 Only the Completion Certificate shall be deemed to constitute acceptance of the Works.

11.10 Unfulfilled Obligations

After the Completion Certificate has been issued, each Party shall remain liable for the fulfilment of any obligation which remains unperformed at that time. For the purposes of determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

11.11 Clearance of Site

- 11.11.1 Upon receiving the Completion Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.
- 11.11.2 If all these items have not been removed within 30 days after receipt by the Contractor of the Completion Certificate, the Procuring Entity may sell or otherwise dispose of any remaining items. The Procuring Entity shall be entitled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.
- 11.11.3 Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Procuring Entity's costs, the Contractor shall pay the outstanding balance to the Procuring Entity.

12 MEASUREMENT AN DEVALUATION

12.1 Works to be Measured

- 12.1.1 The Works shall be measured, and valued for payment, in accordance with this Clause. The Contractorshall show in each application under Sub-Clauses 14.3 [Application for Interim Payment Certificates], 14.10 [Statement on Completion] and 14.11 [Application for Final Payment Certificate] the quantities and other particulars detailing the amounts which he considers to be entitled under the Contract.
- 12.1.2 Whenever the Architect requires any part of the Works to be measured, reasonable notice shall be given to the Contractor's Representative, who shall:
 - a) promptly either attend or send another qualified representative to assist the Architect in making the measurement, and
 - b) supply any particulars requested by the Engineer.
- 12.1.3 If the Contractor fails to attend or send a representative, the measurement made by the Architect shall be accepted as accurate.
- 12.14 Except as otherwise stated in the Contract, wherever any Permanent Works are to be measured from records, these shall be prepared by the Engineer. The Contractor shall, as and when requested, attend to examine and agreet her ecords with the Engineer, and shall sign the same when agreed. If the Contractor does not attend, the records shall be accepted as accurate.
- 12.1.5 If the Contractor examines and disagrees the records, and/ or does not sign them as agreed, then the Contractor shall give notice to the Architect of the respects in which the records are asserted to be inaccurate. After receiving this notice, the Architect shall review the records and either confirm or vary them and certify the paymentofthe undisputed part. If the Contractor does not so give notice to the Architect within 14 days after being requested to examine the records, they shall be accepted as accurate.

12.2 Method of Measurement

Except as otherwise stated in the Contract:

- a) Measurement shall be made of the net actual quantity of each item of the Permanent Works, and
- b) the method of measurement shall be in accordance with the Bill of Quantities or other applicable Schedules.

123 Evaluation

Except as otherwise stated in the Contract, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of workd one by evaluating each item of work, applying the measurement agreed or determined in accordance with the above Sub-Clauses 12.1 and 12.2 and the appropriate rate or price for the item.

- 12.3.2 For each item of work, the appropriate rate or price for the item shall be the rate or price specified for such item in the Contractor, if there is no such item, specified for similar work.
- 12.3.3 Any item of work included in the Bill of Quantities for which no rate or price was specified shall be considered as included in other rates and prices in the Bill of Quantities and will not be paid for separately.
- 12.3.4 However, for a new item of work, a new rate or price shall be appropriate for such item of work if:
 - a) The work is instructed under Clause13 [Variations and Adjustments],
 - b) no rate or price is specified in the Contract for this item, and
 - c) no specified rate or price is appropriate because the item of work is not of similar character, or is not executed under similar conditions, as any item in the Contract.
- Each new rate or price shall be derived from any relevant rates or prices in the Contract. If no rates or prices are relevant for the new item of work, it shall be derived from the reasonable Cost of executing such work, prevailing market rates, together with profit, taking account of any other relevant matters.
- 12.3.6 Until such time as an appropriate rate or price is agreed or determined, the Architect shall determine a provisional rate or price for the purposes of Interim Payment Certificates as soon as the concerned work commences.
- 12.3.7 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (*which would be the tender price*), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a <u>plus or minus</u> percentage. The percentage already worked out during tender evaluation is worked out as follows: (*corrected tender price tender price*)/ *tender price X* 100.

124 Omissions

Whenever the omission of any work forms part (or all) of a Variation, the value of which has not been agreed, if:

- a) The Contractor will incur (or has incurred) cost which, if the work had not been omitted, wouldhavebeen deemed to be covered by a sum forming part of the Accepted Contract Amount;
- b) The omission of the work will result (or has resulted) in this sum not forming part of the Contract Price; and
- c) this cost is not deemed to be included in the evaluation of any substituted work; then the Contractor shall give notice to the Architect accordingly, with supporting particulars. Upon receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this cost, which shall be included in the Contract Price.

13 VARIATIONS AND ADJUSTMENTS

13.1 Right to Vary

- 13.1.1 Variations may be initiated by the Architect at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal. No Variation instructed by the Architect under this Clause shall in any way vitiate or in validate the Contract.
- 13.1.2 The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Architect stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Architect shall cancel, confirm or vary the instruction.
- 13.1.3 Each Variation may include:
 - a) changes to the quantities of any item of work included in the Contract (however, such changes do not necessarily constitute a Variation),
 - b) changes to the quality and otherc haracteristics of any item of work,
 - c) changes to the levels, positions and/ or dimensions of any part of the Works,
 - d) omission of any work unless it is to be carried out by others,
 - e) any additional work, Plant, Materials or services necessary for the Permanent Works, including any associated Tests on Completion, boreholes and other testing and exploratory work, or
 - f) changes to the sequence or timing of the execution of the Works.

13.1.4 The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Architect instructs after obtaining approval of the Procuring Entity.

132. Variation Order Procedure

- Priortoany Variation Order under Sub-Clause 13.1.4 the Architect shall notify the Contractor of the nature and form of such variation. As soon as possible after having received such notice, the Contractor shall submit to the Engineer:
 - a) A description of work, if any, to be performed and a programme for its execution, and
 - b) the Contractor's proposals for any necessary modifications to the Programme according to Sub-Clause 8.3 or to any of the Contractor's obligations under the Contract, and
 - c) the Contractor's proposals for adjustment to the Contract Price.

Following the receipt of the Contractor's submission the Architect shall, after due consultation with the Employer and the Contractor, decide as soon as possible whether or not the variation shall be carried out. If the Architect decides that the variation shall be carried out, he shall issue a Variation Order clearly identified as such in accordance with the Contractor's submission or as modified by agreement.

If the Architect and the Contractor are unable to agree the adjustment of the Contract Price, the provisions of Sub-Clause 13.2.2 shall apply.

1322 Disagreement on Adjustment of the Contract Price

If the Contractor and the Architecture unable to agree on the adjustment of the Contract Price, the adjustment shall be determined in accordance with the rates specified in the Bills of Quantities or Schedule of Daywork Prices. If the rates contained in the Bills of Quantities or Dayworks Prices are not directly applicable to the specific work in question, suitable rates shall be established by the Architect reflecting the level of pricing in the Dayworks Prices. Where rates are not contained in the said Prices, the amount shall be such as is in all the circumstances reasonable, reflecting a market price. Due account shall be taken of any over-or underrecovery of overheads by the Contractor in consequence of the variation. The Contractor shall also be entitled to be paid:

- a) The cost of any partial execution of the Work srendered useless by any such variation,
- b) The cost of making necessary alterations to Plant already manufactured or in the course of manufacture or of any work done that has to be altered in consequence of such a variation,
- c) any additional costs incurred by the Contractor by the disruption of the progress of the Works as detailed in the Programme, and
- d) the net effect of the Contractor's financec osts, including interest, caused by the variation.

The Architect shall on this basis determine the rates or prices to enable on-account payment to be included in certificates of payment.

1323 Contractor to Proceed

On receipt of a Variation Order, the Contractor shall forth with proceed to carry out the variation and be bound to these Conditions in so doing as if such variation was stated in the Contract. The work shall not be delayed pending the granting of an extension of the Time for Completion or an adjustment to the Contract Price under Sub-Clause31.3.

13.3 Value Engineering

- 13.3.1 TheContractor may, at anytime, submit to the Architect written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Procuring Entity of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Procuring Entity of the completed Works, or
 - (iv) otherwise be of benefit to the Procuring Entity.
- 13.3.2 The proposal shall be prepared at the cost of the Contractor and shall include the items listed in Sub-Clause 13.3 [Variation Procedure].
- 13.2.3 If a proposal, which is approved by the Engineer, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties:
 - a) The Contractor shall design this part,

- b) sub-paragraphs (a) to (d) of Sub-Clause 4.1 [Contractor's General Obligations] shall apply, and
- c) if this change results in a reduction in the contract value of this part, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine a fee, which shall be included in the Contract Price. This fee shall behalf (50%) of the difference between the following amounts:
 - such reduction in contract value, resulting from the change, excluding adjustments under Sub-Clause 13.8 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost], and
 - ii) the reduction (if any) in the value to the Procuring Entity of the varied works, taking account of any improvement in quality, anticipated life or operational efficiencies.
- 13.3.4 However, if the amount established in item 13.2.3 (c) (i) is less than amount established in item 13.2.3 (c (ii), there shall not be a fee. However, if the if the amount established in item 13.2.3 (c) (i) is more than amount established in item 13.2.3 (c (ii), it shall result in a price variation to the Procuring Entity.

134 Variation Procedure for Value Engineering proposal

- 13.4.1 If the Architect requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing a soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
 - a) A description of the proposed work to be performed and a programme for its execution,
 - b) the Contractor's proposal for any necessary modifications to the programme according to Sub-Clause 8.3 [Programme] and to the Time for Completion, and
 - c) the Contractor's proposal for evaluation of the Variation.
- 13.42 The Architect shall, as soon as practicable after receiving such proposal (under Sub-Clause 13.2 [Value Project Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst a waiting a response.
- Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Architect to the Contractor, who shall acknowledge receipt.
- Each Variation shall be evaluated in accordance with Clause 12 [Measurement and Evaluation], unless the Architect instructs or approves otherwise in accordance with this Clause.

135 Paymentin Applicable Currencies

If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.

136 Provisional Sums

- 13.6.1 Each Provisional Sum shall only be used, in whole or inpart, in accordance with the Architect instructions, and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include onlysuch amounts, for the work, supplies or services to which the Provisional Sum relates, as the Architect shall have instructed. For each Provisional Sum, the Architect May instruct:
 - a) Work to be executed (including Plant, Materialso r services to be supplied) by the Contractor and valued under Sub-Clause 13.3 [Variation Procedure]; and/or
 - b) Plant, Materials or services to be purchased by the Contractor, from a nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]) or otherwise; and for which there shall be included in the Contract Price:
 - i) The actual amounts paid (or due to be paid) by the Contractor, and
 - ii) a sum for overhead charges and profit, calculated as a percentage of these actual amounts by applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in **the Special Conditions of Contract** shall be applied.
- 13.6.2 The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation.

137 Dayworks

- 13.7.1 For work of a minor or incidental nature, the Architect may instruct that a Variation shall be executed on a daywork basis. The work shall then be valued in accordance with the Daywork Schedule included in the Contract, and the following procedure shall apply. If a Daywork Schedule is not included in the Contract, this Sub-Clause shall not apply.
- Before ordering Goods for the work, the Contractor shall submit quotations to the Engineer. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.
- 13.7.3 Except for any items for which the Daywork Schedule specifies that payment is not due, the Contractor shall delive reach day to the Architect accurate statements induplicate which shall include the following details of the resources used in executing the previous day's work:
 - a) The names, occupations and time of Contractor's Personnel,
 - b) the identification, type and time of Contractor's Equipment and Temporary Works, and
 - c) the quantities and types of Plant and Materials used.
- 13.7.4 One copy of each statement will, if correct, or when agreed, be signed by the Architect and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Engineer, prior to their inclusion in the next Statement under Sub-Clause 14.3 [Application for Interim Payment Certificates].

138 Adjustments for Changes in Legislation

- 13.8.1 The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Kenya (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.
- 13.8.2 If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes in the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
 - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
 - b) payment of any such Cost, which shall be included in the Contract Price.
- 13.8.3 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 13.84 Not withstanding the foregoing, the Contractor shall not be entitled to an extension of time if the relevant delay has already been taken into account in the determination of a previous extension of time and such Cost shall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of Sub-Clause 13.8 [Adjustments for Changes in Cost].

139 Adjustments for Changes in Cost

- 13.9.1 In this Sub-Clause, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this Sub-Clause shall not apply.
- 139.2 If this Sub-Clause applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labor, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this Sub-Clause. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included a mounts to cover the contingency of other rises and falls in costs.
- 13.93 The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

Price Adjustment Formula

Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

P = A + B Im/Io

where:

P is the adjustment factor for the portion of the Contract Price payable.

A and **B** a recoefficients **specified in the SCC**, representing then on adjustable and adjustable portions, respectively, of the Contract Price payable and

I m is the index prevailing at the end of the month being invoiced and Ioc is the index prevailing 30 days before Bid opening for inputs payable.

NOTE: The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the non adjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency are added to the Contract Price.

- 13.9.4 The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, itshall be determined by the Engineer. Forth is purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.
- Incases where the "currency of index" is not the relevant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the Central Bank of Kenya, of this relevant currency on the above date for which the index is required to be applicable.
- 13.9.6 Until such time as each current cost index is available, the Architect shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.
- 13.9.7 If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices there after shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price, whichever is more favorable to the Procuring Entity.
- The weightings (coefficients) for each of the factors of cost stated in the table(s) of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or in applicable, as a result of Variations.

14 CONTRACT PRICE AND PAYMENT

14.1 The Contract Price

- 14.1.1 Unless otherwise stated in the Special Conditions:
 - a) The value of the payment certificate shall be agreed or determined under Sub-Clause 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;
 - b) the Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in Sub-Clause 13.7 [Adjustments for Changes in Legislation];
 - c) any quantities which may be set out in the Bill of Quantities or other Schedule are estimated quantities and are not to be taken as the actual and correct quantities:

- i) of the Works which the Contractor is required to execute, or
- ii) for the purposes of Clause12 [Measurement and Evaluation]; and
- d) The Contractor shall submit to the Engineer, within 30 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Architect may take account of the break down when preparing Payment Certificates but shall not be bound by it.
- 14.1.2 Notwithstanding the provisions of subparagraph (b), Contractor's Equipment, including essential spare parts there for, imported by the Contractor for the sole purpose of executing the Contract shall not be exempt from the payment of import duties and taxes upon importation.

14.2 Advance Payment

- The Procuring Entity shall make an advance payment, as an interest-free loan for mobilization and cashflow support, when the Contractor submits a guarantee in accordance with this Clause. The total advance payment, the number and timing of instalments (if more than one), and the applicable currencies and proportions, shall be as stated in the **Special Conditions of Contract.**
- Unless and until the Procuring Entity receives this guarantee, or if the total advance payment is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- 14.23 The Architect shall deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate for the advance payment or its first instalment after receiving a Statement (under Sub-Clause 14.3 [Application for Interim Payment Certificates]) and after the Procuring Entity receives (i) the Performance Security in accordance with Sub-Clause 4.2 [Performance Security] and (ii) a guarantee in amounts and currencies equal to the a dvance payment. This guarantee shall be issued by a reputable bank or financial institutions elected by the Contractor and shall be in the form annexed to the Special Conditions or in another form approved by the Procuring Entity.
- The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.
- Unless stated otherwise in **the Special Conditions of Contract**, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Architect in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates], as follows:
 - a) Deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent (30%) of the Accepted Contract Amount less Provisional Sums; and
 - b) deductions shall be made at the amortization rate stated in the **Special Conditions of Contract** of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when 90 percent (90%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.
- 14.26 If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under Clause 15 [Termination by Procuring Entity], Clause 16 [Suspension and Termination by Contractor] or Clause 19 [Force Majeure] (as thec ase may be), the whole of the balance then outstanding shall immediately become due and in case of termination under Clause 15 [Termination by Procuring Entity], except for Sub-Clause 14.2.7 [Procuring Entity's Entitlement to Termination for Convenience], payable by the Contractor to the Procuring Entity.

143 Application for Interim Payment Certificates

- 14.3.1 The Contractor shall submit a Statement (in number of copies indicated in the **Special Conditions of Contract**) to the Architect after the end of each month, in aform approved by the Engineer, showing in detail the amounts to which the Contractor considers itself to be entitled, together with supporting documents which shall include there porton the progress during this month in accordance with Sub-Clause4.21 [Progress Reports].
- 14.3.2 The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:
 - a) the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month (including Variations but excluding items described in sub-paragraphs (b) to (g) below);
 - b) any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost];
 - any amount to be deducted for retention, calculated by applying the percentage of retention stated in the Special Conditions of Contract to the total of the above amounts, until the amount so retained by the Procuring Entity reaches the limit of Retention Money (if any) stated in the Special Conditions of Contract;
 - d) any amounts to be added for the advance payment and (if more than one instalment) and to be deducted for its repayments in accordance with Sub-Clause 14.2 [Advance Payment];
 - e) any amounts to be added and deducted for Plant and Materials in accordance with Sub-Clause 14.5 [Plant and Materials intended for the Works];
 - f) any other additions or deductions which may have become due under the Contractor otherwise, including those under Clause 20 [Claims, Disputes and Arbitration]; and
 - g) the deduction of amounts certified in all previous Payment Certificates.

14.4 Schedule of Payments

- 14.4.1 I fthe Contract includes a schedule of payments specifying the instalments in which the Contract Price will be paid, then unless otherwise stated in this schedule:
 - a) The instalments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates];
 - b) Sub-Clause 14.5 [Plant and Materials intended for the Works] shall not apply; and
 - c) If these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine revised instalments, which shall take account of the extent to which progress is less or more than that on which the instalments were previously based.
- 14.4.2 If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

145 Plant and Materials intended for the Works

- 14.5.1 If this Sub-Clause applies, Interim Payment Certificates shall include, under sub-paragraph (e) of Sub-Clause 14.3, (i) an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and (ii) a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates].
- 14.5.2 If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the Schedules, this Sub-Clause shall not apply.

- 14.5.3 The Architect shall determine and certify each addition if the following conditions a resatisfied:
 - a) The Contractor has:
 - i) kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and
 - (ii) submitted statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence;

and either:

- b) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when shipped,
 - ii) have been shipped to Kenya, enroute to the Site, in accordance with the Contract; and
 - iii) are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Architect together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Procuring Entity in amounts and currencies equal to the amount due under this Sub-Clause: this guarantee may be in a similar form to the form referred to in Sub-Clause14.2 [Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration; or
- c) the relevant Plant and Materials:
 - i) are those listed in the Schedules for payment when delivered to the Site, and
 - ii) have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration and appear to be in accordance with the Contract.
- 14.5.4 The additional amount to be certified shall be the equivalent of eighty percent (80%) of the Architect determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this Sub-Clause and of the contract value of the Plant and Materials.
- 14.55 The currencies for this additional amount shall be the same as those in which payment will become due when the contract value is included under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

14.6 Issue of Interim Payment Certificates

- 14.6.1 No amount will be certified or paid until the Procuring Entity has received and approved the Performance Security. Thereafter, the Architect shall, within 30 days after receiving a Statement and supporting documents, deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate which shall state the amount which the Architect fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Architect on the Statemen tif any.
- 14.6.2 However, prior to issuing the Taking-Over Certificate for the Works, the Architect shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates (if any) stated **in the Special Conditions of Contract**. In this event, the Architect shall give notice to the Contractor accordingly.
- 14.63 An Interim Payment Certificate shall not be withheld for any other reason, although:
 - if anything supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or
 - b) if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Engineer, the value of this work or obligation may be withheld until the work or obligation has been performed.
- 4.6.4 The Architect may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Architect acceptance, approval, consent or satisfaction.

14.7 Payment

- 14.7.1 The Procuring Entity shall pay to the Contractor:
 - a) The advance payment shall be paid within 60 days after signing of the contract by both parties or within 60 days after receiving the documents in accordance with Sub-Clause 4.2 [Performance Security] and Sub-Clause 14.2 [Advance Payment], which ever is later;
 - b) The amount certified in each Interim Payment Certificate within 60 days after the Architect Issues Interim Payment Certificate; and
 - c) the amount certified in the Final Payment Certificate within 60 days after the Procuring Entity Issues Interim Payment Certificate; or after determination of any disputed amount shown in the Final Statement in accordance with Sub-Clause 16.2 [Terminationby Contractor].
- 14.72 Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (forth is currency) specified in the Contract.

14.8 Delayed Payment

- 14.8.1 If the Contractor does not receive payment in accordance with Sub-Clause 14.7 [Payment], the Contractor shall be entitled to receive financing charges (simple interest) monthly on the amount unpaid during the period of delay. This period shall be deemed to commence on the date for payment specified in Sub-Clause 14.7 [Payment], irrespective (in the case of its sub-paragraph (b) of the date on which any Interim Payment Certificate is is sub-paragraph.
- 14.82 These financing charges shall be calculated at the annual rate of three percentage points above the mean rate of the Central Bank in Kenya of the currency of payment, or if not available, the inter bank offered rate, and shall be paid in such currency.
- 14.83 The Contractor shall be entitled to this payment without formal notice and certification, and without prejudice to any other right or remedy.

14.9 Payment of Retention Money

- When the Taking-Over Certificate has been issued for the Works, the first half of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price.
- 14.9.2 Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the Defects Notification Period for the Section. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price.
- 14.93 However, if any work remains to be executed under Clause 11 [Defects Liability], the Architects hall be entitled to withhold certification of the estimated cost of this work until it has been executed.
- When calculating these proportions, no account shall be taken of any adjustments under Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost].
- 14.9.5 Unless otherwise stated in the Special Conditions, when the Taking-Over Certificate has been issued for the Works and the first half of the Retention Money has been certified for payment by the Engineer, the Contractor shall be entitled to substitute a Retention Money Security guarantee, in the form annexed to the Special Conditions or in another form approved by the Procuring Entity and issued by a reputable bank or financial institution selected by the Contractor, for the second half of the Retention Money.

14.9.6 The Procuring Entity shall return the Retention Money Security guarantee to the Contractor within 14 days after receiving a copy of the Completion Certificate.

14.10 Statement at Completion

- 14.10.1 Within 84 days after receiving the Taking-Over Certificate for the Works, the Contractor shall submit to the Architect three copies of a Statement at completion with supporting documents, in accordance with Sub-Clause 14.3 [Application for Interim Payment Certificates], showing:
 - a) the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works.
 - b) any further sums which the Contractor considers to be due, and
 - c) an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement at completion.
- 14.10.2 The Architect shall then certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates].

14.11 Application for Final Payment Certificate

- 14.11.1 Within 60 days after receiving the Completion Certificate, the Contractor shall submit, to the Engineer, six copies of a draft final statement with supporting documents showing in detail in a form approved by the Engineer:
 - a) The value of all work done in accordance with the Contract, and
 - b) Any further sums which the Contractor considers to be due to him under the Contractor otherwise.
- 14.11.2 If the Architect disagrees with or cannot verify any part of the draft final statement, the Contractor shall submit such further information as the Architect may reasonably require within 30 days from receipt of said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Architect the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".
- 14.11.3 However, if, following discussions between the Architect and the Contractor and any changes to the draft final statement which are agreed, it be comes evident that a dispute exists, the Architect shall deliver to the Procuring Entity (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under Sub-Clause 20.4 [Obtaining Dispute Board's Decision] or Sub-Clause 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Procuring Entity (with a copy to the Engineer) a Final Statement.

14.12 Discharge

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the out standing balance of this total, in which event the discharge shall be effective on such date.

14.13 Issue of Final Payment Certificate

- 14.13.1 Within 30days after receiving the Final Statement and discharge in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall deliver, to the Procuring Entity and to the Contractor, the Final Payment Certificate which shall state:
 - a) The amount which he fairly determines is finally due, and
 - b) After giving credit to the Procuring Entity for all amounts previously paid by the Procuring Entity and for all sums to which the Procuring Entity is entitled, the balance (if any) due from the Procuring Entity to the Contractor or from the Contractor to the Procuring Entity, as the case may be.
- 14.13.2 If the Contractor has not applied for a Final Payment Certificate in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall request the Contractor to do so. If the Contractor fails to submit an application within a period of 30 days, the Architect shall issue the Final Payment Certificate for such amount as he fairly determines to be due.

14.14 Cessation of Procuring Entity's Liability

- 14.14.1 The Procuring Entity shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:
 - a) in the Final Statement and also,
 - b) (Except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in Sub-Clause 14.10 [Statement at Completion].
- 14.14.2 However, this Sub-Clause shall not limit the Procuring Entity's liability under his in demnification obligations, or the Procuring Entity's liability in any case of fraud, deliberate default or reckless misconduct by the Procuring Entity.

14.15 Currencies of Payment

The Contract Price shall be paid in the currency or currencies named in the Schedule of Payment Currencies. If more than one currency is so named, payments shall be made as follows:

- a) If the Accepted Contract Amount was expressed in Local Currency only:
 - the proportions or amounts of the Local and Foreign Currencies, and the fixed rates of exchange to be used for calculating the payments, shall be as stated in the Schedule of Payment Currencies, except as otherwise agreed by both Parties;
 - ii) payments and deductions under Sub-Clause 13.5 [Provisional Sums] and Sub-Clause 13.7 [Adjustments for Changes in Legislation] shall be made in the applicable currencies and proportions; and
 - iii) otherpaymentsanddeductions under sub-paragraphs (a) to (d) of Sub-Clause 14.3 [Application for Interim Payment Certificates] shall be made in the currencies and proportions specified in sub-paragraph (a) (i) above;
- b) payment of the damages specified in the Special Conditions of Contract, shall be made in the currencies and proportions specified in the Schedule of Payment Currencies;
- c) other payments to the Procuring Entity by the Contractor shall be made in the currency in which the sum was expended by the Procuring Entity, or in such currency as may be agreed by both Parties;
- d) if any amount payable by the Contractor to the Procuring Entity in a particular currency exceeds the sum payable by the Procuring Entity to the Contractor in that currency, the Procuring Entity may recover the balance of this amount from the sums otherwise payable to the Contractor in other currencies; and
- e) if no rates of exchange are stated in the Schedule of Payment Currencies, they shall be those prevailing on the Base Date and determined by the Central Bank of Kenya.

15 TERMINATION BY PROCURING ENTITY

15.1 Notice to correct any defects or failures

If the Contractor fails to carry out any obligation under the Contract, the Architect may by notice require the Contractor to make good the failure and to remedy it within 30 days.

15.2 Termination by Procuring Entity

- 15.2.1 The Procuring Entity shall be entitled to terminate the Contract if the Contractor breaches the contract based on following circumstances which shall include but not limited to:
 - a) fails to comply with Sub-Clause 4.2 [Performance Security] or with a notice under Sub-Clause 15.1 [Notice to Correct],
 - b) abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,

- c) without reasonable excuse fails:
 - i) to proceed with the Works in accordance with Clause 8 [Commencement, Delays and Suspension], or
 - ii) to comply with a notice issued under Sub-Clause 7.5 [Rejection] or Sub-Clause 7.6 [Remedial Work], within 30 days after receiving it,
- d) subcontracts the major part or whole of the Works or assigns the Contract without the consent of the Procuring Entity,
- e) becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of theseacts or events, or
- f) gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an induce mentor reward:
- i) for doing or for bearing to do any action in relation to the Contract, or
- ii) for showing or for bearing to show favor or disfavor to any person in relation to the Contract, or
- iii) if any of the Contractor's Personnel, agents or Subcontractors gives or offers to give (directly or indirectly) to any person any such induce mentor reward as is described in this sub-paragraph (f). However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination, or
- g) If the contract or repeatedly fails to remedy delivers defective work,
- h) based on reasonable evidence, has engaged in Fraud and Corruption as defined in paragraph 2.2 of the Appendix B to these General Conditions, incompeting for or in executing the Contract.
- In any of these events or circumstances, the Procuring Entity may, upon giving 14 days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of subparagraph (e) or (f) or (g) or (h), the Procuring Entity may by notice terminate the Contract immediately.
- 15.23 The Procuring Entity's election to terminate the Contract shall not prejudice any other rights of the Procuring Entity, under the Contractor otherwise.
- 15.24 The Contractor shall then leave the Site and deliver any required Goods, all Contractor's Documents, and other design documents made by or for him, to the Engineer. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice (i) for the assignment of any subcontract, and (ii) for the protection of life or property or for the safety of the Works.
- 15.2.5 After termination, the Procuring Entity may complete the Works and/ or arrange for any other entities to do so. The Procuring Entity and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.
- 15.26 The Procuring Entity shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Procuring Entity, these items may be sold by the Procuring Entity in order to recover this payment. Any balance of the proceeds shall then be paid to the Contractor.

153 Valuation at Date of Termination

Assoon as practicable after a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.

15.4 Payment after Termination

After a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Procuring Entity may:

- a) Proceed in accordance with Sub-Clause 2.5 [Procurin Entity's Claims],
- b) withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Procuring Entity, have been established, and/ or

c) recover from the Contractor any losses and damages incurred by the Procuring Entity and any extra costs of completing the Works, after allowing for any sum due to the Contractor under Sub-Clause 15.3 [Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Procuring Entity shall pay any balance to the Contractor.

155 Procuring Entity's Entitlement to Termination for Convenience

The Procuring Entity shall be entitled to terminate the Contract, at any time at the Procuring Entity's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 30 days after the later of the dates on which the Contractor receives this notice or the Procuring Entity returns the Performance Security. The Procuring Entity shall not terminate the Contract under this Sub-Clausein order to execute the Works itself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under Clause 16.2 [Termination by Contractor]. After this termination, the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with Sub-Clause 16.4 [Payment on Termination].

15.6 Fraud and Corruption

The Contractor shall ensure compliance with the Kenya Government's Anti-Corruption Laws and its prevailing sanctions.

15.7 Corrupt gifts and payments of commission

- 15.7.1 The Contractor shall not;
 - a) Offer or give or agree to give to any person in the service of the Procuring Entity any gift or consideration of any kind as an inducement or reward for doing or for bearing to door for having done or for borne to do any act in relation to the obtaining or execution of this or any other Contract for the Procuring Entity or for showing or for bearing to show favor or disfavor to any person in relation to this or any other contract for the Procuring Entity.
 - b) Enter into this or any other contract with the Procuring Entity in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment there of have been disclosed in writing to the Procuring Entity.
- 15.7.2 Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement and Asset Disposal Act (2015) and the Anti-Corruption and Economic Crimes Act (2003) of the Laws of Kenya.

16. SUSPENSION AND TERMINATION BY CONTRACTOR

16.1 Contractor's Entitlement to Suspend Work

- 16.1.1 If the Architect fails to certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates] or Sub-Clause 14.7 [Payment], or not receiving instructions that would enable the contractor to proceed with the works in accordance with the program, the Contractor may, after giving not less than 30 days' notice to the Procuring Entity, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.
- The Contractor's action shall not prejudice his entitlements to financing charges under Sub-Clause 14.8 [Delayed Payment] and to termination under Sub-Clause 16.2 [Terminationby Contractor].
- 16.1.3 If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant Sub-Clause and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.
- 16.1.4 If the Contractor suffers delay and/ori neurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this Sub-Clause, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

16.3 Termination by Contractor

- 163.1 The Contractor shall be entitled to terminate the Contract if:
 - a) the Architect fails, within 60 days after receiving a Statement and supporting documents, to issue the relevant Payment Certificate,
 - b) the Contractor does not receive the amount due under an Interim Payment Certificate within 90 days after the expiry of the time stated in Sub-Clause1 4.7 [Payment] within which payment is to be made (except for deductions in accordance with Sub-Clause 2.5 [Procuring Entity's Claims]),
 - c) the Procuring Entity substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the economic balance of the Contract and/or the ability of the Contractor to perform the Contract,
 - d) a prolonged suspension affects the whole of the Works as described in Sub-Clause 8.11 [Prolonged Suspension], or
 - e) the Procuring Entity becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.
 - f) the Contractor does not receive the Architect instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under Sub-Clause 8.1 [Commencement of Works].
- In any of these events or circumstances, the Contractor may, upon giving 14 days' notice to the Procuring Entity, terminate the Contract. However, in the case of sub-paragraph (f) or (g), the Contractor may by notice terminate the Contract immediately.
- 163.3 The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contractor otherwise.

164 Cessation of Work and Removal of Contractor's Equipment

After a notice of termination under Sub-Clause 15.5 [Procuring Entity's Entitlement to Termination for Convenience], Sub-Clause 16.2 [Termination by Contractor] or Sub-Clause 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:

- a) cease all further work, except for such work as may have been instructed by the Architect for the protection of life or property or for the safety of the Works,
- b) hand over Contractor's Documents, Plant, Materials and other work, for which the Contractor has received payment, and
- c) remove all other Goods from the Site, except as necessary for safety, and leave the Site.

16.5 PaymentonTermination

After a notice of termination under Sub-Clause 16.2 [Termination by Contractor] has taken effect, the Procuring Entity shall promptly:

- a) Return the Performance Security to the Contractor,
- b) pay the Contractor in accordance with Sub-Clause 19.6 [Optional Termination, Payment and Release], and
- c) pay to the Contractor the amount of any loss or damage sustained by the Contractor as a result of this termination.

17. RISK AND RESPONSIBILITY

17.1 Indemnities

- 17.1.1 The Contractor shall indemnify and hold harmless the Procuring Entity, the Procuring Entity's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:
 - a) Bodily injury, sickness, disease or death, of any person what so ever arising outo for in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless attributable to any negligence, willful actor breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and
 - b) damage to or loss of any property, real or personal (other than the Works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.
- 17.1.2 The Procuring Entity shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and (2) the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of Sub-Clause 18.3 [Insurance Against Injury to Persons and Damage to Property], unless and to the extent that any such damage or loss is attributable to any negligence, willful actor breach of the Contract by the contractor, the contractor's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

17.2 Contractor's Care of the Works

- The Contractor shall take full responsibility for the care of the Works and Goods from the Commencement Date until the Taking-Over Certificate is issued (or is deemed to be issued under Sub-Clause 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Procuring Entity. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Procuring Entity.
- After responsibility has accordingly passed to the Procuring Entity, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.
- 17.23 If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractorisresponsible for their care, from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.
- 17.24 The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

17.3 Procuring Entity's Risks

The risks referred to in Sub-Clause 17.4 [Consequences of Procuring Entity's Risks] below, in so far as they directly affect the execution of the Works in Kenya, are:

- a) War hostilities (whether war be declared or not),
- b) rebellion, riot, commotion or disorder, terrorism, sabotage by persons other than the Contractor's Personnel,
- c) explosive materials, ionizing gradiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such explosives, radiation or radio-activity,
- d) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds,

- e) use or occupation by the Procuring Entity of any part of the Permanent Works, except as may be specified in the Contract,
- f) design of any part of the Works by the Procuring Entity's Personnel or by others for whom the Procuring Entity is responsible, and
- g) any operation of the forces of nature which is Unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate preventive precautions.

17.4 Consequences of Procuring Entity's Risks

- 17.4.1 If and to the extent that any of the risks listed in Sub-Clause 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Architect and shall rectify this loss or damage to the extent required by the Engineer.
- 17.4.2 If the Contractor suffers delay and/ or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- (a) An extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of TimeforCompletion], and
- (b) paymentofany such Cost, which shall be included in the Contract Price. In the case of sub-paragraphs (e) and (g) of Sub-Clause 17.3 [Procuring Entity's Risks], Accrued Costs shall be payable.
- 17.4.3 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

175 Intellectual and Industrial Property Rights

- 17.5.1 In this Sub-Clause, "infringement" shall refer to an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" shall refer to a claim (or proceedings pursuing a claim) alleging an infringement.
- Whenever a Party does not give notice to the other Party of any claim within 30 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this Sub-Clause.
- 17.5.3 The Procuring Entity shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:
 - a) An un avoidable result of the Contractor's compliance with the Contract, or
 - b) A result of any Works be ingused by the Procuring Entity:
 - i) for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or
 - ii) in conjunction with anything not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.
- 175.4 The Contractor shall indemnify and hold the Procuring Entity harmless again stand from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.
- IfaPartyisentitledtobeindemnified under this Sub-Clause, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim. This other Party (and its Personnel) shall not make any admission which might be prejudicial to the indemnifying Party, unless the indemnifying Party failed to take over the conduct of any negotiations, litigation or arbitration upon being requested to do so by such other Party.
- 17.5.6 For operation and maintenance of any plan to requipment installed, the contractor shall grant a non-exclusive and non-transferable license to the Procuring Entity under the patent, utility models ,or other intellectual rights owned by the contractor or a third party from whom the contract or has received the rights to grant sub-licenses and shall also grant to the Procuring Entity a non-exclusive and non-transferable rights (without the rights to sub-license) to use the know how and other technical information disclosed to the contract or under the contract. Nothing contained here-in shall be construed as transferring ownership of any patent, utility model, trademark, design, copy right, know-how or other intellectual rights from the contractor or any other third party to the Procuring Entity.

17.6 Limitation of Liability

- 17.6.1 Neither Party shall be liable to the other Party for loss of use of anyW orks, loss of profit, loss of any contractor for any in director consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in Sub-Clause 8.7 [Delay Damages]; Sub-Clause 11.2 [Cost of Remedying Defects]; Sub-Clause 15.4 [Payment after Termination]; Sub-Clause 16.4 [Payment on Termination]; Sub-Clause 17.1 [Indemnities]; Sub-Clause 17.4(b) [Consequences of Procuring Entity's Risks] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights].
- The total liability of the Contractor to the Procuring Entity, under or in connection with the Contract other than under Sub-Clause 4.19 [Electricity, Water and Gas], Sub-Clause 4.20 [Procuring Entity's Equipment and Free- Issue Materials], Sub-Clause 17.1 [Indemnities] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (less or greater than one) to the Accepted Contract Amount, as stated in **the Special Conditions of Contract**, or (if such multiplier or other sum is not so stated) the Accepted Contract Amount.
- 17.6.3 This Sub-Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

17.7 Use of Procuring Entity's Accommodation/Facilities

- 17.7.1 The Contractor shall take full responsibility for the care of the Procuring Entity provided accommodation and facilities, if any, as detailed in the Specification, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).
- 17.7.2 If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Procuring Entity is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Engineer.

18 INSURANCE

18.1 General Requirements for Insurances

- 18.1.1 In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant Sub-Clause.
- 18.1.2 Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Procuring Entity. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.13 Wherever the Procuring Entity is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.14 If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured. If a policy indemnifies additional joint insured, namely in addition to the insured specified in this Clause, (i) the Contractor shall act under the policy on behalf of these additional joint insured except that the Procuring Entity shall act for Procuring Entity's Personnel, (ii) additional joint insured shall not be entitled to receive payments directly from the insurer or to have any other direct dealings with the insurer, and (iii) the insuring Party shall require all additional joint insured to comply with the conditions stipulated in the policy.
- 18.1.5 Each policy insuring against loss or damage shall provide for payments to be made in the currencies required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.

- 18.1.6 The relevant insuring Party shall, within the respective periods stated in **the Special Conditions of Contract** (calculated from the Commencement Date), submit to the other Party:
 - a) Evidence that the insurances described in this Clause have been affected, and
 - b) copies of the policies for the insurances described in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment] and Sub-Clause 18.3 [Insurance against Injury to Persons and Damage to Property].
- 18.1.7 When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Engineer.
- 18.1.8 Each Party shall comply with the conditions stipulated in each of the insurance policies. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.
- 18.1.9 Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party. If an insurer makes (or at tempts to make) any alteration, the Party first notified by the insurer shall promptly give notice to the other Party.
- 18.1.10 If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contractor fails to provide satisfactory evidence and copies of policies in accordance with this Sub- Clause, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.
- 18.1.11 Nothing in this Clause limits the obligations, liabilities or responsibilities of the Contractor or the Procuring Entity, under the other terms of the Contractor otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Procuring Entity.
- 18.1.12 Procuring Entity in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.
- 18.1.13 Payments by one Party to the other Party shall be subject to Sub-Clause 2.5 [Procuring Entity's Claims] or Sub-Clause 20.1 [Contractor's Claims], as applicable.
- 18.1.14 The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to Clause 18) with insurers from any eligible source country.

18.2 Insurance for Works and Contractor's Equipment

- The insuring Party shall insure the Works, Plant, Material sand Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. This insurance shall be effective from the date by which the evidence is to be submitted under sub-paragraph (a) of Sub-Clause 18.1 [General Requirements for Insurances], until the date of issue of the Taking-Over Certificate for the Works.
- 18.22 The insuring Party shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under Clause 11 [Defects Liability]).
- 18.2.3 The insuring Party shall insure the Contractor's Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.
- 1824 Unless otherwise stated in the Special Conditions, insurances under this Sub-Clause:
 - a) Shal lbe effected and maintained by the Contractor as insuring Party,

- b) shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage,
- c) shall cover all loss and damage from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks],
- d) shall also cover, to the extent specifically required in the tendering documents of the Contract, loss or damage to a part of the Works which is attributable to the use or occupation by the Procuring Entity of another part of the Works, and loss or damage from the risks listed in sub-paragraphs (c), (g) and (h)of Sub-Clause 17.3 [Procuring Entity's Risks], excluding (in each case) risks which are not insurable at commercially reasonable terms, with deductibles per occurrence of not more than the amount stated **in the Special Conditions** of Contract (if an amount is not so stated,t his sub-paragraph (d) shall not apply), and
- e) may however exclude loss of, damage to, and reinstatement of:
 - i) a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),
 - ii) apart of the Works which is lost or damaged inorder to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship,
 - iii) apart of the Works which has been taken over by the Procuring Entity, except to the extent that the Contractor is liable for the loss or damage, and
 - iv) Goods while they are not in Kenya, subject to Sub-Clause 14.5 [Plant and Materials intended for the Works].
- If, more than one year after the Base Date, the cover described in sub-paragraph (d) above ceases to be available at commercially reasonable terms, the Contractor shall (as insuring Party) give notice to the Procuring Entity, with supporting particulars. The Procuring Entity shall then (i) be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to payment of an amount equivalent to such commercially reasonable terms as the Contractor should have expected to have paid for such cover, and (ii) be deemed, unless he obtains the cover at commercially reasonable terms, to have approved the omission under Sub-Clause 18.1 [General Requirements for Insurances].

183 Insurance against Injury to Persons and Damage to Property

- 183.1 The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment]) or to any person (except persons insured under Sub-Clause 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring before the issue of the Performance Certificate.
- 18.3.2 This insurance shall be for a limit per occurrence of not less than the amount stated in **the Special Conditions of Contract**, with no limit on the number of occurrences. If an amount is not stated in the **Special Conditions of Contract**, this Sub-Clause shall not apply.
- 18.3.3 Unless otherwise stated in the Special Conditions, the insurances specified in this Sub-Clause:
 - a) Shall be effected and maintained by the Contractor as insuring Party,
 - b) shall be in the joint names of the Parties,
 - c) shall be extended to cover liability for all loss and damage to the Procuring Entity's property (except things insured under Sub-Clause 18.2) arising out of the Contractor's performance of the Contract, and
 - d) may however exclude liability to the extent that it arises from:
 - i) the Procuring Entity's right to have the Permanent Works executed on, over, under, in or
 - ii) through any land, and to occupy this land for the Permanent Works,
 - iii) damage which is an unavoidable result of the Contractor's obligations to execute the
 - iv) Works and remedy any defects, and
 - v) a cause listed in Sub-Clause 17.3 [Procuring Entity's Risks], except to the extent that cover is available at commercially reasonable terms.

18.4 Insurance for Contractor's Personnel

- 18.4.1 The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.
- 18.4.2 The insurance shall cover the Procuring Entity and the Architect against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractoror any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from any act or neglect of the Procuring Entity or of the Procuring Entity's Personnel.
- 18.4.3 The insurance shall be maintained in full force and effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

19. FORCE MAJEURE

19.1 Definition of Force Majeure

- 19.1.1 In this Clause, "Force Majeure" means an exceptional event or circumstance:
 - a) Which is beyond a Party's control,
 - b) Which such Party could not reasonably have provided against before entering into the Contract,
 - c) which, having arisen, such Party could not reasonably have avoided or over come, and
 - d) which is not substantially attributable to the other Party.
- 19.1.2 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, s olong as conditions (a) to (d) above are satisfied:
 - a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
 - b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
 - c) riot, commotion, disorder, strike or lock out by persons other than the Contractor's Personnel,
 - d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as maybeattributabletotheContractor's use of such munitions, explosives, radiation or radio-activity, and
 - e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

19.2 Notice of Force Majeure

- 19.2.1 If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.
- 19.22 The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
- 19.23 Not withstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.

193 Duty to Minimize Delay

Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

19.4 Consequences of Force Majeure

19.4.1 If the Contractor is prevented from performing his substantial obligations under the Contract by Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], and suffers delay and/ or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:

- a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
- b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of Sub-Clause 19.1 [Definition of Force Majeure] and, in sub-paragraphs (ii) to (iv), occurs in Kenya, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destroyed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in Sub-Clause18.2 [Insurance for Works and Contractor's Equipment].
- 19.4.2 After receiving this notice, the Architect shall proceed in a ccordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

195 Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

19.6 Optional Termination, Payment and Release

- 19.6.1 If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment].
- 19.6.2 Upon such termination, the Architect shall determine the value of the work done and issue a Payment Certificate which shall include:
 - a) theamountspayableforanyworkcarriedoutforwhichapriceisstatedintheContract;
 - b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Procuring Entity when paid for by the Procuring Entity, and the Contractor shall place the same at the Procuring Entity'sdisposal;
 - c) other Cost or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
 - d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
 - e) the Cost of repatriation of the Contractor's staff and lab or employed wholly in connection with the Works at the date of termination.

19.7 Release from Performance

Not withstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract, entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Partyofsucheventorcircumstance:

- a) The Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract, and
- b) The sum payable by the Procuring Entity to the Contractor shall be the same as would have been payable under Sub-Clause 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated under Sub-Clause 19.6.

20. SETTLEMENT OF CLAIMS AND DISPUTES

20.1 Contractor's Claims

- 20.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give Notice to the Engineer, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 20.1.2 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 20.1.3 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 20.1.4 The Contractorshall keepsuch contemporary records as may be necessary to substantiate any claim, either on the Site or at an other location acceptable to the Engineer. Without admitting the Procuring Entity's liability, the Architect may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/ or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Architect to inspect all these records and shall (if instructed) submit copies to the Engineer.
- 20.1.5 Within 42days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Engineer, the Contractor shall send to the Architect fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/ or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
 - a) This fully detailed claim shall be considered as interim;
 - b) The Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/ or amount claimed, and such further particulars as the Architect may reasonably require; and
 - c) The Contractor shall send a final claim within 30 days after the end of the effects resulting from the eventor circumstance, or within such other period as may be proposed by the Contractor and approved by the Engineer.
- 20.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Architect and approved by the Contractor, the Architect shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 20.1.7 Within the above defined period of 42 days, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 20.1.8 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 20.1.9 If the Architect does not respond within the time frame defined in this Clause, either Party may consider that the claim is rejected by the Architect and any of the Parties may refer the dispute for amicable settlement in accordance with Clause 20.3.
- 20.1.10 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/ or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 20.3.

20.2 Procuring Entity's Claims

- If the Procuring Entity considers itself to be entitled to any payment under any Clause of these Conditionsor otherwise in connection with the Contract, and/or to any extension of the Defects Notification Period, the Procuring Entity or the Architect shall give notice and particulars to the Contractor. However, notice is not required for payments due under Sub-Clause 4.19 [Electricity, Water and Gas], under Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], or for other services requested by the Contractor.
- The notice shall be given as soon as practicable and no longer than 30 days after the Procuring Entity became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Notification Period shall be given before the expiry of such period.
- The particulars shall specify the Clause or other basis of the claim and shall include substantiation of the amount and/or extension to which the Procuring Entity considers itself to be entitled in connection with the Contract. The Architect shall then proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Procuring Entity is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Notification Period in accordance with Sub-Clause 11.3 [Extension of Defects Notification Period].
- This amount may be included as a deduction in the Contract Price and Payment Certificates. The Procuring Entity shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this Sub-Clause.

203 Amicable Settlement

Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 20.1 above should move to commence arbitrationa fter 60 days from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

20.4 Matters that may be referred to arbitration

Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:

- a) Whether or not the issue of an instruction by the Architect is empowered by these Conditions.
- b) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- c) Any dispute arising in respect risks arising from matters referred to in Clause 17.3 and Clause 19.
- e) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

20.5 Arbitration

- 205.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 20.3 shall be finally settled by arbitration.
- 20.5.2 No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- 2053 Not withstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 20.5.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and a ward any sums which ought to have been the subject of or included in any certificate.

- 20.55 The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision require mentor notice had been given.
- 20.5.6 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Engineer, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Architect from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 205.7 Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 205.7 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Architect shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 205.8 The terms of the muneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

20.6 Arbitration with National Contractors

- 20.6.1 If the Contractis with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
 - i) Architectural Association of Kenya
 - ii) Institute of Quantity Surveyors of Kenya
 - iii) Association of Consulting Engineers of Kenya
 - iv) Chartered Institute of Arbitrators (Kenya Branch)
 - v) Institution of Engineers of Kenya
- 20.6.2 The institution written to first by the aggrieved party shall take precedence over all other institutions.

20.7 Arbitration with Foreign Contractors

- 207.1 Arbitration with foreign contractors shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- 20.7.2 The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause1.4 [Law and Language].

20.8 Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

20.9 Failureto Comply with Arbitrator's Decision

- 209.1 The award of such Arbitrator shall be final and binding up on the parties.
- 20.9.2 In the even that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

20.10 Contract operations to continue

Notwithstanding any reference to arbitration herein,

- 1.1.1 the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- 1.1.2 the Procuring Entity shall pay the Contractor any monies due the Contractor.

Section IX - Special Conditions of Contract

The following Special Conditions shall supplement the GCC. Whenever there is a conflict, the provisions here in shall prevail over those in the GCC.

Part A - Contract Data

Conditions	Sub-Clause	Data
Procuring Entity's name and address	Heading	Insert
Name and Reference No. of the Contract	Heading and 3.1.1	Insert
Engineers Name and address	Heading and 3.1.1	Insert
Contractor's Representative's name	4.3.1	[insert the name of the Contractor's Representative agreed by the Procuring Entity prior to Contract signature]
Key Personnel names	16.9.1	[insert the name of each Key Personnel agreed by the Procuring Entity prior to Contract signature]
Time for Completion	1.1.	days If Sections are to be used, refer to Table: Summary of Sections below
Defects Notification Period	1.1	days
Sections	1.1	If Sections are to be used, refer to Table: Summary of Sections below
Electronic transmission systems	1.3	
Time for the Parties entering into a Contract Agreement	1.6	Within 30days
Commencement Date	8.1.1	War Black Black
Time for access to the Site	2.1	No later than the Commencement Date, and not later thandays after Commencement Date
Architect Duties and Authority	3.1.6 (b) (ii)	Variations resulting in an increase of the Accepted Contract Amount in excess of% shall require approval of the Procuring Entity.
Performance Security	4.2.1	The performance security will be in the form of a [insert either one of "demand guarantee" or "performance bond"] in the amount(s) of [insert related figure(s)] percent of the Accepted Contract Amount and in the same currency(ies) of the Accepted Contract Amount.
Normal working hours	6.5	Specify
Delay damages for the Works	8.7 & 14.15(b)	% of the Contract Price per day. If Sections are to be used, refer to Table: Summary of Sections below
Maximum amount of delay damages	8.7	% of the final Contract Price.

Conditions	Sub-Clause	Data
Provisional Sums	13.5. (b)(ii)	[If there are Provisional Sums, insert a percentage for adjustment of Provisional Sums} %
Adjustments for Changes in Cost	13.8	Period "n" applicable to the adjustment multiplier "Po": [Insert the period if different from one (1) month; if period "n" is one (1) month, insert "not applicable"}
Total advance payment	14.2.1	% Percentage of the Accepted Contract Amount payable in the currencies and proportions in which the Accepted Contract Amount is payable [Insert number and timing of installment sif applicable]
Repayment amortization rate of advance payment	14.2.5 (b)	%
Percentage of Retention	14.3.2 (c)	%
Limit of Retention Money	14.3.2 (c)	% of the Accepted Contract Amount
Plant and Materials		If Sub-Clause 14.5 applies:
	14.5(b)(i)	Plant and Materials for payment Free on Board[list].
	14.5(c)(i)	PlantandMaterialsforpaymentwhendeliveredto theSite[list].
Minimum Amount of Interim Payment Certificates	14.6	% oftheAcceptedContract Amount.
Publishing source of commercial interest rates for financial charges in case of delayed payment	14.8	Specify
Maximum total liability of the Contractor to the Procuring Entity	17.6	[Select one of the two options below as appropriate] Theproductof [insert a multiplier less or greater than one] times the Accepted Contract Amount, or [insertamount of the maximum total liability]
Periods for submission of isurance:	18.1	[Insert period for submission of evidence of insurance and policy. Period may be from 14 days to 30 days.]
a. evidence of insurance.		days
b. Relevant policies		days
Maximum amount of deductibles for insurance of the Procuring Entity's risks	18.2.4 (d)	[Insert maximum amount of deductibles]
Minimum amount of third-party msurance	18.3	[Insert amount of third-party insurance]

I Insert city and Country

20.7.2

The place of arbitration

131

SECTION X - CONTRACT FORMS

- FORM No. 1 NOTIFICATION OF INTENTION TO AWARD
- FORM No. 2 NOTIFICATION OF AWARD LETTER OF ACCEPTANCE
- FORM No. 3 CONTRACT AGREEMENT
- FORM No. 4 PERFORMANCE SECURITY [Option 1 Unconditional Demand Bank Guarantee]
- FORM No. 5- PERFORMANCE SECURITY [Option 2– Performance Bond]
- FORM No. 6 ADVANCE PAYMENT SECURITY
- FORM No. 7 RETENTION MONEY SECURITY

FORM No 1: NOTIFICATION OF INTENTION TOAWARD OF CONTRACT

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

FORMAT

well as the Tender price as read out.

1.	For t	the attention of Tenderer's Authorized Representative
	i)	Name: [insert Authorized Representative's name]
	ii)	Address: [insert Authorized Representative's Address]
	iii)	Telephone: [insert Authorized Representative's telephone/fax numbers]
	iv)	Email Address: [insert Authorized Representative's email address]
		PORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent [I Tenderers simultaneously. This means on the same date and as close to the same time as possible.]
2.	Date	of transmission: [email] on [date] (local time)
	This	Notification is sent by (Name and designation)
3.	Noti	fication of Award
	i)	Procuring Entity: [insert the name of the ProcuringEntity]
	ii)	Project: [insert name ofproject]
	iii)	Contract title: [insert the name of thecontract]
	iv)	ITT No: [insert ITT reference number from ProcurementPlan]
		Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:
4.		uest a debriefing in relation to the evaluation of your tender by submitting a Procurement-related uplaint in relation to the decision to award the contracts.
	a)	The successful tenderers
	i)	Name of successful Tender
	ii)	Address of the successful Tender
	iii)	Contract price of the successful Tender Kenya Shillings
		(in words)
		b) The reasons for your tender being unsuccessful are as follows:
		c) OtherTenderers
	Nan	nes of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as

SNo	Name of Tender	Tender Price as read out	Tender's evaluated price (Note a)	One Reason Why Not Evaluated
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

5. How to request a debriefing

- a) DEADLINE: The dead line to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receip tof your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

6. How to make a complaint?

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
 - i) Attention: [insert full name of person, if applicable]
 - ii) Title/position: [insert title/position]
 - iii) Agency: [insert name of Procuring Entity]
 - iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations a vailable from the Website www.ppra.go.ke.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
 - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
 - ii) The complaint can only challenge the decision to award the contract.
 - iii) You must submit the complaint within the period stated above.
 - iv) You must include, in your complaint, all of the information required to support your complaint.

7. Standstill Period

Signature:

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Name:
Title/position:
Telephone:
FORM NO 2: LETTER OF AWARD
[letterhead paper of the Procuring Entity]
[date]
To: [name and address of the Contractor]
This is to notify you that your Tender dated [date] for execution of the [name of the Contract and identification number, as given in the Contract Data] for the Accepted Contract Amount [amoun tin numbers and words] [name of currency], as corrected and modified in accordance with the Instructions to Tenderers, is here by accepted by
You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.
Authorized Signature:
Name and Title of Signatory:
Name of Procuring Entity:
Attachment: Contract Agreement:

FORM NO 3: CONTRACTAGREEMENT

TH	IS AC	GREEMENT made the day of	20,	between
 Fni	ity")	of the one part, and	of	(hereinafter the Procuring
"th	e Con	tractor"), of the other part:		(fict chilatter
		AS the Procuring Entity desires that the Woby the Contractor, and has accepted a Tend the remedying of any defects there in,	orksknownasder by the Contractor for the	should be execution and completion of these
The	e Proc	euring Entity and the Contractor agree as fol	lows:	
1.		nis Agreement words and expressions shall? Contract documents referred to.	have the same meanings as a	re respectively assigned to them in
2.		following documents shall be deemed to for eement shall prevail over all other Contract		ed as part of this Agreement. This
	a)	theNotification of Award		
	b)	the Form of Tender		
	c)	the addenda Nos(if any)		
	d)	the Special Conditions of Contract		
	e)	the General Conditions of Contract;		
	f)	the Specifications		
	g)	the Drawings; and		
	h)	the completed Schedules and any other do	ocuments forming part of the	contract.
3.	In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in the Agreement, the Contractor here by covenants with the Procuring Entity to execute the Works and to remed defects therein in conformity in all respects with the provisions of the Contract.			
4.	of th	Procuring Entity here by covenants to pay the Works and the remedying of defects there er the provisions of the Contract at the times	in, the Contract Price or such	other sum as may become payable
	INV Law	VITNESS where of the parties here to have over sof Kenya on the day, month and year spec	caused this Agreement to be exifted above.	executed in accordance with the
	Sign	neda nd sealed by		(for the Procuring Entity)
	Sign	ned and sealed by		(for the Contractor).

FORM NO. 4 - PERFORMANCE SECURITY

[O _I	ption 1 - Unconditional Demand Bank Guarantee]
$[G\iota$	uarantor letterhead]
Ber	neficiary: [insert name and Address of Procuring Entity]
Dat	te:[Insert date of issue]
Gu	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informedthat(hereinafter called "the
	Contractor") has entered into Contract Nodatedwith (name of
	Procuring Entity) (the Procuring Entity as the Beneficiary), for the execution of(hereinafter called "the Contract").
2.	Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
3.	Atthe request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of(in words), such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand it self or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.
4.	This guarantee shall expire, no later than the
5.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], inresponse to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."
	[Name of Authorized Official, signature(s) and seals/stamps]
	Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

²Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM No. 5- PERFORMANCE SECURITY

[Option 2– Performance Bond]

[Note: Procuring Entities a readvised to use Performance Security – Unconditiona lDemand Bank Guarantee in stead of Performance Bond due to difficulties involved in calling Bond holder to action]

[G	uara	antor lette	rhead or SWIFT ident	ifier code]	
Be	nefic	ciary: [insertnameandAddres	ssofProcuringEntity	y]
Da	te:		[Insert da	te of issue]	
PE	RFC	ORMANO	CE BONDNo.:		
Gı	ıaraı	ntor: [Ins	ert name and address	of place of issue, i	unless indicated in the letterhead]
1.	Ву	this Bond	I		_ as Principal (hereinafter called "the Contractor") and
	typ	ount of es and pro	oportions of currencie	for the s in which the Cor] as Surety (hereinafter called obligee (hereinafter called "the Procuring Entity") in the payment of which sum well and truly to be made in the ntract Price is payable, the Contractor and the Surety bind ccessors and assigns, jointly and severally, firmly by these
2.	of_ spe	ecification	,20	, for ere to, which to the	Agreement with the Procuring Entity dated thedayin accordance with the documents, plans, extent here in provided for, are by reference made part here
3.	per oth Ent	form the erwise, it it to be	said Contract (includ shall remain in full for , in default under the	ling any amendmented and effect. When e Contract, the Property of the Contract and the Property of the Propert	n is such that, if the Contractor shall promptly and faithfully ents thereto), then this obligation shall be null and void; never the Contractor shall be, and declared by the Procuring rocuring Entity having performed the Procuring Entity's nedy the default, or shall promptly:
	a)	Complet	te the Contract in acco	ordance with its ter	rms and conditions; or
	b)	the Contand the Procurir successi sufficier includin first para total am	Surety of the lowest ag Entity and make a con of defaults under at funds to pay the cog other costs and damagraph hereof. The ter	responsive Tender vailable as work the Contract or least of completion lages for which the rm "Balance of the uring Entity to Co	rers for submission to the Procuring Entity for completing onditions, and upon determination by the Procuring Entity erers, arrange for a Contract between such Tenderer, and a progresses (even though there should be a default or a Contracts of completion arranged under this paragraph) ess the Balance of the Contract Price; but not exceeding, Surety may be liable hereunder, the amount set forth in the e Contract Price," as used in this paragraph, shall mean the intractor under the Contract, less the amount properly paid
	c)				y Procuring Entity to complete the Contract in accordance ceeding the amount of this Bond.
4.	The	e Surety sl	hall not be liable for a	greater sum than t	he specified penalty of this Bond.
5.	Tak oth	king-Over	Certificate. No right of Procuring Entity name	of action shall accru	the expiration of one year from the date of the issuing of the see on this Bond to or for the use of any person or corporation heirs, executors, administrators, successors, and assigns of
6.	thes		s to be sealed with his		the this hand and affixed his seal, and the Surety has caused by at tested by the signature of his legal representative, this

SIGNED ON	on behalf of	
By	in the capacity of	
Inthepresence of		
SIGNED ON	on behalf of	
By	in the capacity of	
Inthepresence of		

FORM NO. 6 - ADVANCE PAYMENT SECURITY

_	emand Bank Guarantee] uarantor letterhead]
_	neficiary:[Insert name and Address of ProcuringEntity]
	te:[Insert date of issue]
ΑĽ	VANCE PAYMENT GUARANTEE No.: [Insert guarantee reference number]
Gu	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informed that (hereinafter called "the Contractor") has entered into Contract No dated with the Beneficiary, for the execution of (hereinafter called" the Contract").
2.	Furthermore, we understand that, according to the conditions of the Contract, an advance payment in the sum
3.	At the request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of
	a) Has used the advance payment for purposes other than the costs of mobilization in respect of the Works; orb) Has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.
4.	A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Contractor on its account numberat
5.	The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor as specified in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of a copy of the interim payment certificate indicating that ninety (90) percent of the Accepted Contract Amount, less provisional sums, has been certified for payment, oronthe
6.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.
	[Name of Authorized Official, signature(s) and seals/stamps]
	<i>Note:</i> All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

¹The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance paymen tas specified in the Contract.

²Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

FORM NO. 7 – RETENTION MONEY SECURITY

[D	emand Bank Guarantee]
_	uarantor letterhead]
Be	neficiary:[Insert name and Address of Procuring Entity]
Da	te:[Insert date of issue]
Ad	vance payment guarantee no. [Insert guarantee reference number]
Gu	arantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informed that
2.	Furthermore, we understand that, according to the conditions of the Contract, the Beneficiary retains moneys upto the limit set forth in the Contract ("the Retention Money"), and that when the Taking-Over Certificate has been issued under the Contract and the first half of the Retention Money has been certified for payment, and payment of [insert the second half of the Retention Money] is to be made against a Retention Money guarantee.
3.	At the request of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of <code>[insert amount in figures] ([insert amount in words])'</code> upon receipt by us of the Beneficiary's complying demands upported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifyingthedemand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or showgrounds for your demand or the sum specified there in.
4.	A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the second half of the Retention Money as referred to above has been credited to the Contractor on its account numberat
5.	This guarantee shall expire no later than the
6.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.
	[Name of Authorized Official, signature(s) and seals/stamps]

¹The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

²Insert a date that is twenty-eight days after the expiry of retention period after the actua lcompletion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarante

ITEM	DESCRIPTION
	PARTICULAR PRELIMINARIES
	
A	PRICING ITEMS OF PRELIMINARIES
	Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's
	priced Bills of Quantities. The Contractor is advised to read and understand all
	preliminary items.
	prominary roms.
В	DESCRIPTION OF THE WORKS
	The works consist Expansion works for Nairegie Enkare Sub County Hospital
C	SCOPE OF WORKS
	The works to be carried out under this contract comprises of Construction
	Martenity, Mortuary, Laudry, Kitchen, Paediatric ward, Outpatient Block & Associated Works.
	, 1
D	MEASUREMENTS
	In the event of any discrepancies arising between the Bills of Quantities and the
	actual works, the site measurements shall generally take precedence. However,
	such discrepancies between any contract documents shall immediately be referred to
	the PROJECT MANAGER. The discrepancies shall then be treated as a variation
	and be dealt with in accordance with the Conditions of Contract
E	LOCATION OF SITE
	The site of the proposed works is in Nairegie Enkare Sub County Hospital
	in Narok County.
	The Contractor is advised to visit the site, to
	familiarize with the nature and position of the site. No claims arising from the
	Contractor's failure to do so will be entertained.
_	ADEAC
F	AREAS
	The areas are given for guidance only without warranty
	The areas are given for guidance only without warranty
	Carried to collection

l

		ĺ
A	PAYMENTS	
	The Tenderers' attention is drawn to the fact that the GOVERNMENT OF KENYA	
	MAKES NO ADVANCE PAYMENTS, pays for work done and materials delivered	
	to site: all in accordance with the Clause 23 Conditions of Contract agreement. In	
	order to facilitate this, a list of the general component elements for the works is given	
	in the summary page of these specifications and the Tenderer is requested to break	
	down his tender sum commensurate to the said elements	
В	PREVENTION OF ACCIDENT, DAMAGE OR LOSS	
	The Contractor is notified that these works are to be carried out on a restricted site	
	where the client is going on with other normal activities. The Contractor is instructed	
	to take reasonable care in the execution of the works as to prevent accidents, damage	
	or loss and disruption of normal activities being carried out by the Client. The	
	Contractor shall allow in his rates any expense he deems necessary by taking such	
	care within the site.	
С	WORKING CONDITIONS	
	The Contractor shall allow in his rates for any interference that he may encounter in	
	the course of execution of the works for the Client may in some cases ask the	
	Contractor not to proceed with the works until some activities within the site are	
	completed, as the residents will be occupying the premises as usual during the course	
	of the contract.	
D	SIGNBOARD	
	Allow for providing, erecting, maintaining throughout the course of the Contract and	
	afterwards clearing away a signboard as designed, specified and approved by the	
	Project Manager.	
E	LABOUR CAMPS	
	The Contractor shall not be allowed to house labour on site. Allow for transporting	
	workers to and from the site during the tenure of the contract.	
F	CLAIMS	
	It shall be a condition of this contract that upon it becoming reasonably apparent to	
	the Contractor that he has incurred losses and/or expenses due to any of the contract	
	conditions, or by any other reason whatsoever, he shall present such claim or intent to	
	claim notice to the PROJECT MANAGER within the contract period. No claims	
	shall be entertained upon the expiry of the said contract period.	
	Carried to collection	
A	MATERIALS FROM DEMOLITIONS	
	Any materials arising from demolitions and not re-used shall become the property of	
	the Nairegie Enkare Sub County Hospital.	

В	PRICING RATES	I
	The tenderer shall include for all costs in executing the whole of the works,	
	including transport, replacing damaged items, fixing, all to comply with the	
	Conditions of Contract.	
С	BID SECURITY	
	The tenderer shall furnish, as part of his bid, a bid security in the sum prescribed. The	
	bid security shall, at the tenderer's option be in the form of a certified Cheque, Bank	
	draft, stand by Letter of Credit or Guarantee from an approved bank/insurance co.	
	located in Kenya or a foreign bank that has been determined to be acceptable to the	
	government of Kenya. The format of the bank guarantee shall be in accordance with	
	one of the sample forms of bid security included in the post qualification. Other	
	formats may be permitted subject to prior approval of the government Letters of	
	Credit, bank guarantee issued, as security for bid shall be valid for 30 days beyond	
	the validity of the bid.	
D	URGENCY OF THE WORKS	
	The Contractor is notified that these "Works are Urgent" and should be completed	
	within the period state in these Particular Preliminaries. The Contractor shall allow in	
	his rates for any costs he deems that he/she may incur by having to complete the	
	works within the stipulated contract period.	
E	PAYMENT FOR MATERIALS ON SITE	
	All materials for incorporation in the works must be stored on site before payment is	
	effected, unless specifically exempted by the Project Manager. This is to include	
	materials of the Contractor, nominated sub-Contractors and nominated suppliers.	
	Carried to collection	
A	EXISTING SERVICES	
	Prior to the commencement of any work, the Contractor is to ascertain from the	
	relevant authority the exact position, depth and level of all existing services in the	
	area and he/she shall make whatever provisions may be required by the authorities	
	concerned for the support, maintenance and protection of such services.	
В	PERFORMANCE BOND	
	A bond of 5% of the contract sum will be required in accordance with Conditions of	
	Contract on award of contract of the Instructions to Tenderers. No payment on	

	account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from	
	an approved Bank.	
	an approved Bank.	
C	TENDER DOCUMENTS	
C	Tender documents are as listed in Clause 3 of the preparation of tenders Page 7	
	Tender documents are as fisted in Clause 3 of the preparation of tenders 1 age 7	
D	DELIVERY OF TENDER	
D	Tenders and all documents in connection therewith, as specified above must be	
	delivered in the addressed envelope which should be properly sealed and deposited at	
	the offices as specified in the letter accompanying these documents or as indicated in	
	the advertisement.	
	Tenders will be opened at the time specified in the letter accompanying these Tender	
	Documents or as indicated in the advertisement. Tenders delivered or received later	
	than the above time will not be opened.	
	than the above time will not be opened.	
	Carried to collection	
\boldsymbol{A}	VALUE ADDED TAX	
	The Contractor's attention is drawn to the Legal Notice in the Finance	
	Act part 3 Section 21(b) operative from 1st September, 1993 which	
	requires payment of VAT on all contracts. The tenderer is advised to	
	include his tax in the grand summary page as indicated.	
		İ
		<u> </u>

-		
<u> </u>		
<u> </u>		
<u> </u>		
<u> </u>		
	Carried to collection	
<u> </u>		
	CONTROLLY DEPTH IN ANY DIFFE	
	SPECIAL PRELIMINARIES	
A	GROUP LUNCHES FOR THE PROJECT TEAM DURING SITE MEETINGS & SITE INSPECTIONS	
	INSPECTIONS	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	
	INSPECTIONS Include a percentage Sum for the Contractors administration costs and	

	Carried to collection	
	<u>Collection</u>	
	Brought forward from P.P/1	
	Drought for war a from 1 1.71	
	Brought forward from P.P/2	
	Drought forward from 1.1/2	
	Brought forward from P.P/3	
	Brought forward from 1.1/3	
	Duought formunal from D.D/A	
	Brought forward from P.P/4	
	D 1.C 1C DD/5	
	Brought forward from P.P/5	
	Brought forward from above	
	TOTAL FOR BUREAU AR REFLICIONAL CARRIER TO GURALANY	
	TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO SUMMARY	
	Include a percentage Sum for the Contractors administration costs and	
	profit %	
	Carried to collection	
	Carried to contection	
ı l	I	

<u>Collection</u>
Brought forward from P.P/I
Brought forward from P.P/2
Brought forward from P.P/3
Brought forward from P.P/4
Brought forward from P.P/5
Brought forward from above
 TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO SUMMARY

ITEM	DESCRIPTION	AMOUNT
	GENERAL PRELIMINARIES	
A	PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES	
	Prices will be inserted against items of Preliminaries in the Contractor's priced	
	Bills of Quantities and Specification.	
	The Contractor shall be deemed to have included in his prices or rates for	
	the various	
	items in the Bills of Quantities or Specification for all costs involved in complying with	
	all the requirements for the proper execution of the whole of the works in	
	the Contract.	
В	ABBREVIATIONS	
	Throughout these Bills, units of measurement and terms are abbreviated and shall be	
	interpreted as follows:-	
	interpreted as follows	
	C.M. Shall mean cubic metre	
	S.M. Shall mean square metre	
	L.M. Shall mean linear metre	
	MM Shall mean Millimetre	
	Mivi Shali mean Millimetre	
	Kg. Shall mean Kilogramme	
	- Tag State Mean Mag Canada	
	No. Shall mean Number	
	Prs. Shall mean Pairs	
	B.S. Shall mean the British Standard Specification Published by the	
	British Standards Institution, 2 Park Street, London W.I.,	
	England.	
	Ditto Shall mean the whole of the preceding description except as	
	qualified in the description in which it occurs.	
	quantee in the description in which it occurs.	
	m.s. Shall mean measured separately.	
	a.b.d Shall mean as before described.	
	Carried to collection	

A. EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT

Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the

following clause is substituted:-

Attendance on nominated Sub-Contractors shall be given as an item in each case shall

be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary

accommodation and welfare facilities; provision of special scaffolding where necessary;

providing space for office accommodation and for storage of plant and materials:

providing light and water for their work: clearing away rubbish; unloading checking

and hoisting: providing electric power and removing and replacing duct covers, pipe

casings and the like necessary for the execution and testing of Sub-Contractors' work

and being responsible for the accuracy of the same.

Fix Only:-

Fix Only shall mean take delivery at nearest station (Unless otherwise stated).

pay all demurrage charges, load and transport to site where necessary, unload, store,

unpack, assemble as necessary, distribute to position, hoist and fix only.

B EMPLOYER

C

The term "Employer" and "Narok County Government" wherever used in the contract

document shall be synonymous

PROJECT MANAGER

The term "P.M." wherever used in these Bills of Quantities shall be deemed to imply the

Project Manager as defined in Condition 1 of the Conditions of Contract or such person

or persons as may be duly authorised to represent him on behalf of the Government.

In this project the PM is the County Works Officer - Narok.

D ARCHITECT

The term "Architect" shall be deemed to mean "The Project Architect." whose address unless otherwise notified is Arch-Link International, P.O. Box 54515-00200 Nairobi, Kenya.

E QUANTITY SURVEYOR

The term "Quantity Surveyor" shall be deemed to mean "The Project Quantity Surveyor"

whose address unless otherwise notified is State department of Public Works, P.O. Box 898-20500, NAROK.

ELECTRICAL ENGINEER A The term "Electrical Engineer" shall be deemed to mean "The Project Electrical Engineer." whose address unless otherwise notified is State Department of Public Works, P.O. Box 898-20500, NAROK. MECHANICAL ENGINEER В The term "Mechanical Engineer" shall be deemed to mean "The Project Mechanical Engineer" whose address unless otherwise notified is State Department of Public Works, P.O. Box 898-20500, NAROK. \mathbf{C} STRUCTURAL ENGINEER The term "Structural Engineer" shall be deemed to mean "The Project Structural Engineer." whose address unless otherwise notified is State Department of Public Works, P.O. Box 898-20500, NAROK. FORM OF CONTRACT D The Form of Contract shall be as stipulated in the Conditions of Contract The Conditions of Contract are also included herein Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities Carried to collection PLANT, TOOLS AND VEHICLES Allow for providing all scaffolding, plant, tools and vehicles required for the works except in so far as may be stated otherwise herein and except for such items and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work. TRANSPORT. В Allow for transport of workmen, materials, etc., to and from the site at such by such routes as may be permitted by the competent authorities. MATERIALS AND WORKMANSHIP. All materials and workmanship used in the execution of the work shall be of quality and description unless otherwise stated. The Contractor shall order all materials

to be obtained from overseas immediately after the Contract is signed and

order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials. D. SIGN FOR MATERIALS SUPPLIED. D The Contractor will be required to sign a receipt for all articles and materials by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER E. STORAGE OF MATERIALS \mathbf{E} The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use. Carried to collection

A SAMPLES

The Contractor shall furnish at his own cost any samples of materials or workmanship

including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT

MANAGER and the PROJECT MANAGER, may reject any materials or workmanship

not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but

the testing shall be made at the expense of the Contractor and not at the expense of the

PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the

current scale of testing charges laid down by the Ministry of Public Works.

The procedure for submitting samples of materials for testing and the method of marking

for identification shall be as laid down by the PROJECT MANAGER The Contractor

shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.

B GOVERNMENT ACTS REGARDING WORK, PEOPLE ETC.

Allow for complying with all Government Acts, Orders and Regulations in connection

with the employment of Labour and other matters related to the execution of the works.

In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with

any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople.

The Contractor must make himself fully acquainted with current Acts and Regulations,

including Police Regulations regarding the movement, housing, security and control of

labour, labour camps , passes for transport, etc. It is most important that the

Contractor, before tendering, shall obtain from the relevant Authority the fullest

information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in

his tender. No claim in respect of want of knowledge in this connection will be entertained.

c SECURITY OF WORKS ETC.

The Contractor shall be entirely responsible for the security of all the works stores,

materials, plant, personnel, etc., both his own and subcontractors' and must provide all

necessary watching, lighting and other precautions as necessary to ensure security

against theft, loss or damage and the protection of the public.

A PUBLIC AND PRIVATE ROADS.

Maintain as required throughout the execution of the works and make good any

damage to public or private roads arising from or consequent upon the execution of the

works to the satisfaction of the local and other competent authority and the PROJECT

MANAGER

B EXISTING PROPERTY.

The Contractor shall take every precaution to avoid damage to all existing property

including roads, cables, drains and other services and he will be held responsible for and

shall make good all such damage arising from the execution of this contract at his own

expense to the satisfaction of the PROJECT MANAGER

C VISIT SITE AND EXAMINE DRAWINGS.

The Contractor is recommended to examine the drawings and visit the site the location

of which is described in the Particular Preliminaries hereof. He shall be deemed to have

acquainted himself therewith as to its nature, position, means of access or any other

matter which, may affect his tender. No claim arising from his failure to comply with

this recommendation will be considered.

D ACCESS TO SITE AND TEMPORARY ROADS.

Means of access to the Site shall be agreed with the PROJECT MANAGER prior to

commencement of the work and Contractor must allow for building any necessary

temporary access roads (approximately 70 metres long) for the transport of the materials,

plant and workmen as may be required for the complete execution of the works including

the provision of temporary culverts, crossings, bridges, or any other means of

gaining access to the Site. Upon completion of the works, the Contractor shall remove

such temporary access roads; temporary culverts, bridges, etc., and make good and $\,$

reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER

E AREA TO BE OCCUPIED BY THE CONTRACTOR

The area of the site which may be occupied by the Contractor for use of storage and for

the purpose of erecting workshops, etc., shall be defined on site by the PROJECT

MANAGER

A OFFICE ETC. FOR THE PROJECT MANAGER

The Contractor shall provide, erect and maintain where directed on site a properly ventilated lockable office for the consultants, having a minimum floor area of 40

Square Metres complete with furniture (Tables, chairs e.t.c). Provision shall be made for

artificial lighting and cleaning facilities for the duration of the works. Upon clompletion the Contractor shall dismantle and clear away the office.

He shall also provide a strong metal trunk complete with strong hasp and

staple fastening and two keys. He shall provide, erect and maintain a lock-up type water

or bucket closet for the sole use of the PROJECT MANAGER including making

emporary connections to the drain where applicable to the satisfaction of Government

and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from

commencement to the completion of the works and dismantle and make good disturbed

surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when

required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff, ranging rods and 50 metre metallic or linen tape.

WATER AND ELECTRICITY SUPPLY FOR THE WORKS

The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own

arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own

cost and clear away when no longer required and make good on completion to the entire

satisfaction of the PROJECT MANAGER . The Contractor shall pay all charges in

connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for

augmenting this supply at his own cost. Nominated Sub--contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.

SANITATION OF THE WORKS

В

 \mathbf{C}

 \mathbf{E}

The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER

D SUPERVISION AND WORKING HOURS

The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.

PROVISIONAL SUMS.

The term "Provisional Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Such sums are net and no addition shall be made to them for profit.

A PRIME COST (OR P.C.) SUMS.

The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities

shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement mentioned in Condition No. 16 of the conditions of Contract. Persons or

firms nominated by the PROJECT MANAGER to execute work or to provide and fix

materials or goods are

described herein as Nominated Sub-Contractors.

Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.

B PROGRESS CHART.

The Contractor shall provide within two weeks of Possession of Site and in agreement

with the PROJECT MANAGER a Progress Chart for the whole of the works including

the works of Nominated Sub-Contractors ; one copy to be handed to the PROJECT

MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.

C ADJUSTMENT OF P.C. SUMS.

In the final account all P.C. Sums shall be deducted and the amount properly expended

upon the PROJECT MANAGER'S order in respect of each of them added to the Contract

sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the

sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account pro-rata to the amount paid. Items of "attendance" (as previously described)

following P.C. Sums shall be adjusted pro-rata to the physical extent of the work

executed (not pro-rata to the amount paid) and this shall apply even though the

Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for

which a P.C. Sum is included in these Bill of Quantities profit and attendance will be

allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.

A ADJUSTMENT OF PROVISIONAL SUMS.

In the final account all Provisional Sums shall be deducted and the value of the work

properly executed in respect of them upon the PROJECT MANAGER's order added to

the Contract Sum. Such work shall be valued as described for Variations in Conditions

No. 13of the Conditions of Contract, but should any part of the work be executed by a

Nominated Sub-Contractor, the value of such work or articles for the work to be

supplied by a Nominated Supplier, the value of such work or articles shall be treated as a

P.C. Sum and profit and attendance comparable to that contained in the priced Bills of

Quantities for similar items added.

B NOMINATED SUB-CONTRACTORS

When any work is ordered by the PROJECT MANAGER to be executed by nominated

sub-contractors, the Contractor shall enter into sub-contracts

and shall thereafter be responsible for such

sub-contractors in every respect. Unless otherwise described the Contractor is to provide

for such Sub-Contractors any or all of the facilities described in these Preliminaries. The

Contractor should price for these with the nominated Sub-contract Contractor's work

concerned in the P.C. Sums under the description "add for Attendance".

C DIRECT CONTRACTS

Notwithstanding the foregoing conditions, the Government reserves the right to place a

Direct Contract for any goods or services required in the works which are covered by a

P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such

instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted

as described for P.C. Sums and allowed.

D ATTENDANCE UPON OTHER TRADESMEN, ETC.

The Contractor shall allow for the attendance of trade upon trade and shall afford any

tradesmen or other persons employed for the execution of any work not included in this

Contract every facility for carrying out their work and also for use of his ordinary

scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making

good after the work of such tradesmen or persons as may be ordered by the PROJECT

MANAGER and the work will be measured and paid for to the extent executed at rates

provided in these Bills.

A INSURANCE

The Contractor shall insure as required in Conditions No 30 of the Conditions

of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an

Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT

MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals

for the PROJECT MANAGER's inspection.

B PROVISIONAL WORK

All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will

be made. All "Provisional" and other work liable to adjustment under this Contract shall

left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER

Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the

PROJECT MANAGER so directs uncover the work to enable all measurements to be

taken and afterwards reinstate at his own expense.

C ALTERATIONS TO BILLS, PRICING, ETC.

Any unauthorised alteration or qualification made to the text of the Bills of Quantities

may cause the Tender to be disqualified and will in any case be ignored.

The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Onantities.

All items of measured work shall be priced in detail and the Tenders containing Lump

Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.

D BLASTING OPERATIONS

Blasting will only be allowed with the express permission of the PROJECT MANAGER

in writing. All blasting operations shall be carried out at the Contractor's sole risk and

cost in accordance with any Government regulations in force for the time being, and any

special regulations laid down by the PROJECT MANAGER governing the use and storage

of explosives.

A MATERIALS ARISING FROM EXCAVATIONS Materials of any kind obtained from the excavations shall be the property of

Materials of any kind obtained from the excavations shall be the property of the County

Government. Unless the PROJECT MANAGER directs otherwise such materials shall be

dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise

have had to supply with the written permission of the PROJECT MANAGER Should

such
permission be given, the Contractor shall make due allowance for the value

permission be given, the Contractor shall make due allowance for the value of the

materials so used at a price to be agreed.

B PROTECTION OF THE WORKS.

Provide protection of the whole of the works contained in the Bills of Ouantities.

including casing, casing up, covering or such other means as may be necessary to avoid

damage to the satisfaction of the PROJECT MANAGER and remove such protection

when no longer required and make good any damage which may nevertheless have been

done at completion free of cost to the Government.

C WORKS TO BE DELIVERED UP CLEAN

Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash

(except where such treatment might cause damage) and clean all floors, sanitary fittings,

glass inside and outside and any other parts of the works and remove all marks,

blemishes, stains and defects from joinery, fittings and decorated surfaces generally,

polish door furniture and bright parts of metalwork and leave the whole of the buildings

watertight, clean, perfect and fit for occupation to the approval of the PROJECT

MANAGER

A GENERAL SPECIFICATION.

For the full description of materials and workmanship, method of execution of the

work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision

thereof which is issued as a separate document, and which shall be allowed in all

respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.

B TRAINING LEVY

The Contractor's attention is drawn to the legal notice which requires payment by

the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than KShs. 1,000,000.00 in value.

C MATERIALS ON SITE

All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER.

This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.

D HOARDING

The Contractor shall enclose the site or part of the works under construction with a hoarding 2400 mm high consisting of iron sheets on 100 x 50 mm timber posts firmly

secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in

addition required to take all precautions necessary for the safe custody of the works, materials, plant, public and Employer's property on the site.

E CONTRACTOR'S SUPERINTENDENCE/SITE AGENT

The Contractor shall constantly keep on the works a literate English speaking Agent or

Representative, competent and experienced in the kind of work involved who shall give

his whole experience in the kind of work involved and shall give his whole time to the

superintendence of the works. Such Agent or Representative shall receive on behalf of

the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the

Conditions of Contract.

COLLECTION	
Brought forward from G.P/1	
Brought forward from G.P/2	
Brought forward from G.P/3	
Brought forward from G.P/4	
Brought forward from G.P/5	
Brought forward from G.P/6	
Brought forward from G.P/7	
Brought forward from G.P/8	
Brought forward from G.P/9	
Brought forward from G.P/10	
Brought forward from G.P/11	
Brought forward from G.P/12	
TOTAL FOR GENERAL PRELIMINARIES CARRIED TO	
BILL GRAND SUMMARY Sums to cover trades or groups of work must be broken down to show the	
price of each item before they will be accepted.	
BLASTING OPERATIONS Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
Carried to collection	

A MATERIALS ARISING FROM EXCAVATIONS

Materials of any kind obtained from the excavations shall be the property of the County.

Government. Unless the PROJECT MANAGER directs otherwise such materials shall be

dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise

have had to

supply with the written permission of the PROJECT MANAGER Should such

permission be given, the Contractor shall make due allowance for the value of the

materials so used at a price to be agreed.

B PROTECTION OF THE WORKS.

Provide protection of the whole of the works contained in the Bills of Ouantities.

including casing, casing up, covering or such other means as may be necessary to avoid

damage to the satisfaction of the PROJECT MANAGER and remove such protection

when no longer required and make good any damage which may nevertheless have been

done at completion free of cost to the Government.

C WORKS TO BE DELIVERED UP CLEAN

Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash

(except where such treatment might cause damage) and clean all floors, sanitary fittings,

glass inside and outside and any other parts of the works and remove all marks,

blemishes, stains and defects from joinery, fittings and decorated surfaces generally,

polish door furniture and bright parts of metalwork and leave the whole of the buildings

the buildings
watertight, clean, perfect and fit for occupation to the approval of the
PROJECT
MANAGER

Carried to collection

A GENERAL SPECIFICATION.

For the full description of materials and workmanship, method of execution of the

work and notes for pricing, the Contractor is referred to the Ministry of Roads and

Public Works and Housing General Specification dated 1976 or any subsequent revision

thereof which is issued as a separate document, and which shall be allowed in all

respects unless it conflicts with the General Preliminaries, Trade Preambles or other

items in these Bills of Quantities.

B TRAINING LEVY

The Contractor's attention is drawn to the legal notice which requires payment by

the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all

contracts of more than KShs. 1,000,000.00 in value.

C MATERIALS ON SITE

All materials for incorporation in the works must be stored on or adjacent to the site

before payment is effected unless specifically exempted by the PROJECT MANAGER.

This includes the materials of the Main Contractor, Nominated Sub-Contractors and

Nominated Suppliers.

D HOARDING

The Contractor shall enclose the site or part of the works under construction with a

hoarding 2400 mm high consisting of iron sheets on 100×50 mm timber posts firmly

secured at 1800 mm centres with two 75 x 50 mm timber rails. The Contractor is in

addition required to take all precautions necessary for the safe custody of the works,

materials, plant, public and Employer's property on the site.

E CONTRACTOR'S SUPERINTENDENCE/SITE AGENT

The Contractor shall constantly keep on the works a literate English speaking Agent or

Representative, competent and experienced in the kind of work involved

his whole experience in the kind of work involved and shall give his whole time to the

superintendence of the works. Such Agent or Representative shall receive on behalf of

the Contractor all directions and instructions from the Project Manager and such

directions shall be deemed to have been given to the Contractor in accordance with the

Conditions of Contract.

COLLECTION	
Brought forward from G.P/1	
Brought forward from G.P/2	
Brought forward from G.P/3	
Brought forward from G.P/4	
Brought forward from G.P/5	
Brought forward from G.P/6	
Brought forward from G.P/7	
Brought forward from G.P/8	
Brought forward from G.P/9	
Brought forward from G.P/10	
Brought forward from G.P/11	
Brought forward from G.P/12	
TOTAL FOR GENERAL PRELIMINARIES CARRIED TO BILL GRAND SUMMARY	

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	MATERNITY BUILDERS WORKS				
	ELEMENT NO. 1				
	SUBSTRUCTURE (All Provisional)				
	Excavation and Earthworks				
	Note: Include Plunking and strutting and keeping excavation free of water in earth work				
Α.	Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed	670	SM		
В.	Excavate oversite averaging 300mm deep and cart	642	SM		
C.	Excavate foundation trench not exceeding 1.50 metres deep starting from reduced level	137	СМ		
D.	Excavate for column bases ditto	48	CM		
E.	Extra over for excavating in rock irrespectiveof	137	СМ		
F.	Return fill and ram selected excavated materials around foundations	219	СМ		
G.	Load and cart away excess excavations as directed	94	CM		
	<u>Filling</u>				
Н	400mm thick hand packed hardcore filling rolled and compacted in layers not exceeding 150mm thick	573	SM		
ı	50mm thick murram blinding	642	SM		
J	Treat surface of hardcore with "Termidor" insecticide to manufacturers specification and provide 10 years guarantee certificate	642	SM		
K	1000 gauge polythene sheet damp proof membrane on blinded hardcore	642	SM		
	Carried Forward				

	Brought Forward				
	Concrete Works				
	Mass concrete class 15/20				
Α.	50mm blinding strip foundation and column bases	203	SM		
	Vibrated reinforced concrete class 20/20 in:-				
B.	150mm thick floor slab	642	SM		
C.	Column and column bases	11	СМ		
D.	Strip foundation	35	СМ		
	High tensile steel reinforcement bars to BS 4461				
E.	12mm diameter	484	KG		
F	10mm diameter	599	KG		
G	8mm diameter	490	KG		
	Fabric mesh				
Н	Fabric mesh Ref. No. A142 (measured net) (No allowance for laps)	642	SM		
	Sawn formwork to:				
I	Sides of strip foundation	30	SM		
J	Sides of columns, column bases	45	SM		
K	Edges of slab between 75mm and 150mm high	133	LM		
	Natural stone wall bedded and jointed in cement/sa nd (1:3) mortar reinforced with 40mm hoop iron every altern				
L	200mm thick	520	SM		
	Three ply hessian based bituminous felt horizontal d amp proof course to BS 743, Type A weighing				
М	<u>cement/sand (1:3) mortar</u> 200mm wide	347	LM		
	PCC SLAB PAVING				
N	50mm thick pcc slab paving on and including 50mm thick sand bed and 300mm thick hardcore	160	SM		
Р	300mm wide U-shaped open drain sloped				
	jointed in mortar	82	LM		
	ELEMENT NO. 1 TOTAL CARRIED				
	SUBSTRUCTURE TO SUMMARY				

	ELEMENT NO. 2				
	SUPERSTRUCTURE CONCRETE				
	Vibrated reinforced concrete class 20/20 in:				
A.	Columns	6	CM		
B.	Ring beam	42	CM		
	High tensile steel reinforcement to BS 4461				
D	16mm Diameter	180	KG		
Е	12mm Diameter	1613	KG		
F	8mm Diameter	909	KG		
	Sawn formwork to:				
G	Sides of columns	84	SM		
Н	Sides and soffits of ring beams	312	SM		
	ELEMENT NO. 2 TOTAL CARRIED SUPERSTRUCTURE CONCRETE TO SUMMARY				

	ELEMENT NO. 3			
	WALLING			
	Fair dressed natural stone wall bedded and jointed in cement/sand (1:4) mortar (12mm joints) reinforced			
	External walls			
A.	200mm thick	228	SM	
В	Extra over for key pointing in flush vertical and recessed horizontal joints	228	SM	
С	100mm thick x 200mm high eaves closing	133	LM	
D	20mm thick flexcell or other equal and approved expansion joint filler	29	SM	
	Internal walls			
Е	200mm thick	476	SM	
F	100mm thick	69	SM	
	Precast concrete class 25/12 units in:			
G	250 x 50mm (average) thick once weathered and throated window cill	69	LM	
	ELEMENT NO. 3 TOTAL CARRIED			
	WALLING TO SUMMARY			

			ı	1	
	ELEMENT NO. 4				
	<u>ROOF</u>				
	Roof Covering				
A.	Box profile GI sheeting gauge 28 resincot on timber framework	761	SM		
B.	Extra over for ridge and hip cap to match	98	LM		
С	Valley gutter 300mm girth	9	LM		
	Supply and fix sawn celcured 2 nd grade cypress				
	including nailing or bolting, drilling for bolts				
D	150 x 50mm rafters packing pieces	72	LM		
E	150 x 50mm hip rafters	82	LM		
F	150 x 50mm valley rafters	36	LM		
G	200 x 38mm ridge board	40	LM		
Н	100 x 50mm wall plate bolted at 1000mm centres	133	LM		
I	75 x 50mm purlins	816	LM		
	The following trusses in sawn celcured 2nd grade c ypress with				
J	150 x 50mm rafters	554	LM		
K	150 x 50mm tie beam	507	LM		
L	100 x 50mm struts and ties	657	LM		
	Eaves Finishes				
	Wrot celcured prime grade cypress in:				
М	250 x 38mm fascia	138	LM		
	Carried Forward				

	Brought Forward				
	<u>Metalwork</u>				
А	300 x 12mm diameter bolts complete with head nuts and washers built into concrete to hold wall plate	110	NO		
	Rainwater goods				
В	150mm diameter uPVC rainwater gutter bent to profile including 20mm deep wedge shaped base and fixing with brackets at 1000mm centres	138	LM		
С	100mm diameter ditto down pipe fixed to wall with and including hold fasts at 1000mm centres	24	LM		
	Extra over for:-				
D	100mm diameter shoe	8	NO		
Е	100mm diameter swan neck	8	NO		
F	100mm diameter outlet	8	NO		
G	Bend	8	NO		
	Painting and Decorating				
	Prepare and apply three coats of gloss paint to surfaces				
I	Surfaces between 200mm and 300mm girth	162	LM		
	ELEMENT NO. 4 TOTAL CARRIED				
	ROOF TO SUMMARY				

	ELEMENT NO. 5			
	DOORS			
	EXTERNAL DOORS			+
Α	Glazed 1800x 2400mm high equal double leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts, permanent ventilation size 1800x150mm, apply red oxide primer before fixing	1	NO	
В	Glazed 1500x 2400mm high equal double leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 45 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts, permanent ventilation size 1200x150mm, apply red oxide primer before fixing	1	NO	
С	Glazed 900x 2400mm high single leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts,	2	NO	
	Glazing			
D	4mm clear sheet glass and glazing with putty in panes of various sizes	7	SM	
	Touch up primer after fixing and apply three coats gloss oil paint to metal			
С	General surfaces internally	13	SM	
D	Ditto externally	13	SM	
	Supply and fix the following ironmongery with match ing screws			
Е	5-Lever mortice dead lock cat No. 2101 complete with approved lock furniture	4	NO	
F	38mm diameter x 59mm deep rubber door stop ref	21	NO	
G	100mm pairs stainless steel double action spring	42	Prs	
Н	100mm pairs brass butt hinges	30	Prs	
I	Three lever rebated mortice lock complete with furniture	13	NO	
	Carried Forward			

	Brought Forward			
	INTERNAL DOORS			
	Flush doors			
А	45 x 1800x 2400mm high double leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including	3	NO	
В	45 x 1200x 2400mm high double leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including	10	NO	
С	45 x 900 x 2400mm high single leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including	2	NO	
D	45 x 900 x 2400mm high single leaf solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	12	NO	
E	45 x 900 x 2100mm high solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	8	NO	
	Wrot Mahogany to door frames and finishings			
F	150 x 50mm frame with 3 labours	205	LM	
G	150 x 50mm transome with 4 labours	30	LM	
Н	15 x 40mm moulded architrave	205	LM	
I	25mm diameter moulded quadrant	205	LM	
J	4mm thick clear sheet glass and glazing with beads in panes between 0.15m and 0.5sm	17	SM	
	Prepare and apply three coats clear lacquer polyura thane matt to wood			
K	Surfaces not exceeding 100mm girth	410	LM	
L	Surfaces exceeding 100mm but not exceeding	235	LM	
М	General surfaces	174	SM	
N	3 lever mortice lock, with polished brass lever furniture and including all other necessary furniture.	35	NO	
Р	Aluminium kicking plate,1150x500x2mmmm fixed to	20	NO	
Q	Aluminium kicking plate,850×500x2mm fixed to	24	NO	
R	Aluminium kicking plate,1750x500x2mm fixed to	6	NO	
S	Overhead door closer ; cat. No. 8823	5	NO	
Т	Floor spring double action Ref. Yale 913.02 90° S.O	10	NO	
	ELEMENT NO. 5			
	DOORS TO SUMMARY			

	ELEMENT NO. 6			
	WINDOWS			
	The following in purpose made steel casement wind ows in heavy duty 'T' and 'Z' section frame including mullions, transomes inbuilt mosquito proof gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s Kensmetal Ltd or other equal and approved fastener 1500 x 1500mm high comprising side hung, top			
A.	hung and fixed lights to detail	24	NO	
В.	1500 x 1200mm high ditto	1	NO	
С	1200 x 900mm high ditto	3	NO	
D	600 x 900mm high ditto	18	NO	
	Burglar proofing			
E	Mild steel grille framed with 25x25x3mm thick RHS section including assembly and fixing to opening cutting and pinning lugs to concrete and bedding frame in cement and sand mortar (1:4)	69	SM	
	<u>Glazing</u>			
F	4mm clear sheet glass and glazing with putty in panes of various sizes	56	SM	
G	Ditto obscure glass pane	13	SM	
	Wrot prime grade cypress			
Н	150 x 150mm pelmet comprising 125 x 25mm thick top,125 x 25mm fascia with 2No. labours ,40 x 40mm wrot bearers, 2No. brass curtain rails, rollers ,stoppers, 125 x 125 x 25mm thick end brackets to	66	LM	
I	125 x 25mm window board	66	LM	
J	25mm quadrant	66	LM	
	Touch up primer after fixing and apply three coats gloss oil paint to metal			
K	General surfaces internally	69	SM	
L	Ditto externally	69	SM	
М	Burglar proofing	138	SM	
	Carried Forward			

	Brought Forward			
	Prime back of wood before fixing			
Α	Surfaces between 100 and 200mm girth	66	LM	
В	Surfaces not exceeding 100mm girth	66	LM	
	Knot, prime, stop and apply two undercoats and one gloss oil coats finishing to wood			
С	Genaral surface of pelmet	20	SM	
	Prepare and apply three coats clear lacquer polyura thane matt to wood			
D	Surfaces not exceeding 100mm girth	66	LM	
Е	Surfaces exceeding 100mm but not exceeding	66	LM	
	ELEMENT NO. 6 TOTAL CARRIED			
	WINDOWS TO SUMMARY			

ELEMENT NO.7 FINISHES External Wall Finishes A. 12mm cement/sand (1:4) render to columns and ringhams 12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows and C. 12mm thick cement/sand render to plinth D Eaves boarding; in 20mm thick Upvc boarding E 50 x 50mm cypress brandering F 75 x 50mm moulded cypress cornice Internal Wall Finishes Cament lime, cond placeter.	
A. 12mm cement/sand (1:4) render to columns and ringheams 12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows and C. 12mm thick cement/sand render to plinth D Eaves boarding; in 20mm thick Upvc boarding E 50 x 50mm cypress brandering F 75 x 50mm moulded cypress cornice Internal Wall Finishes	
A. 12mm cement/sand (1:4) render to columns and ringheams 12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows and C. 12mm thick cement/sand render to plinth D Eaves boarding; in 20mm thick Upvc boarding E 50 x 50mm cypress brandering F 75 x 50mm moulded cypress cornice Internal Wall Finishes	
D Eaves boarding; in 20mm thick Upvc boarding E 50 x 50mm cypress brandering E 50 x 50mm moulded cypress cornice Internal Wall Finishes Internal Wall Finis	
B. not exceeding 300mm wide around windows and C. 12mm thick cement/sand render to plinth D Eaves boarding; in 20mm thick Upvc boarding E 50 x 50mm cypress brandering F 75 x 50mm moulded cypress cornice Internal Wall Finishes	
D Eaves boarding; in 20mm thick Upvc boarding 85 SM E 50 x 50mm cypress brandering 265 LM F 75 x 50mm moulded cypress cornice 276 LM Internal Wall Finishes	
E 50 x 50mm cypress brandering 265 LM F 75 x 50mm moulded cypress cornice 276 LM Internal Wall Finishes	
F 75 x 50mm moulded cypress cornice 276 LM Internal Wall Finishes	
Internal Wall Finishes	
Coment lime cond placter	
Cement, lime, sand plaster	
G 12mm cement/lime/sand (1:1:6) fine plaster to walls and beams internally 1092 SM	
H 20mm cement/sand (1:4) render to receive ceramic 279 SM	
Glazed wall tiles to manufacturer	
I 250 x 250x6mm thick patterned glazed wall tiles fixed with adhesive to rendered surfaces (m/s) with and including rounded plastic edge tiles (2100mm	
J Extra over for 75 mm wide decorative band 60 LM	
Floor Finishes	
Cement/sand (1:4) screed	
K 30mm thick to receive ceramic tiles 399 SM	
Ceramic floor tile	
L 100 x 20mm skirting 387 LM	
M 330 x 330x6mm fixed onto prepared screed (m/s) with manufacturer's approved adhesive 399 SM	
Terrazzo floor tile	
N 15mm thick cement and sand (1:4) screed wood floated to	
terazzo (m/s) 174 SM	
P 25mm Terrazzo: first coat of cement and sand (1:3);	
cement and local marble chippings (1:2); machine 174 SM	
Q 20 x 100 mm high skirting with rounded top edge and	
junction to paving 168 LM	
R Plastic dividing strip 180 LM	
Carried Forward	

	Brought Forward			
	Ceiling			
	Chip board Ceiling			
Α	12mm thick boarding fixed/nailed onto brandering	573	SM	
	Wrot Celcured Cypress			
В	100 x 25mm moulded cornice	555	LM	
	Sawn celcured cypress			
С	50 x 50 mm brandering	955	LM	
D	75 x 50mm brandering	955	LM	
	<u>Trap door</u>			
Е	600 x 450mm chipboard trap door including 50 x 50mm frame, 100 x 50mm timber joists	1	NO	
	ELEMENT NO. 7 TOTAL CARRIED			
	FINISHES TO SUMMARY			

	ELEMENT NO. 8			
	PAINTING AND DECORATING			
	<u>Externally</u>			
	Prepare and apply undercoats and three coats plast ic emulsion paint to:			
A.	Plastered external columns,ringbeams	101	SM	
B.	Plastered niches and reveals not exceeding 300mm	178	LM	
	<u>Internally</u>			
	Prepare and apply three coats silk viny paint to			
C.	Plastered walls and cocrete surfaces	1092	SM	
	Prepare and apply three coats plastic emulsion pain			
D.	Chipboard ceiling	573	SM	
	Prime back of wood before fixing			
E.	Surfaces not exceeding 100mm girth (cornice)	555	LM	
	Prepare and apply primer two undercoats and one g loss oil finishing coat to wood			
F	Surfaces not exceeding 300mm girth (cornice)	555	LM	
	Prepare and apply two coats black bituminous paint			
G	Rendered plinth externally	55	SM	
	ELEMENT NO. 8 TOTAL CARRIED			
	PAINTING AND TO SUMMARY DECORATING			

	ELEMENT NO. 9			
	FITTINGS AND FIXTURES			
А	Allow a provisional sum of Ksh 200,000 for nurse station construction including MDF board timber door with malfa hidges, granitto tiles top finishes	1	Sum	
В	225x25mm thick MDF shelves with approved beading screwed to steel angles (m/s)	30	LM	
С	Standard pressed steel shelf brackets to approval	25	NO	
D	Supply and fix steel I-beams size 200x100mm at the theatres			
	to suspend the theatre lights	7	LM	
	ELEMENT NO.9			
	TOTAL CARRIED			
	FITTINGS AND			
	FIXTURES			

ITEM	DESCRIPTION	QTY	UNI	RATE	AMOUNT
	ELEMENT NO. 10				
	Builder's Work				
	The contractor shall here allow all builder's work in connection with Electrical and Mechanical Engineering Installation				
	The builders work shall include but not limited to				
	a) Chases in wall, concrete work, and make good				
	b) Forming, making or leaving holes, etc in masonry concrete or wood work				
	c) Making good all disturbed area				
	d) Excavations refill and disposal of spoil				
	Electrical Work				
Α.	Allow for all builder's work in connection with Electrical Engineering Installations	1	Ite m		
	Mechanical Engineering				
В.	Allow for all builder's work in connection with Mechanical Engineering Installations	1	Ite m		
	ELEMENT NO. 10				
	BUILDER'S WORK				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUMMARY OF ELEMENTS				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE CONCRETE				
3	WALLING				
4	ROOF				
5	DOORS				
6	WINDOWS				
7	FINISHES				
8	PAINTING AND DECORATING				
9	FITTINGS AND FIXTURES				
10	BUILDER'S WORK				
	TOTAL CARRIED TO SUMMARY				
	MATERNITY				·

			1		
	SANITARY FITTINGS				
Item	Description	Unit	Qty	Rate	Amount
	Supply, deliver, install and fix the following	31110	- CLy	itats	Amount
	sanitary fittings including all materials and				
	jointing to supply, waste/soil and overflow				
	pipes.Twyfords Ltd products are specified only				
	, , , , , , , , , , , , , , , , , , , ,				
	as an indication of quality. Equal and approved				
	appliances may be supplied. Where trade names				
	are mentioned, the Ref. No. is intended only as				
	W-4 Ol				
	Water Closet				
A	Squatting water closet suite in vitreous china				
	comprising of water closet bowl with top plate and				
	integral foot threads, S-trap connector, 9 litres high				
	integral root tilleads, o-trap confidencial, a littles flight				
	cistern and fittings and pull chain including siphon,				
	and the state of t				
	15mm dia side inlet ball valve, 20mm dia side				
	overflow, plastic flush pipe, inlet connector and	No	6		
	cistern supports. All to be as "Twyfords Oriental" or				
	approved equivalent.				
	Medical Wash Hand Basin				
С	Counter top Twyfords "SOLA L.B.G/L" wash hand				
	basin with no tap holes and chain stay hole cat. No.				
	WP 1520WH, wall brookets got no. SP 1215 vv	No	3		
	WB 1520WH, wall brackets cat no. SR 1315 xx complete with "lever action mixer fitting, 1/2 with	INO	3		
_	swivel nozzle and divided flow" wall mounted mixer				
	SWIVE HOZZIC and divided now wall mounted mixel				
	cat. no. SF 1099 CP, chrome grid waste 11/4" cat				
	no.				
	WF 4341 CP and white plastic bottle trap 11/4" P-				
L	<u> </u>				
	trap cat. no.WF 8482 xx or approved equivalent.				
	Soap Dish				
D	Twyfords semi-recessed built in soap tray in vitreous	No	5		
	china size: 305 x 150mm				
<u> </u>	Robe hook				
<u>E</u>	Robe hook in vitreous china and in white colour	Ne	F		
	mounted unto a concealed screw to wall wedges, to	No	5		
	be as Twyfords OC 6858 1998 or approved				
	equivalent.				
	Towel rail		 		
F	Twyfords Bathrooms Ltd Ref. No. PB 0363 CP	No	8		
<u> </u>	chrome plated screw to wall Towel Rail 650mm long	.,,,			
	3				
	complete with screws.				
	Sub-total carried forward to collection	page			
	P1				

Item	Description	Unit	Qty		1	
11.0111	Toilet roll holder	Oille	αty		1	
	Toilet roll holder in vitreous china to BS 3402 in					
	white colour of size 165x165mm and recessed into					
Α	wall. Toilet roll holder to be as Twyfords "SEMI	No	6			
	RECESSED & ORNAMENTAL' accessories Ref.]
	L					
	No. VC 9808 WH					
	Wash hand basin Wash hand basinsize 510 x 420mm with one tap					
	Wash hand basinsize 310 x 420mm with one tap					
	holes and chain stay hole, 32mm diameter chrome					
	, , , , , , , , , , , , , , , , , , , ,					
	plated pop up chain waste, concealed wall brackets,					
	chrome plated single tap hole basin mixer as Cobra					
			4 -			
В	and chrome plated bottle trap (32mm 'P' trap) with	No	15			
<u> </u>	75mm seal. The wash hand basin to be as Twyfords					
	Tomin seal. The wash hand basin to be as Twylords					
	'Sola 510' or equal and approved.				+	
	Shower fitting					
	Concealed shower mixer for hot and cold water					
	consisting of 15mm chrome plated riser pipe to					
	connect the water to a swivel/ adjustable shower					
	rose, chrome plated handles and stop corks and					
	other	N.I.				
С	necessary fittings & accessories. All to be as Bricon/aztec or equal and approved.	No	8			
	Baby bath				+	
	Vitreous china baby bath of size 510 x 650mm with					
	Vinceus crimia subj sauri er eize e re x eceriiii muri					
	two tap holes complete with supporting front legs					
	and bearers in stainless steel, 32mm diameter					
	waste					
	fitting with removable overflow tube, lever operated					
	miver top and chrome plated handles. All as					
D	mixer tap and chrome plated handles. All as Twyfords baby bath or approved equivalent.	No	1			
۳	Hand drier	140	ı			
	Automatic hand drier in white colour, operating on					
L						
	an infra-red automatic sensing system with heating					
	element safety cut-out complete with a 30 seconds					
	safety timer, plastic rawl plugs and fixing screws.					
	The hand drier to have a heating capacity of 2.1kw and					
	mand uner to have a heating capacity of 2.1kw and					
	performance flow rate of 135cfm (3.82m³/min) and					
	periormance now rate or 1000mm (0.02mm/mmm) and					
	to be of size 270x264x143mm deep It shall have a					
L						
Е	noise level below 72.5 dBA at 1.5m. It shall be as	No	2	_		
	Mediclinic or approved equivalent.					

(P2)Sub-total carried forward to collection page	

	Soap Dispenser	1			
Α	Soap Dispenser, capacity 1.136 litres complete with				
	, , , , , , , , , , , , , , , , , , , ,	Ţ			
	plastic rawl plugs, fixing screws, lock and key	·			<u></u>
	complete with initial fill of soap gel. The soap	1			
	dispenser to be as ZALPON'S MARK 7 model, size	No	2		
		<u> </u>			4
<u> </u>	125 x 100 x 290mm high or approved equivalent	<u> </u>			
D	Kitchen Sink	<u> </u>			+
В	Double bowl, double drainer stainless steel kitchen	1		ļ	
	sink of size 1800 x 600mm as manufactured by		1		+
	ASL.	1		Į.	
	The bowl size to be 430 x 420 x 200mm deep				
	complete with chrome plated 40mm waste fittings,	1			
		1			
	plugs, chain stays, overflow, 1No. 15mm diameter	! <u></u>		<u> </u>	
<u> </u>		<u> </u>			
	chrome plated sink mixer with over-arm swivel spout	No	1	Į	
<u> </u>	oc Cohra model 166/04 with sering here the	ļ			
	as Cobra model 166/04 with carina handles, chrome	1		Į.	
	plated bottle trap with 75mm deep seal and chain			ļ	+
	p.a.oa soalo hap min romin acep seal and chain	Ţ			
	waste fitting.	 			1
	Dhobi Sink				<u></u>
С	Heavy Duty stainless steel dhobi sink of size 675 x	1			
		<u> </u>			
	485 x 300 mm deep in 16 SWG as manufactured by	1			_
	ACI 424 or controllent suitable (<u> </u>	1	ļ	+
	ASL 131 or equivalent suitable for wall muonting	Ţ		Į	
—	with 1 No 15 mm diameter chrome plated back inlet	 	1		+
	man i No 10 mm diameter omome plated back illet	Ţ		Į	
	bib tap as Cobra Ref 107 CP, 40 mm diameter				1
	chrome plated bottle trap and chain waste fitting and	No	1		
		<u> </u>			<u></u>
	plug.	1			
	Sterilization Sink	<u> </u>			
D	Hospital sterilization sink in stainless steel, size 600	1		Į.	
 	X 600mm v 450mm doop with two top holes, stainless	ļ	1	ļ	1
	600mm x 450mm deep with two tap holes, stainless	1		ļ	
	steel cantilever brackets(pair) , front leg supports in				+
] (steer sammever stackets(pair), front leg supports in	1		ļ	
	stainless steel and unslotted chain waste fitting				1
	complete with lever action mixer tap for hot and cold	1			
L 1	·	<u> </u>	<u> </u>		<u> </u>
	water. All as Twyfords Hospital Sink or approved	1			
<u> </u>		<u> </u>			
<u> </u>	equivalent.	No	1		
	Sub-total carried forward to collection	page			-
<u> </u>	P3				<u> </u>

	Mirror	1			Т
A	Mirror of size 1,200 x 600x 6mm thick, plugged and		† †		†
^`	5. 5. 5.25 1,255 X 555X Smill thiox, plugged and	1			
	screwed to wall with 6No. chrome plated dome	 	 		†
	capped screws. The mirror shall rest against a layer	No	1		1
	of	1			
	5mm thick foam.	1			
В	Mirror of size 600 x 600x 6mm thick, plugged and				T
					<u></u>
	screwed to wall with 6No. chrome plated dome				
	capped screws. The mirror shall rest against a layer	I			
	of	<u> </u>			
	5mm thick foam.	No	3		
	Scrub-Up	 	$\vdash \vdash$		+
С	Twyford Scrub-up Trough 2500mm long with Left	<u> </u>	\vdash		+
ĺ	hand outlet Cat No. SS9122SS Complete with 3No.				1
<u> </u>	wall mounted Loyer action mixes to a C ()	ļ			+
 	wall mounted Lever action mixer taps Cat No.	ļ	+		+
1	SF1099CP 11/2Chrome plated Waste fitting and as	1			1
	trap	No	1		+
	Flexible Tubing	INO	+ ' +		+
D	15mm diameter x 300mm long chrome plated	No	9		+
_ <u></u>	flexible connectors.	. 10	 		†
	Angle valve	1	 		†
Е	Chrome plated Angle shut-off valve as Cobra or	No	60		1
	approved equivalent	·			
	Sluice Unit	<u> </u>			
F	Twyfords "Grafton B.P.S." hopper cat.no.				
	FC4076WH loose-trap FC44612WH complete with	1			
	Vitreous china high level cistern 7.5 Litre capacity	I	1 7		
		<u> </u>	igsquare		<u> </u>
-	with valveless fittings and reversible chain pull	<u> </u>	igsquare		<u> </u>
	CX7610WH, cistern supporting brackets	<u> </u>	\vdash		+
	SR1300XX stainless steel flushpipe with spreader	1			1
	and	ļ			+
	clips SS6020SS Combine bedpan and urinal bottle				1
	with 1/2" lever handle taps, SF6504CP legs and	 	+ +		+
	bearers for hopper SR3053XX sinks 760mm x	 	+		+
	455mm FC1350WH chain and waste 11/2" chrome		 		†
		1	1 1		
	plated WF4338CP waste pipe for the hopper	<u></u>			<u></u>
	WF9685WH legs and bearers for sink SR3043XX	1			
	Ü				
	drain with anti-drip stip FC9684WH legs and bearers	l			
	, ,	<u> </u>			
	for drain SR3052XX chrome plated extended bib				
	tap 1/2" SF5204CP Chrome plated Lever action	No	2		
	mixer tap flexible hose and handspray SF7053CP.	[1 [_	1
	(80.27)	<u> </u>	$\sqcup \sqcup$		+
	(P4) Sub-total carried forward to collection	on page	-		+
	<u> </u>	<u> </u>			

	COLLECTION PAGE	
	Sanitary Fittings	Amount
	Sub-total brought down from page P-1	
2	Sub-total brought down from page P-2	
3	Sub-total brought down from page P-3	
1	Sub-total brought down from page P-4	
	al for Sanitary Fittings Carried Forward to	

Item	Description	Unit	Qty	Rate	Amount
	INTERNAL PLUMBING WORKS- COLD	-			
	WATER (ALL PROVISIONAL)				
	Supply, deliver and install pipes, tubing and				
	3 a a a a a a a a a a a a a a a a a a a				
	fittings as described and shown on the				
	drawings.				
	The pipes shall be PN 25 PPR pipes where				
	exposed to adverse weather condition and all				
	conforming to the current European standards				
	for PPR installations and to the Engineers				
	approval, pipe jointing shall be by polyfusion or				
	use of electric counties. Dates must allow for all				
	use of electric coupling. Rates must allow for all				
	Metal/plastic threaded adaptors where required				
	metal/plastic tilreaded adaptors where required				
	for the connection of sanitary fixtures, valves,				
	ior the connection of sumary fixtures, varies,				
	sockets, sliding and fixed joints, support				
	raceways, isolating sheaths, elastic materials,				
	3 · · · · · · · · · · · · · · · · · · ·				
	expansion arms and bends, crossovers,				
	couplings, clippings, connectors, joints etc. as				
	required in the running lengths of pipework and				
	also where necessary, for pipe fixing clips,				
	holder				
	bats plugged and screwed for the proper and				
	antinfantamentum stimulum antilum anti				
	satisfactory functioning of the system. The pipes				
	will be pressure tested before the plastering of				
	will be pressure tested before the plastering of				
	wall commences and as per the manufacturers				
	wan commonece and do per ano manaractarere				
	recommended testing pressures.				
	PPR Pipes				
Α	20mm diameter pipework	Lm	120		
В	25mm diameter pipework	Lm	80		
С	32mm diameter pipework	Lm	65		
D	40mm diameter pipework	Lm	75		
Е	50mm diameter pipework	Lm	85		
	Bends				
F	20mm diameter bends	No.	100		
G	25mm diameter bends	No.	35		
Н	32mm diameter bends	No.	20		
	Sub-total carried forward to collection	page			
	P6				

Α	40mm diameter bends	No.	20	
В	50mm diameter bends	No.	10	
	Tees			
С	25mm diameter equal tee	No.	40	
D	32mm diameter equal tee	No.	25	
E	40mm diameter equal tee	No.	60	
F	50mm diameter equal tee	No.	30	
	Reducers			
G	50 x 40mm diameter reducer	No.	20	
Н	50 x 32mm diameter reducer	No.	25	
I	50 x 25mm diameter reducer	No.	25	
J	40 x 32mm diameter reducer	No.	50	
K	40 x 25mm diameter reducer	No.	30	
L	40 x 20mm diameter reducer	No.	20	
М	32 x 25mm diameter reducer	No.	22	
Ν	32 x 20mm diameter reducer	No.	24	
0	25 x 20mm diameter reducer	No.	50	
	Male/Female Threaded Brass Adapters			
Р	32mm threaded brass coupling	No.	35	
Q	25mm threaded brass coupling	No.	37	
R	20mm threaded brass coupling			
	Sub-total carried forward to collection			
	P7			

	Valves			
Α	20mm diameter approved medium pressure screw			
	down full way non-rising stem wedge gate valve to	No.	4	
	BS 5154 PN 20 for series B rating, with wheel and			
	head joints to steel tubing and complete with round			
	male threaded transition fittings. The gate valve to			
	be			
	as PEGLER or approved equivalent.			
В	25mm ditto	No.	2	
С	40mm ditto	No.	4	
D	50mm ditto	No.	3	
	Unions			
F	25mm diameter pipe union	No.	3	
G	40mm diameter pipe union	No.	10	
Н	50mm diameter pipe union	No.	7	
	Water storage tank in the roof space			
ı	Supply and inatall rectangular loft water storage tank			
	of capacity 920 made from plastic and of dimension			
	1270x1270x580 mm Rotor or approved equivalent.			
	The tank shall be complete with inlet, outlet,			
	overflow and drain connection. It should have a	No.	6	
	50mm diameter medium pressure ball valve with			
	silencer pipe, bronze lever and copper float all as			
	"Glenfield" or approved equivalent. The tank shall			
	be firmly supported on the roof space.			
	Sub-total carried forward to collection	page		
	P8			
	Internal plumbing			 Amount (KShs)
1	Sub-total brought down from page P-6			\ 3
2	Sub-total brought down from page P-7			
3	Sub-total brought down from page P-8			
To	tal for Internal Plumbing Carried Forward to	-		

Item	Description	Unit	Qty	Rate	Amount
item	(ALL PROVISIONAL)	Oint	Qty	Nate	Amount
	FOUL WATER INTERNAL DRAINAGE				
	Supply ,deliver and install the following UPVC,				
	MUPVC, soil and waste systems respectively to B.S				
	mer ve, cen and waste systems respectively to bie				
	5255 with fittings fixed to Manufactures Printed				
	instructions and manufactured by reputable				
	manufacturers. Tenderers must allow in their				
	pipework prices for all the couplings, clippings,				
	connectors, joints etc. as required in the running				
	lengths of pipework and also where necessary, for				
	pipe fixing clips, holder bats plugged and screwed for				
	the proper and satisfactory functioning of the				
	system.				
	MuPVC and uPVC Waste and Soil pipework				
Α	100mm diameter heavy gauge grey mUPVC pipe	Lm	150		
В	50mm diameter waste pipe	Lm	100		
С	40mm diameter waste pipe	Lm	120		
	Bends				
D	100mm diameter long radius bend	No.	15		
Е	100mm diameter short radius bend	No.	50		
F	100mm diameter sweeep bend	No.	35		
G	50mm diameter bend	No.	50		
Н	40mm diameter 90° bend	No.	80		
	Tees				
ı	100mm diameter sweep tee	No.	40		
J	50mm diameter sweep tee	No.	25		
K	40mm diameter sweep tee	No.	30		
	Access Caps				
L	100mm diameter access cap	No.	25		
	(P10) Sub-total carried forward to	o collec	tion		

Item	Description	Unit	Qty	
Α	50mm diameter access cap	No.	20	
В	40mm diameter access cap	No.	30	
	Boss Connectors			
С	100 x 50mm diameter boss connector	No.	32	
D	100 x 40mm diameter boss connector	No.	15	
	WC Connectors			
E	100mm diameter WC connector	No.	10	
	Traps			
F	100 x 50mm diameter floor trap and grating	No.	12	
	Inspection Chamber			
G	Man-hole or inspection chamber size 600 x 450 mm			
	by approximately 750mm deep using 200mm thick			
	base (concrete class N15) with 250mm thick			
	benching including forming drain channels, and			
	200mm thick solid concrete block walling, including			
	15mm internal plaster and top slab/screed, including			
	pit digging, backfilling, carting away surplus and	No.	15	
	making good.			
	Man-hole frame			
Н	Man-hole frame (light duty) in cast iron size 0.6 x			
	0.45m with recessed cover with concrete infill,	No.	15	
	finished to approval.			
	Weathering Slates and Vent Cowls			
I	100mm diameter weathering slate and apron.	No.	5	
J	100mm diameter vent cowl	No.	5	
	Sub-total carried forward to colle	ction pa	ige	

Item	Description	Unit	Qty	
Α	Allow for flushing out and sterilization of the			
	cold water system as required to the	1	ITEM	
	satisfaction of the Engineer.			
В	Construct water tank masonry base diameter			
	2500mm and 300mm above general ground			
	level. The base should have 200mm thick			
	foundation footing, 200mm thick foundation			
	wall including along diameter, 300mm thick			
	hardcore layer and 150mm thick floor slab			
	reinforced with y8 at 200mm centres both	1	ITEM	
	ways.			
С	10,000 litres plastic tank UPVC cylindrical as			
	roto or equal and approved.	1	NO	
	COLLECTION PAGE			
	Internal drainage			Amount (KShs)
1	Sub-total brought down from page P-10			
2	Sub-total brought down from page P-11			
3	Sub-total brought down from above			
То	tal for Internal Plumbing Carried Forward to			

	SUMMARY PAGE		
ITEM	DESCRIPTION		Amount (KShs)
1	Total for Sanitary Fittings Brought Down from Page Total for Internal Plumbing Brought Down from Page		(None)
2	P- 9		
3	Total for Foul Water Drainage BroughtDown from Page P- 12		
	TOTAL FOR PLUMBING AND DRAINAGE CARRIED TO SUMMARY	D	

			1		
PRO	POSED ELECTRICAL WORKS FOR MATER	VITY			
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	MATERNITY				
	Supply, install, test and commission the				
	wallowing;-				
	LIGHTING POINTS				
Α	Lighting points wired in 1 S mm2 SC CU cables				
	drawn in concealed 20mm diameter HG P.V.C				
	conduits for:-				
	a) one way switching	No.	76		
	b) two way switching	No.	8		
	C) Unswitched	No.	5		
	S <u>WITCHES</u>				
В	lOAmps, switch plate as CLIPSAL, MK or				
	approved equivalent as				
	a) one gang one way	No.	48		
	bj two gang o ne way	No.	3		
	c) three gang one way	No.	5		
	d) one gang two way	No.	4		
	e) two gang two wa _v	No.	2		
	F) intermadiate	No.	1		
	LIGHTING FITTINGS				
С	Lighting fittings complete with bulbs or tubes as				
	follows:				
	a) 1200 mm, ix 36 Watts batten fluorescent	No.	26		
	fitting as THORN or approved equivalent.				
	b)60Watts, spherical screw neck ball fitting as	No.	10		
	THORN MTC 1060 or approved equivalent				
	C) 1x18 Watts Bedhead fluorescent luminaire	No.	36		
	complete with prismatic diffuser as THORN				
	PPD118 or approved equivalent.				
	d)1x8Watts, Single sided EXIT emergency lighting	No.	4		
	luminaire as FITZGERALD, THORN or approved				
	equivalent.(TYPE EXIT)				
	Total to collection				

				1	
	e)100 Watts, cast aluminium bulkhead fitting for				
	300 Watts BC lamp with glass bowl as THORN				
	OLG 1100 or approved equivalent.	No.	10		
	f) Standard waterproof IP65 fluorescent fitting				
	with injection moulded polycarbonate body and				
	polycaröonate diffuser c/w 2X36W fluorescent				
	famps with Switchstart gear. As Thorn	No.	2		
	Aquaproof				
	g)6 No. Lamp ceiling mounted operating theatre				
	kiminaire as BURTON GENESIS PLUS or				
	approved equivalent.	No.	1		
	SOCKET OUTLETS AND OTHER POWER POINTS				
Α	13 Amps. Socket outlet points wired ring				
	comprising of 3x2.5 mm sq. single core PVCI				
	copper cables drawn in concealed 25mm HG	No.	51		
	PVC conduits including all accessories.				
В	13 Amps. Moulded plate switched socket outlet				
	with neon indicator as SWE, CLIPSAL or approved				
	equivalent				
	a} single	No.	36		
	b) twin.	No.	15		
	,				
	Instant shower point comprising wiring in				
	3x4.0mm2 PVC-SC-CU cables in concealed PVC	No.	6		
	conduits	110.			
	conduits		+		+
_	22 Among daubla mala guitale as with as an indicator as		6		
D	32 Amps double pole switches with neon indicator as		6		
	CLIPSAL or approved equivalent for item above				
		No.			
	Chanalinan mainta annomining and the Section 2, 2, 5, 5, 2				
E	Sterelizer points comprising wiring in 3x2.5mm2	No	12		
	PVC-SC-CU cables in concealed PVC conduits	No.	2		
	to sluice rooms				
F	70 Amps double pole switches with neon				
	indicator as CLIPSAL or approved equivalent.	No.	2		
	Total to collection				

		1	1	_	1	
	TELEPHONE/DATA AND TV WORKS					
Α	TV outlet point complete with wiring in CO					
	AXIAL cable drawn in concealed HG PVC conduit	No.	4			
	including moulded plates					
	DISTRIBUTION BOARDS/CONSUMER UNIT					
В	I2ways TP flush mounted distridution board					
	complete with 1 OOA integral isolator as HAGER/HA	VELLS				
	or approved equivalent complete with all	No.	1			
	accessories but excluding MCBs.					
С	MCB's for item above					
	a) 10A, SP	No.	3			
	b) 20A, SP	No.	6			
	c) 32A, SP	No.	3			
	d) 63A, TP	No.	2			
	e) Blanking Plates	No.	22			
	SUB-MAIN POWER DISTRIBUTION					
D	50mm 4Core PVC/SWA/PVC Copper cable					
	drawn in duct from power house to LV Subboard	LM	50			
E	Trenching to a depth of a minimum of					
	700mm Tiling with 'HATARI 'tiles & Back filling	LM	50			
	of the trenches for item above					
F	3x35.0mm2 single CU PVC cables from looping box	LM	28			
	to consumer unit drawn I 50mm HG PVC conduit					
G	Standard looping box complete with 3 No. cut-out	No.	1			
	fuses c/w catridge fuse					
	Total to collection					
	-					

	EARTHING				
Α	Earthing at looping box comprising of the following:-	ITEM			
	a) 15 mm x 1800 mm earth rod as FURSE cat No. RE	3 105			
	b) 15mm dia Driving stud as FURSE cat No. ST 100				
	c) Rod to tape clamp as FURSE				
	d) Concrete inspection pit as FURSE cat No. PT005				
	or a well made 320mm X				
	e) 25 x 3mm copper tape				
	NURSE CALL SYSYTEM				
В	Nurse call system points comprising of wiring in 6	No.	19		
	core PVC insulated copper cable drawn in				
	concealed 20mm dia. HG conduits.				
С	Wall mounted over door lights for Nurse call system.	No.	1		
D	Nurse call system pull cord call switch on bedhead ur	No.	19		
_	N	N.	4.0		
E	Nurse call/reset switch on bedhead unit	No.	19		
F	250 VAC 50 HZ, flush mounted Nurse call control par	nol .		+	
_	with a minimum of 24 No. patient stations, alarm sou		1		
	lamp test facility for the dome lights and LEDs, contin		1		
	supervision of addressable devices to Engineer's app		1	+	
	oupor violori di dudi occazio devices to Engineer a app	TOVUI		+	
—					
	TOTAL SUMMARY OF MATERNITY ELECTRICAL				

	MATERNITY SUMMARY PAGE		
1	Total For Maternity Builder's Works		
-	Total For Maternity Bullder's Works		
2	Total For Maternity Plumbing Works		
3	Total For Maternity Electrical Works		
	TOTAL FOR MATERNITY CARRIED TO GR		

<u> </u>				
<u> </u>				
				
				
<u> </u>				
	<u></u>	<u></u>		
—				
<u> </u>				
				
—				
				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	MORTUARY BUILDERS WORKS ELEMENT NO. 1				
	SUBSTRUCTURE (All Provisional)				
	Excavation and Earthworks				
	Note: Include Plunking and strutting and keeping excavation free of water in earth work				
A.	Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed	230	SM		
B.	Excavate oversite averaging 300mm deep and cart away	217	SM		
C.	Excavate foundation trench not exceeding 1.50 metres deep starting from reduced level	70	СМ		
D.	Excavate for column bases ditto	13	СМ		
Е	Extra over for excavating in rock irrespectiveof	70	СМ		
F	Return fill and ram selected excavated materials around foundations	110	СМ		
G	Load and cart away excess excavations as directed	42	СМ		
	<u>Filling</u>				
н	400mm thick hand packed hardcore filling rolled and compacted in layers not exceeding 150mm thick	188	SM		
1	50mm thick murram blinding	217	SM		
J	Treat surface of hardcore with "Termidor" insecticide to manufacturers specification and provide 10 years guarantee certificate	217	SM		
K	1000 gauge polythene sheet damp proof membrane on blinded hardcore	217	SM		
	Carried Forward				

	Natural stone wall bedded and jointed in cement/sa				
	Natural stone wall bedded and jointed in cement/sa				
	Natural stone wall bedded and jointed in cement/sa				
1	Edges of slab between 75mm and 150mm high	69	LIVI		
I	Edges of slab between 75mm and 150mm high	69	LM		
ı	Edges of slab between 75mm and 150mm high	69	LM		
H.	Sides of columns, column bases	38	SM		
G	Sides of strip foundation	30	SM		
	Sawn formwork to:				
		211	Olvi		
F	allowance for laps)	217	SM		
F		217	SM		
F		217	SM		
_	Fabric mesh Ref. No. A142 (measured net) (No	247	CN4		
_		217	SV4		
F		217	SM		
F		217	SM		
F		217	SM		
F		217	SM		
F		217	SM		
F		217	SM		
F		217	SM		
F	allowance for laps)	217	SM		
•	allowance for laps)	Z11	SIVI		
•	allowance for laps)		J		
•			J		
	Sawn formwork to:				
	Sawn formwork to:				
	Sawn formwork to:				
C	Sides of strip foundation	20	SM.		
G	Sides of strip foundation	30	SM		
G	Sides of strip foundation	30	SM		
G	Sides of strip foundation	30	SM		
G	Sides of Strip foundation	3 U	SIVI		
			01.		
Н.	Sides of columns, column bases	38	SM		
п.	Sides of columns, column bases	38	SIVI		
1	Edges of slah hetween 75mm and 150mm high	60	1 1/4		
I	Edges of slab between 75mm and 150mm high	69	LM		
•	Lagos of olds botteen Follin and Toolin High	00	L.VI		
	Natural stone wall hadded and jointed in coment/se				
	Natural stone wall bedded and jointed in cement/sa				
	<u>nd (1:3)</u>				
	mortar reinforced with 40mm hoop iron every altern				
		214	CM		
J	200mm thick	214	SM		
	There who have also have all the state of th				
	Three ply hessian based bituminous felt horizontal d				
	amp proof course to BS 743 , Type A weighing				
	cement/sand (1:3) mortar				
	200mm wide				
K		143	LM		
r		143	LIVI		
	PCC SLAB PAVING				
	<u> </u>				
	50mm thick pcc slab paving on and including 50mm				
		83	SVI		
L	thick sand bed and 300mm thick hardcore	83	SM		
	and said bod and occinin thick hardoore				
М	300mm wide U-shaped open drain sloped				
IVI	Soomini wide o-snaped open drain sloped				
	jointed in mortar	44	LM		
	,				
	ELEMENT NO. 1 TOTAL CARRIED				
	1				
				•	

	ELEMENT NO. 2		
	SUPERSTRUCTURE CONCRETE		
	Vibrated reinforced concrete class 20/20 in:		
A.	Columns	2	СМ
В	Ring beam	9	СМ
	High tensile steel reinforcement to BS 4461		
С	D12 and D8 reinforcements to Engineer's details	905	KG
	Sawn formwork to:		
D	Sides of columns	25	SM
Е	Sides and soffits of ring beams	92	SM
	ELEMENT NO. 2 TOTAL CARRIED		
	SUPERSTRUCTURE CONCRETE TO SUMMARY		

	ELEMENT NO. 3			
	WALLING			
	Fair dressed natural stone wall bedded and jointed in			
	cement/sand (1:4) mortar (12mm joints) reinforced External walls			
A.	200mm thick	113	SM	
В	Extra over for key pointing in flush vertical and recessed horizontal joints	113	SM	
С	100mm thick x 200mm high eaves closing	69	LM	
D	200mm thick permanent vent blocks wall	10	SM	
	<u>Internal walls</u>			
Е	150mm thick	67	SM	
F	200mm thick	103	SM	
	Precast concrete class 25/12 units in:			
G	250 x 50mm (average) thick once weathered and	24	LM	
	ELEMENT NO. 3 TOTAL CARRIED			l
	WALLING TO SUMMARY			

	ROOF		
	Roof Covering		
A.	Box profile GI sheeting gauge 28 resincot on timber framework	281	SM
B.	Extra over for ridge and hip cap to match	55	LM
С	Valley gutter 300mm girth Supply and fix sawn celcured 2 nd grade cypress with and including nailing or bolting, drilling for bolts	15	LM
D	150 x 50mm rafters packing pieces	43	LM
Ε	150 x 50mm hip rafters	165	LM
F	150 x 50mm valley rafters	45	LM
G	200 x 38mm ridge board	16	LM
Н	100 x 50mm wall plate bolted at 1000mm centres	69	LM
ı	75 x 50mm purlins	347	LM
J	The following trusses in sawn celcured 2nd grade c ypress with 150 x 50mm rafters	219	LM
K	150 x 50mm tie beam	190	LM
L	100 x 50mm struts and ties	283	LM
	Eaves Finishes		
	Wrot celcured prime grade cypress in:		
М	250 x 38mm fascia and barge board	75	LM
N	100 x 25mm T&G eaves boarding nailed to battens	42	SM
0	(m/s) 50 x 50mm battens	207	LM
Р	25mm moulded quadrant	150	LM
Q	50 x 150mm mosquito proofed slits eaves vents	4	NO
	Carried Forward		

	Brought Forward		
	<u>Metalwork</u>		
Α	300 x 12mm diameter bolts complete with head nuts and washers built into concrete to hold wall plate	58	NO
	Rainwater goods		
В	150mm diameter uPVC rainwater gutter bent to profile including 20mm deep wedge shaped base and fixing with brackets at 1000mm centres	70	LM
С	100mm diameter ditto down pipe fixed to wall with and including hold fasts at 1000mm centres	15	LM
	Extra over for:-		
D	100mm diameter shoe	5	NO
E	100mm diameter swan neck	5	NO
F	100mm diameter outlet	5	NO
G	Bend	5	NO
	Painting and Decorating		
	Prepare and apply three coats of clear lacquer poly urathane matt to wood		
Н	General surfaces of eaves boarding externally	42	SM
1	Surfaces between 200mm and 300mm girth	100	LM
	ELEMENT NO. 4 TOTAL CARRIED		
	ROOF TO SUMMARY		

	<u>DOORS</u>				
	EXTERNAL DOORS				
Α	Glazed 1500x 2400mm high equal double leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts,	2	NO		
В	Glazed 900x 2400mm high equal single leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 2 No. tower bolts,	3	NO		
	<u>Glazing</u>				
С	4mm clear sheet glass and glazing with putty in panes of various sizes	7	SM		
	Touch up primer after fixing and apply three coats gloss oil paint to metal				
D	General surfaces internally	14	SM		
E	Ditto externally	14	SM		
F	Supply and fix the following ironmongery with match ing screws 5-Lever mortice dead lock cat No. 2101 complete with approved lock furniture	5	NO		
G	38mm diameter x 59mm deep rubber door stop ref	7	NO		
Н	No. 8400 100mm pairs brass butt hinges	16	Prs		
I	Three lever rebated mortice lock complete with furniture	2	NO		
	Carried Forward				

	Brought Forward				
	INTERNAL DOORS				
	<u>Flush doors</u>				
Α	45 x 1200x 2400mm high double leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including	2	NO		
В	45 x 900 x 2400mm high single leaf solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	4	NO		
С	45 x 900 x 2100mm high solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	2	NO		
	Wrot Mahogany to door frames and finishings				
D	150 x 50mm frame with 3 labours	48	LM		
E	150 x 50mm transome with 4 labours	6	LM		
F	15 x 40mm moulded architrave	48	LM		
G	25mm diameter moulded quadrant	48	LM		
Н	4mm thick clear sheet glass and glazing with beads in panes between 0.15m and 0.5sm	2	SM		
	Prepare and apply three coats clear lacquer polyura thane matt to wood				
I	Surfaces not exceeding 100mm girth	35	LM		
J	Surfaces exceeding 100mm but not exceeding	40	LM		
K	200mm girth General surfaces	36	SM		
L	3 lever mortice lock, with polished brass lever furniture and including all other necessary furniture.	6	NO		
M	Aluminium kicking plate,1150×500mm.	4	NO		
	ELEMENT NO. 5				
	DOORS TO SUMMARY				

	WINDOWS The following in purpose made steel casement wind ows in heavy duty 'T' and 'Z' section frame including mullions, tra				
	<u>ows in heavy</u>				
ŀ	duty I and Z section traine including mullions, tra				
	nsomes in- built mosquito proof gauze permanent vents hood w ith at top. high quality heavy duty polished brass ironmongery				
	to M/s Kensmetal I td or other equal and approved fastene 1500 x 1500mm high comprising side hung, top hung and fixed lights to detail	7	NO		
	1200 x 900mm high ditto	3	NO		
Е	600 x 900mm high ditto Burglar proofing	8	NO		
F	Mild steel grille framed with 25x25x3mm thick RHS section including assembly and fixing to opening cutting and pinning lugs to concrete and bedding frame in cement and sand mortar (1·4) Glazing	24	SM		
	4mm clear sheet glass and glazing with putty in panes of various sizes	16	SM		
Н	Ditto obscure glass pane	8	SM		
	Wrot prime grade cypress				
1	150 x 150mm pelmet comprising 125 x 25mm thick top,125 x 25mm fascia with 2No. labours ,40 x 40mm wrot bearers, 2No. brass curtain rails, rollers ,stoppers, 125 x 125 x 25mm thick end brackets to	24	LM		
	125 x 25mm window board	24	LM		
K	25mm quadrant	24	LM		
	Touch up primer after fixing and apply three coats gloss oil paint to metal				
L	General surfaces internally	24	SM		
М	Ditto externally	24	SM		
N	Burglar proofing	48	SM		
	Carried Forward				

	Brought Forward		
	Prime back of wood before fixing		
Α	Surfaces between 100 and 200mm girth	24	LM
В	Surfaces not exceeding 100mm girth	24	LM
	Knot, prime, stop and apply two undercoats and on e gloss oil coats finishing to wood		
С	Genaral surface of pelmet boxes	6	SM
	Prepare and apply three coats clear lacquer polyura thane matt to wood		
D	Surfaces not exceeding 100mm girth	24	LM
Е	Surfaces exceeding 100mm but not exceeding 200mm girth	24	LM
	ELEMENT NO. 6 TOTAL CARRIED		
	WINDOWS TO SUMMARY		

	ELEMENT NO.7				
	<u>FINISHES</u>				
	External Wall Finishes				
۹.	12mm cement/sand (1:4) render to columns, buttresses and ringbeams	55	SM		
В.	12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows	75	LM		
С.	12mm thick cement/sand render to plinth	28	SM		
	Internal Wall Finishes				
	Cement, lime, sand plaster				
Ο.	12mm cement/lime/sand (1:1:6) fine plaster to walls and beams internally	415	SM		
E	20mm cement/sand (1:4) render to receive ceramic	81	SM		
	files Glazed wall tiles to manufacturer				
F	250 x 250x6mm thick patterned glazed wall tiles fixed with adhesive to rendered surfaces (m/s) with and including rounded plastic edge tiles (2100mm	81	SM		
G	Extra over for 75 mm wide decorative band	30	LM		
	Floor Finishes				
	Cement/sand (1:4) screed				
Н	20mm thick to receive ceramic tiles	22	SM		
	Ceramic floor tile				
I	100 x 20mm skirting	38	LM		
J	330 x 330x6mm fixed onto prepared screed (m/s) with manufacturer's approved adhesive	22	SM		
	Terrazzo floor tile				
K	15mm thick cement and sand (1:4) screed wood floated to terazzo (m/s)	166	SM		
L	25mm Terrazzo: first coat of cement and sand (1:3);				
	cement and local marble chippings (1:2); machine	166	SM		
M	20 x 100 mm high skirting with rounded top edge and				
	junction to paving	147	LM		
N	Plastic dividing strip	200	LM		
	Carried Forward			<u> </u>	

	Brought Forward				
	<u>Ceiling</u>				
	Chip board Ceiling				
Α	12mm thick boarding fixed/nailed onto brandering (m/s) Wrot Celcured Cypress	188	SM		
В	100 x 25mm moulded cornice	185	LM		
	Sawn celcured cypress				
С	50 x 50 mm brandering	313	LM		
D	75 x 50mm brandering	313	LM		
	<u>Trap door</u>				
E	600 x 450mm chipboard trap door including 50 x 50mm frame, 100 x 50mm timber joists	1	NO		
	ELEMENT NO. 7 TOTAL CARRIED FINISHES TO SUMMARY				

	ELEMENT NO. 8		
	PAINTING AND DECORATING		
	<u>Externally</u>		
	Prepare and apply undercoats and three coats plast ic emulsion paint to:		
A.	Plastered external columns, buttresses,ringbeams	55	SM
B.	Plastered niches and reveals not exceeding 300mm	75	LM
	Prepare and apply three coats silk viny paint to		
C.	Plastered walls and cocrete surfaces	415	SM
	Prepare and apply three coats plastic emulsion pain		
D.	th:- Chipboard ceiling	188	SM
	Prime back of wood before fixing		
E.	Surfaces not exceeding 100mm girth (cornice)	185	LM
	Prepare and apply primer two undercoats and one g		
F	Surfaces not exceeding 100mm girth (cornice)	185	LM
	Prepare and apply two coats black bituminous paint		
G	Rendered plinth externally	28	SM
	ELEMENT NO. 8 TOTAL CARRIED		
	PAINTING AND TO SUMMARY DECORATING		

ELEMENT NO. 9 FITTINGS AND FIXTURES					
Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables	1	Sum			
225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s)	30	L M			
Standard pressed steel shelf brackets to approval	25	N			
Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets	1	∩ Sum			
ELEMENT NO.9					
FITTINGS AND					
	FITTINGS AND FIXTURES Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables 225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s) Standard pressed steel shelf brackets to approval Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets ELEMENT NO.9 TOTAL CARRIED	FITTINGS AND FIXTURES Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables 225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s) Standard pressed steel shelf brackets to approval Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets ELEMENT NO.9 TOTAL CARRIED FITTINGS AND	Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables 225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s) Standard pressed steel shelf brackets to approval Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets ELEMENT NO.9 TOTAL CARRIED FITTINGS AND	FITTINGS AND FIXTURES Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables 225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s) Standard pressed steel shelf brackets to approval Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets ELEMENT NO.9 TOTAL CARRIED FITTINGS AND	Allow a provisional sum of Ksh 200,000 for construction of embalming and post mortem tables 225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s) Standard pressed steel shelf brackets to approval Allow a provisional sum of Ksh 100,000 for construction of changing room cabinets ELEMENT NO.9 TOTAL CARRIED FITTINGS AND

ITEM	DESCRIPTION	QT	UNI	RATE	
	ELEMENT NO. 10				
	Builder's Work				
	The contractor shall here allow all builder's work in connection with Electrical and Mechanical Engineering Installation				
	The builders work shall include but not limited to				
	a) Chases in wall, concrete work, and make good				
	b) Forming, making or leaving holes, etc in masonry concrete or wood work				
	c) Making good all disturbed area				
	d) Excavations refill and disposal of spoil				
	Electrical Work				
A.	Allow for all builder's work in connection with Electrical Engineering Installations	1	Ite m		
	Mechanical Engineering				
B.	Allow for all builder's work in connection with Mechanical Engineering Installations	1	Ite m		
	ELEMENT NO. 10				
	BUILDER'S WORK				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUMMARY OF ELEMENTS				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE CONCRETE				
3	WALLING				
4	ROOF				
5	DOORS				
6	WINDOWS				
7	FINISHES				
8	PAINTING AND DECORATING				
9	FITTINGS AND FIXTURES				
10	BUILDER'S WORK				
	TOTAL CARRIED TO SUMMARY				
	MORTUARY				

MORTUA	RY PLUMBING & DRAINAGE WORKS				
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Sanitary fittings Supply and fix the following sanitary appliances complete with all the accessories including connections to services, wastes, jointing to supply, over flows and all plugging and screwing to walls and floors. All to be as Twyfords Oriental or				
A	Water closet Low level wash down WC suite as Twyfords 'CLASSIC' comprising of the following: WC bowl bottom outlet Ref. No. CC 1138 WH. - Low level 7.5 litres cistern and fittings Side inlet and overflow Ref. No. 284WH. Heavy duty black seat and cover. The suite to be supplied complete with valves, cistern fittings including siphon ½" side inlet, ball valve, ¼" side overflow plastic flush bend, inlet connection and reversible chrome plated cistern lever and cistern support.	4	No.		
В	Wash hand basin Wash hand basin size 560x405mm, of the well fixing type, with one tap hole and chain stay hole. To be complete with all baskets, chrome plated 15mm approved pillar trap, plastic 32mm diameter bottle trap with 75mm Seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford classic and taps as Twyford Amazon or approved equivalents Shower fitting	6	No.		
	Concealed shower mixer for hot and cold water consisting of 15mm chrome plated riser pipe to connect the water to a swivel/ adjustable shower rose, chrome plated handles and stop corks and other necessary fittings & accessories. All to be as Bricon/aztec or equal and approved.	4	No.		
	Sub-Total carried to collection				

		Ī	Ī		
ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
Α.	Toilet Roll Holder Standard stainless steel toilet roll holder to approval Mirrors	6	No.		
В.	6mm thick polished plat glass, silver backed mirror with beveled edges, size 610x457 plugged and screwed to wall with 4 No. chrome plated dome capped screws and 5mm thick	4	No.		
С	foam back rest LIQUID SOAP DISPENSER. Liquid soap dispenser white in colour, capacity 1.136 litres complete with plastic rawl plugs, fixing screws, locks and key complete with initial fill of soap gel. The soap dispenser to be as 'Zalpon's mark 7' size 125x100x290mm high or approved equivalent.	6	No		
	Approved caldon hopper, sink & drainer or equal and approved equivalent complete with all necessary accessories such as wastes, elbow action stainless steel taps etc Sub-Total carried to collection	1	No		

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	Internal plumbing (All Provisional)				
	Supply, deliver and install polypropylene				
	Random (PP-r) PN-20 Oxy-stable pipe work				
	to DIN 8077. Pipe jointing shall be by				
	polyfusion or use of electric coupling.				
	Tenderer must allow for jointings, clippings,				
	couplings, metal/plastic threaded adaptors				
	where required for the connection of sanitary				
	fixtures, valves, sockets, sliding and fixed				
	joints, support raceways, isolating sheaths,				
	elastic materials, expansion arms and bends,				
	crossovers e.t.c. Where pipe work is not				
	chased proper anchoring using approved				
	fixtures shall be done No. pipe work shall be				
	left exposed to the sun.				
_	Pipework	400			
A.	25mm diameter PPR pipe	100	LM		
B.	20mm diameter ditto	65	LM		
	Extra over pipe fittings				
C.	20mm diameter bends	40	NO		
D.					
E.					
F.					
G.					
Н.					
I.					
J.					
•	25mm diameter ditto	10	NO		
	20x1 5x1 5mm diameter tee	15	NO		
	25x20x1 5mm ditto	4	NO		
	20mm diameter gate valves	4	NO		
	25mm ditto	2	NO		
	20mm diameter sockets	10	NO		
	20mm diameter union	1	NO		
K	100mm diameter plastic floor trap including				
	bedding in floor	6	NO		
L	100mm plastic gully trap complete with building all				
	round with concrete, bedding the trap and 50mm	6	NO		
	thick precast concrete cover.				
	Total carried to collection				
3	. com. cosu to contouron				1

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	Water Storage Tank				
	Supply, deliver and install vertical close end plastic				
	moulded tank of capacity 920 litres (200 gallons)				
	and diameter 1300 x 860mm high. The tank to be				
	assembled complete with cover and having screwed				
	connections for inlet, outlet, overflow, 32mm high				
	pressure ball valve, drain pipes and any other				
	necessary item for its proper functioning. The tank				
	shall be mounted on a timber platform and shall be				
	as ROTO Model or approved equivalent.				
		4	NO		
	50mm thick plastic waste pipe bedded in wall	50	NO		
	including cutting chases and making good.	30	NO		
	50mm diameter plastic waste pipe laid in trenches				
	including excavating and filling back the soil.	50	NO		
	600x600x1000mm manhole complete with benching	6	NO		
	and standard cast iron cover		140		
	Allow for flushing out and sterilization of the cold				
	water system as required to the satisfaction of the	1	ITEM		
	Engineer.				
	Construct water tank masonry base diameter				
	2000mm and 300mm above general ground level.				
	The base should have 200mm thick foundation				
	footing, 200mm thick foundation wall including along	1	ITEM		
	diameter, 300mm thick hardcore layer and 150mm				
	thick floor slab reinforced with y8 at 200mm centres				
	both ways.				
	5,000 litres plastic tank UPVC cylindrical as roto or	1	NO		
	equal and approved. Total carried to collection				
	ו טומו טמווופט וט טטוופטווטוו				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	Internal Drainage (Provisional)				
	Supply, deliver and fix the following in				
	UPVC soil and wastage system to BS				
	4514 and 5225 with fittings fixed in				
	accordance to the manufacturer's printed				
	instructions and BS 5572 and				
	manufactured by "KEY TERRAIN" as				
	described. All UPVC branches, tees,				
	reducing etc are to be formed in				
	accordance to the manufacturer's printed				
	instruction. The installations to have the				
	various sizes of connectors, adaptors,				
	sockets, reducers hold bats, clips etc as				
	required for satisfactory functions.				
	Drainage Pipework and Fittings.				
A.	150mm diameter golden brown UPVC				
	Pipes pipe laid in trenches including	50	LM		
	excavating and filling back the soil.				
B.	Ditto 100mm diameter grey pipes	30	LM		
C.	Ditto 50mm diameter waste pipes	15	LM		
D.	Ditto 40mm diameter waste pipes	30	LM		
E.	Ditto 100mm diameter bends	10	NO		
F	Ditto 50mm diameter bends	10	NO		
G	Ditto 40mm diameter bends	15	NO		
Н	100mm vent cap	1	NO		
	40mm tee	4	NO		
J	50mm tee	8	NO		
	Total carried to collection				
5					

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
Α	40mm plug	4	NO		
B.	50mm plug	5	NO		
C.	15mm long threaded nipple	2	NO		
D.	20mm long nipple	2	NO		
E.	15mm GI pipe	30	LM		
F	20mm GI back nut	1	NO		
G	15mm GI nipple	2	NO		
Н	15mm GI caps	8	NO		
	Total carried to collection				

Plumbing & Drainage Collection Page	
Total from page	
Total from page 2	
Total from page 3	
Total from page 4	
Total from page 5	
Total from page 6	
Total carried to summary	

ELECTRICAL WORKS

	CAL WORKS	1	T		1
ITEM	DESCRIPTION	U	QTY	RATE	
		NI			<u>TOTAL</u>
		Т			
	<u>MORTUARY</u>				
	Supply, install, test and commission the				
	following ;-				
	LIGHTING POINTS				
Α	Lighting points wired in 1.5 mm2 SC CU cables				
	drawn in concealed 20mm diameter HG P.V.C				
	conduits for:-				
	a) one way switching	NO	18		
	b) two way switching	NO	4		
	<u>SWITCHES</u>				
В	10Amps, switch plate as CLIPSAL, MK or				
	approved equivalent as				
	a) one gang one way	NO	10		
	b) two gang one way	NO	2		
	c) one gang two way	NO	2		
	<u>LIGHTING FITTINGS</u>				
С	Lighting fittings complete with bulbs or tubes as				
	follows:				
	a) 1200mm, 1x 36 Watts batten fluorescent				
	fitting as THORN or approved equivalent.	NO	14		
	b)60Watts, spherical screw neck ball fitting as				
	THORN MTC 1060 or approved equivalent	NO	2		
	c)100 Watts, cast aluminium bulkhead fitting for				
	100 Watts BC lamp with glass bowl as THORN	NO	5		
	OLG 1100 or approved equivalent.				
	d) Standard waterproof IP65 fluorescent fitting				
	with injection moulded polycarbonate body and	1			
	polycarbonate diffuser c/w 2X36W fluorescent	NO	2		
	lamps with Switchstart gear. As Thorn				
	Aquaproof.				
	Total to collection				

PAGE ELEC 1

ITEM	DESCRIPTION	U	Q	RATE	
		NI	ΤY		TOTAL
		Т			
	SOCKET OUTLETS AND OTHER POWER POINT				
	<u>S</u>				
Α	Power outlet points washing machine wired				
	comprising of 5x10.0 mm sq. single core PVC	NO	3		
	copper cables drawn in concealed 50mm HG				
	PVC conduits including all accessories.				
В	100A TPN isolator switch with emergency stop button				
	as MEM or approved equivalent	NO	3		
С	13 Amps. Socket outlet points wired ring				
	comprising of 3x2.5 mm sq. single core PVCI				
	copper cables drawn in concealed 25mm HG	NO	4		
	PVC conduits including all accessories.				
D	13 Amps. Moulded plate switched socket outlet				
	with neon indicator as SWE, CLIPSAL or approved				
	equivalent				
	b) twin.	NO	4		
E	DISTRIBUTION BOARDS/CONSUMER UNIT				
	6ways TPN flush mounted distribution board				
	complete with 100A integral isolator as				
	HAGER/HAVELLS or approved equivalent	NO	1		
	complete				
	with all accessories but excluding MCBs.				
F	MCB's for item above				
	(a) 10A, SP	NO	2		
	(b) 32A, SP	NO	1		
	(c) 63A TP	NO	3		
	(d) Blanking plates	NO	6		
	Total to collection				

PAGE ELEC 2

ITEM	DESCRIPTION	U	QTY	RATE	
		NI			TOTAL
		Т			
	SUB-MAIN POWER DISTRIBUTION				
Α	50mm 4Core PVC/SWA/PVC Copper cables	LM	70		
	drawn in duct from power house to LV Subboard				
В	Trenching to a depth of a minimum of				
	700mm Tiling with 'HATARI 'tiles & Back filling of	LM	70		
	the trenches for item above				
С	4x25.0mm2 single CU PVC cables from looping box				
	to consumer unit drawn in 50mm HG PVC conduit	LM	10		
D	Standard looping box complete with 3no. 100A cut-ou	ut			
	fuses c/w catridge fuse	no.	1		
	EARTHING.				
Е	Earthing at looping box comprising				
	of the following:-				
	a) 15 mm x 1800 mm earth rod as FURSE cat.No. RI	B 105	ļ		
	b) 15 mm dia. Driving stud as FURSE cat.No.				
	ST100.				
	c) Rod to tape clamp as FURSE.		ITEM		
	d) Concrete inspection pit as FURSE cat.				
	No.PT005. (or a well made 320mm x				
	e) 25x3mm copper tape				
	Total to collection	_	J		

MORTUARY SUMMARY PAGE

1	Total For Mortuary Builder's Works
2	Total For Mortuary Plumbing Works
3	Total For Mortuary Electrical Works

TOTAL FOR MORTUARY CARRIED TO GRAND SUMMARY

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>KITCHEN BUILDERS WORKS</u> <u>ELEMENT NO. 1</u>				
	SUBSTRUCTURE (All Provisional)				
	Excavation and Earthworks				
	Note: Include Plunking and strutting and keeping excavation free of water in earth work rates				
A.	Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed	160	SM		
B.	Excavate oversite averaging 300mm deep and cart	149	SM		
C.	Excavate foundation trench not exceeding 1.50 metres deep starting from reduced level	48	СМ		
D	Extra over for excavating in rock irrespectiveof depth	48	СМ		
Е	Return fill and ram selected excavated materials around foundations	70	СМ		
F	Load and cart away excess excavations as directed	26	СМ		
	Filling				
G	400mm thick hand packed hardcore filling rolled and compacted in layers not exceeding 150mm thick	128	SM		
Н	50mm thick murram blinding	149	SM		
I	Treat surface of hardcore with "Termidor" insecticide to manufacturers specification and provide 10 years guarantee certificate	149	SM		
K	1000 gauge polythene sheet damp proof membrane on blinded hardcore	149	SM		
	Carried Forward			1	

	Concrete Works		
	Mass concrete class 15/20		
Α.	50mm blinding strip foundation and column bases	100	SM
	Vibrated reinforced concrete class 20/20 in:-		
.	150mm thick floor slab	149	SM
С	Strip foundation	12	СМ
	High tensile steel reinforcement bars to BS 4461		
D	D10 and D8 reinforcements to Engineer's details	306	KG
	Fabric mesh		
E	Fabric mesh Ref. No. A142 (measured net) (No allowance for laps)	149	SM
	Sawn formwork to:		
F	Sides of strip foundation	20	SM
G	Edges of slab between 75mm and 150mm high	60	LM
Н	Natural stone wall bedded and jointed in cement/sand (1:3) mortar reinforced with 40mm hoop iron every alternate 200mm thick Three ply hessian based bituminous felt horizontal dam	152	SM
I	p proof course to BS 743 ,Type A weighing 3.8kg/m ² cement/sand (1:3) mortar 200mm wide	103	LM
-	PCC SLAB PAVING	. 30	
J	50mm thick pcc slab paving on and including 50mm thick sand bed and 300mm thick hardcore	72	SM
K	300mm wide U-shaped open drain sloped appropriately		
	jointed in mortar	39	LM
	ELEMENT NO. 1 TOTAL CARRIED TO SUMMARY		

	ELEMENT NO. 2			
	SUPERSTRUCTURE CONCRETE			
	Vibrated reinforced concrete class 20/20 in:			
A	Ring beam	6	СМ	
	High tensile steel reinforcement to BS 4461			
В	D12 and D8 reinforcements to Engineer's details	538	KG	
	Sawn formwork to:			
С	Sides and soffits of ring beams	75	SM	
	ELEMENT NO. 2 TOTAL CARRIED SUPERSTRUCTURE CONCRETE TO SUMMARY			

	ELEMENT NO. 3 TOTAL CARRIED TO SUMMARY				
Н	250 x 50mm (average) thick once weathered and throated window cill	22	LM		
	Precast concrete class 25/12 units in:				
G	150mm thick	103	SM		
Г	200mm thick permanent vent blocks wall Internal walls	5	Sivi		
F.		5	SM		
E.	100mm thick x 200mm high eaves closing	60	LM		
D.	Extra over for key pointing in flush vertical and recessed horizontal joints	115	SM		
A.	200mm thick	115	SM		
	40mm hoop iron every alternate course <u>External walls</u>				
	cement/sand (1:4) mortar (12mm joints) reinforced with				
	Fair dressed natural stone wall bedded and jointed in				
	WALLING				
	ELEMENT NO. 3				

	ELEMENT NO. 4		
	ROOF		
	Roof Covering		
Α.	Box profile GI sheeting gauge 28 resincot on timber framework	201	SM
B.	Extra over for ridge and hip cap to match	56	LM
С	Valley gutter 300mm girth Supply and fix sawn celcured 2 nd grade cypress with and	11	LM
D	including nailing or bolting, drilling for bolts	20	1.54
D	150 x 50mm rafters packing pieces	30	LM
E	150 x 50mm hip rafters	176	LM
F	150 x 50mm valley rafters	33	LM
G	200 x 38mm ridge board	16	LM
Н	100 x 50mm wall plate bolted at 1000mm centres	60	LM
I	75 x 50mm purlins	242	LM
	The following trusses in sawn celcured 2nd grade cypress with and including nailing/bolting, drilling holes		
J	150 x 50mm rafters	150	LM
K	150 x 50mm tie beam	130	LM
L	100 x 50mm struts and ties	205	LM
	Eaves Finishes		
	Wrot celcured prime grade cypress in:		
М	250 x 38mm fascia and barge board	64	LM
N	100 x 25mm T&G eaves boarding nailed to battens	38	SM
0	/m/s\ 50 x 50mm battens	180	LM
Р	25mm moulded quadrant	130	LM
Q	50 x 150mm mosquito proofed slits eaves vents	4	NO
	Carried Forward		

	Brought Forward				
	<u>Metalwork</u>				
Α	300 x 12mm diameter bolts complete with head nuts and washers built into concrete to hold wall plate	50	NO		
	Rainwater goods				
В	150mm diameter uPVC rainwater gutter bent to profile including 20mm deep wedge shaped base and fixing with brackets at 1000mm centres	64	LM		
С	100mm diameter ditto down pipe fixed to wall with and including hold fasts at 1000mm centres	15	LM		
	Extra over for:-				
D	100mm diameter shoe	5	NO		
Ε	100mm diameter swan neck	5	NO		
F	100mm diameter outlet	5	NO		
G	Bend	5	NO		
	Painting and Decorating				
	Prepare and apply three coats of clear lacquer polyurat hane matt to wood				
Н	General surfaces of eaves boarding externally	38	SM		
I	Surfaces between 200mm and 300mm girth	100	LM		
	ELEMENT NO. 4 TOTAL CARRIED TO SUMMARY				

	ELEMENT NO. 5			
	<u>DOORS</u>			
	EXTERNAL DOORS			
А	Glazed 1500x 2400mm high equal double leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts, permanent	2	NO	
	<u>Glazing</u>			
D	4mm clear sheet glass and glazing with putty in panes of various sizes	4	SM	
	Touch up primer after fixing and apply three coats gloss soil paint to metal			
С	General surfaces internally	8	SM	
D	Ditto externally	8	SM	
	Supply and fix the following ironmongery with matching screws			
Е	5-Lever mortice dead lock cat No. 2101 complete with approved lock furniture	2	NO	
F	38mm diameter x 59mm deep rubber door stop ref No.	14	NO	
Н	100mm pairs brass butt hinges	21	Prs	
J	Three lever rebated mortice lock complete with furniture	1	NO	
	Carried Forward			

	Brought Forward			
	INTERNAL DOORS			
	<u>Flush doors</u>			
Α	45 x 1500x 2400mm high double leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hinges	1	NO	
В	45 x 900 x 2400mm high single leaf solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	6	NO	
С	45 x 900 x 2100mm high solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hidges	4	NO	
	Wrot Mahogany to door frames and finishings			
D	150 x 50mm frame with 3 labours	63	LM	
E	150 x 50mm transome with 4 labours	8	LM	
F	15 x 40mm moulded architrave	63	LM	
G	25mm diameter moulded quadrant	63	LM	
1	4mm thick clear sheet glass and glazing with beads in panes between 0.15m and 0.5sm	2	SM	
	Prepare and apply three coats clear lacquer polyurathane matt to wood			
I	Surfaces not exceeding 100mm girth	63	LM	
J	Surfaces exceeding 100mm but not exceeding 200mm	71	LM	
K	General surfaces	49	SM	
L	3 lever mortice lock, with polished brass lever furniture and including all other necessary furniture.	10	NO	
M	Aluminium kicking plate,1150x500mm.	2	NO	
	ELEMENT NO. 5 TOTAL CARRIED TO SUMMARY			

	ELEMENT NO. 6		
	WINDOWS		
	The following in purpose made steel casement window		
	s in heavy		
	duty 'T' and 'Z' section frame including mullions, transo		
	mes in- built mosquito proof gauze permanent vents hood with		
	at top,		
	high quality heavy duty polished brass ironmongery to		
	M/s Kensmetal I td or other equal and approved fasteners		
	1500 x 1500mm high comprising side hung, top hung		
	and fixed lights to detail	8	NO
	1500 x 1200mm high ditto	3	NO
	600 x 900mm high ditto	6	NO
	Burglar proofing		
	Mild steel grille framed with 25x25x3mm thick RHS		
•	section including assembly and fixing to opening cutting and pinning lugs to concrete and bedding frame in	27	SM
	cement and sand mortar (1:4)		
	<u>Glazing</u>		
	4mm clear sheet glass and glazing with putty in panes		
j	of various sizes	23	SM
	Ditto obscure glass pane	4	SM
	Wrot prime grade cypress		
	150 x 150mm pelmet comprising 125 x 25mm thick		
	top,125 x 25mm fascia with 2No. labours ,40 x 40mm	22	LM
	wrot bearers, 2No. brass curtain rails, rollers ,stoppers, 125 x 125 x 25mm thick end brackets to detail		
	125 x 25mm window board	22	LM
,	25mm quadrant	22	LM
	Touch up primer after fixing and apply three coats glos		
	s oil paint to metal		
	General surfaces internally	27	SM
1	Ditto externally	27	SM
	Burglar proofing	54	SM
	Carried Forward		}

	Brought Forward			
	Prime back of wood before fixing			
Α	Surfaces between 100 and 200mm girth	22	LM	
В	Surfaces not exceeding 100mm girth	22	LM	
	Knot, prime, stop and apply two undercoats and one gloss oil coats finishing to wood			
С	Genaral surface of pelmet boxes	6	SM	
	Prepare and apply three coats clear lacquer polyuratha ne matt to wood			
D	Surfaces not exceeding 100mm girth	22	LM	
Е	Surfaces exceeding 100mm but not exceeding 200mm girth	22	LM	
	ELEMENT NO. 6 TOTAL CARRIED TO SUMMARY			

	ELEMENT NO.7		
	<u>FINISHES</u>		
	External Wall Finishes		
۹.	12mm cement/sand (1:4) render to buttresses and ringbeams	41	SM
3.	12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows	64	LM
Э.	12mm thick cement/sand render to plinth	24	SM
	<u>Internal Wall Finishes</u>		
	Cement, lime, sand plaster		
).	12mm cement/lime/sand (1:1:6) fine plaster to walls and beams internally	266	SM
E	20mm cement/sand (1:4) render to receive ceramic tiles Glazed wall tiles to manufacturer	73	SM
F	250 x 250x6mm thick patterned glazed wall tiles fixed with adhesive to rendered surfaces (m/s) with and including rounded plastic edge tiles (2100mm high)	73	SM
3	Extra over for 75 mm wide decorative band	20	LM
	<u>Floor Finishes</u>		
	Cement/sand (1:4) screed		
l	20mm thick to receive ceramic tiles	15	SM
	Ceramic floor tile		
	100 x 20mm skirting	40	LM
	330 x 330x6mm fixed onto prepared screed (m/s) with manufacturer's approved adhesive	15	SM
	Terrazzo floor tile		
	15mm thick cement and sand (1:4) screed wood floated terazzo (m/s)	113	SM
	25mm Terrazzo: first coat of cement and sand (1:3);		
	cement and local marble chippings (1:2); machine	113	SM
	20 x 100 mm high skirting with rounded top edge and		
	junction to paving	90	LM
I	Plastic dividing strip	115	LM
	Carried Forward		

	Brought Forward			
	<u>Ceiling</u>			
	Chip board Ceiling			
Α	12mm thick boarding fixed/nailed onto b	randering (m/s)	128	SM
	Wrot Celcured Cypress			
В	100 x 25mm moulded cornice		146	LM
	Sawn celcured cypress			
С	50 x 50 mm brandering		220	LM
D	75 x 50mm brandering		220	LM
	<u>Trap door</u>			
Е	600 x 450mm chipboard trap door include frame, 100 x 50mm timber joists	ding 50 x 50mm	1	NO
	ELEMENT NO. 7 TOTAL C	ARRIED		
	FINISHES TO SUMI	MARY		

	ELEMENT NO. 8		
	PAINTING AND DECORATING		
	<u>Externally</u>		
	Prepare and apply undercoats and three coats plastic emulsion paint to:		
A.	Plastered external buttresses,ringbeams	41	SM
B.	Plastered niches and reveals not exceeding 300mm Internally	64	LM
	Prepare and apply three coats silk viny paint to		
C.	Plastered walls and cocrete surfaces	266	SM
	Prepare and apply three coats plastic emulsion paint to		
D.	Chipboard ceiling	128	SM
	Prime back of wood before fixing		
E.	Surfaces not exceeding 100mm girth (cornice)	146	LM
	Prepare and apply primer two undercoats and one gloss soil finishing coat to wood		
F	Surfaces not exceeding 100mm girth (cornice)	146	LM
	Prepare and apply two coats black bituminous paint to:		
G	Rendered plinth externally	24	SM
	ELEMENT NO. 8 TOTAL CARRIED		
	PAINTING AND TO SUMMARY DECORATING		

	ELEMENT NO. 9 FITTINGS AND FIXTURES			
А	Allow a provisional sum of Ksh 100,000 for construction of kitchen masonry worktops	1	Sum	
В	225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s)	30	LM	
С	Standard pressed steel shelf brackets to approval	25	NO	
	ELEMENT NO.9 TOTAL CARRIED FITTINGS AND TO SUMMARY FIXTURES			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 10				
	Builder's Work				
	The contractor shall here allow all builder's work in				
	connection with Electrical and Mechanical Engineering				
	Installation				
	The builders work shall include but not limited to				
	a) Chases in wall, concrete work, and make good				
	b) Forming, making or leaving holes, etc in masonry				
	concrete or wood work				
	c) Making good all disturbed area				
	d) Excavations refill and disposal of spoil				
	Electrical Work				
Α.	Allow for all builder's work in connection with Electrical	1	Item		
Λ.	Engineering Installations		Ittorri		
	Mechanical Engineering				
B.	Allow for all builder's work in connection with	1	Item		
	Mechanical Engineering Installations				
	ELEMENT NO. 10				
	BUILDER'S WORK				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUMMARY OF ELEMENTS				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE CONCRETE				
3	WALLING				
4	ROOF				
5	DOORS				
6	WINDOWS				
7	FINISHES				
8	PAINTING AND DECORATING				
9	FITTINGS AND FIXTURES				
10	BUILDER'S WORK				
	TOTAL CARRIED TO SUMMARY				
	KITCHEN				

KITCHEN PLUMBING & DRAINAGE WORKS

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
11 LIVI	Sanitary fittings Supply and fix the following sanitary appliances complete with all the accessories including connections to services, wastes, jointing to supply, over flows and all plugging and screwing to walls and floors. All to be as Twyfords Oriental or approved equivalent		OHI	NAIL	AMOUNT
Α	Water closet Low level wash down WC suite as Twyfords 'CLASSIC' comprising of the following: WC bowl bottom outlet Ref. No. CC 1138 WH Low level 7.5 litres cistern and fittings Side inlet and overflow Ref. No. 284WH. Heavy duty black seat and cover. The suite to be supplied complete with valves, cistern fittings including siphon ½" side inlet, ball valve, ¼" side overflow plastic flush bend, inlet connection and reversible chrome plated cistern lever and cistern support.	2	No.		
В	Wash hand basin Wash hand basin size 560x405mm, of the well fixing type, with one tap hole and chain stay hole. To be complete with all baskets, chrome plated 15mm approved pillar trap, plastic 32mm diameter bottle trap with 75mm Seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford classic and taps as Twyford Amazon or approved equivalents Shower fitting	2	No.		
	Concealed shower mixer for hot and cold water consisting of 15mm chrome plated riser pipe to connect the water to a swivel/ adjustable shower rose, chrome plated handles and stop corks and other necessary fittings & accessories. All to be as Bricon/aztec or equal and approved.	2	No.		
	Sub-Total carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Toilet Roll Holder				
A.	Standard stainless steel toilet roll holder to				
	approval	2	No.		
	<u>Mirrors</u>				
В.	6mm thick polished plat glass, silver				
	backed mirror with beveled edges, size				
	610x457 plugged and screwed to wall with 4 No.				
	chrome plated dome capped screws and 5mm thick	2	No.		
	foam back rest				
	LIQUID SOAP DISPENSER.				
С	Liquid soap dispenser white in colour, capacity 1.136	2	No		
	litres complete with plastic rawl plugs, fixing screws,				
	locks and key complete with initial fill of soap gel.				
	The soap dispenser to be as 'Zalpon's mark 7' size				
	125x100x290mm high or approved equivalent.				
	Kitchen Sink				
D	Supply and fix double bowl double drain stainless steel	1	No.		
	kitchen sink complete with all necessary accessories				
	such as wastes, pillar tap etc				
	Total carried to collection				

	QTY	<u>UNIT</u>	RATE	AMOUNT
Internal plumbing (All Provisional)				
Supply, deliver and install polypropylene				
Random (PP-r) PN-20 Oxy-stable pipe work				
to DIN 8077. Pipe jointing shall be by				
polyfusion or use of electric coupling.				
Tenderer must allow for jointings, clippings,				
couplings, metal/plastic threaded adaptors				
where required for the connection of sanitary				
fixtures, valves, sockets, sliding and fixed				
joints, support raceways, isolating sheaths,				
elastic materials, expansion arms and bends,				
crossovers e.t.c. Where pipe work is not				
chased proper anchoring using approved				
fixtures shall be done No. pipe work shall be				
left exposed to the sun.				
·				
<u>Pipework</u> 25mm diameter PPR pipe	80	LM		
	G E	1.54		
20mm diameter ditto	65	LM		
Extra over pipe fittings 20mm diameter bends	20	NO		
ZUMIM diameter bends	20	NO		
OF mm diameter ditte	10	NO		
25mm diameter ditto	10	NO		
20x1 5x1 5mm diameter tee	15	NO		
25x20x1 5mm ditto	4	NO		
20mm diameter gate valves	4	NO		
25mm ditto	2	NO		
20mm diameter sockets	10	NO		
20mm diameter union	1	NO		
100mm diameter plastic floor trap including				
bedding in floor	4	NO		
100mm plastic gully trap complete with building all				
round with concrete, bedding the trap and 50mm thick	4	NO		
precast concrete cover.				
Total carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	Water Storage Tank				
	Supply, deliver and install vertical close end plastic				
	moulded tank of capacity 920 litres (200 gallons) and				
	diameter 1300 x 860mm high. The tank to be				
	assembled complete with cover and having screwed				
	connections for inlet, outlet, overflow, 32mm high				
	pressure ball valve, drain pipes and any other				
	necessary item for its proper functioning. The tank shall				
	be mounted on a timber platform and shall be as ROTO				
	Model or approved equivalent.				
_		4	NO		
В	50mm thick plastic waste pipe bedded in wall including	20	NO		
_	cutting chases and making good.				
С	50mm diameter plastic waste pipe laid in trenches	20	NO		
D	including excavating and filling back the soil.				
D	600x600x1000mm manhole complete with benching and standard cast iron cover	6	NO		
E	Allow for flushing out and sterilization of the cold water				
_	system as required to the satisfaction of the Engineer.	1	ITEM		
	aystern as required to the satisfaction of the Engineer.	'	I I LIVI		
F	Construct water tank masonry base diameter 2000mm				
	and 300mm above general ground level. The base				
	should have 200mm thick foundation footing, 200mm				
	thick foundation wall including along diameter, 300mm	1	ITEM		
	thick hardcore layer and 150mm thick floor slab				
	reinforced with y8 at 200mm centres both ways.				
G	5,000 litres plastic tank UPVC cylindrical as roto or	1	NO		
	equal and approved.	'	1,40		
	Total carried to collection				

Ī					1
ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	Internal Drainage (Provisional)				
	Supply, deliver and fix the following in				
	UPVC soil and wastage system to BS				
	4514 and 5225 with fittings fixed in				
	accordance to the manufacturer's printed				
	instructions and BS 5572 and				
	manufactured by "KEY TERRAIN" as				
	described. All UPVC branches, tees,				
	reducing etc are to be formed in				
	accordance to the manufacturer's printed				
	instruction. The installations to have the				
	various sizes of connectors, adaptors,				
	sockets, reducers hold bats, clips etc as				
	required for satisfactory functions.				
	Drainage Pipework and Fittings.				
A.	150mm diameter golden brown UPVC				
	Pipes pipe laid in trenches including	50	LM		
	excavating and filling back the soil.				
B.	Ditto 100mm diameter grey pipes	30	LM		
C.	Ditto 50mm diameter waste pipes	15	LM		
D.	Ditto 40mm diameter waste pipes	30	LM		
E.	Ditto 100mm diameter bends	10	NO		
F	Ditto 50mm diameter bends	10	NO		
G	Ditto 40mm diameter bends	15	NO		
Н	100mm vent cap	1	NO		
I	40mm tee	4	NO		
J	50mm tee	8	NO		
	Total carried to collection				
5					

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	40mm plug	4	NO		None
B.	50mm plug	5	NO		
C.	15mm long threaded nipple	2	NO		
D.	20mm long nipple	2	NO		
E.	15mm GI pipe	30	LM		
F	20mm GI back nut	1	NO		
G	15mm GI nipple	2	NO		
Н	15mm GI caps	8	NO		
	Total carried to collection				
6					

umbing & Drainage Collection Page		•	•	
Total from page				
Total from page 2				
Total from page 3				
Total from page 4				
Total from page 5				
Total from page 6				
Total carried to summary				

ELECTRICAL WORKS

ELECTI	RICAL WORKS				
ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	<u>KITCHEN</u>				
	Supply, install, test and commission the				
	following ;-				
	<u>LIGHTING POINTS</u>				
Α	Lighting points wired in 1.5 mm2 SC CU cables				
	drawn in concealed 20mm diameter HG P.V.C				
	conduits for:-				
	a) one way switching	NO	22		
	b) two way switching	NO	3		
	<u>SWITCHES</u>				
В	10Amps, switch plate as CLIPSAL, MK or				
	approved equivalent as				
	a) one gang one way	NO	4		
	b) two gang one way	NO	2		
	c) one gang two way	NO	3		
	d) two gang one way	NO	1		
	e) two gang two way	NO	1		
	<u>LIGHTING FITTINGS</u>				
С	Lighting fittings complete with bulbs or tubes as				
	follows:				
	a) 1200mm, 1x 36 Watts batten fluorescent				
	fitting as THORN or approved equivalent.	NO	11		
	b)60Watts, spherical screw neck ball fitting as				
	THORN MTC 1060 or approved equivalent	NO	6		
	c)100 Watts, cast aluminium bulkhead fitting for		_		
	100 Watts BC lamp with glass bowl as THORN	NO	7		
	OLG 1100 or approved equivalent.				
	d) Standard waterproof IP65 fluorescent fitting				
	with injection moulded polycarbonate body and				
	polycarbonate diffuser c/w 2X36W fluorescent	NO	1		
	lamps with Switchstart gear. As Thorn				
	Aquaproof.				
	Total to collection				

PAGE ELEC 1

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	SOCKET OUTLETS AND OTHER POWER POINTS				
А	Cooker point wired in 3x6.0 mm2 PVC-SC-CU cables drawn inside 25mm diameter concealed				
В	heavy gauge PVC conduits compete with all conduit accessories excluding the cooker element. 45A Cooker control Unit complete with auxiliary	no	1		
С	13A Socket outlet with Neon indicator as Crabtree for approved equivalent Cooker Connector as Crabtree or approved	no	1		
D	equivalent 13 Amps. Socket outlet points wired ring	No.	1		
	comprising of 3x2.5 mm sq. single core PVCI copper cables drawn in concealed 25mm HG PVC conduits including all accessories.	NO	5		
E	13 Amps. Moulded plate switched socket outlet with neon indicator as SWE, CLIPSAL or approved equivalent				
F	a) twin. DISTRIBUTION BOARDS/CONSUMER UNIT 6ways TPN flush mounted consumer unit	NO	5		
	complete with 100A integral isolator as HAGER/HAVELLS or approved equivalent complete	NO	1		
G	with all accessories but excluding MCBs. MCB's for item above				
	(a) 10A, SP (b) 32A, SP	NO NO	2 1		
	(c) 45A SP	NO	1		
	(e) Blanking plates	NO	2		
	Total to collection				
	PAGE ELEC 2				

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
А	SUB-MAIN POWER DISTRIBUTION 16mm 3Core PVC/SWA/PVC Copper cables drawn in duct from power house to LV Subboard	LM	30		
В	Trenching to a depth of a minimum of 700mm Tiling with 'HATARI 'tiles & Back filling of the trenches for item above	LM	50		
С	3x16.0mm2 single CU PVC cables from looping box				
D	to consumer unit drawn in 25mm HG PVC conduit Standard looping box complete with 3no. 100A cut-out	LM	10		
	fuses c/w catridge fuse EARTHING.	no.	1		
E	Earthing at looping box comprising of the following:- a) 15 mm x 1800 mm earth rod as FURSE cat.No. RB 10 b) 15 mm dia. Driving stud as FURSE cat.No. ST100. c) Rod to tape clamp as FURSE. d) Concrete inspection pit as FURSE cat. No.PT005. (or a well made 320mm x e) 25x3mm copper tape Total to collection	05.	ITEM		

TOTAL SUMMARY OF KITCHEN ELECTRICAL

KITCHEN SUMMARY PAGE

1	Total For Kitchen Builder's Works
2	Total For Kitchen Plumbing Works
3	Total For Kitchen Electrical Works

TOTAL FOR KITCHEN CARRIED TO GRAND SUMMARY

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	LAUNDRY BUILDERS WORKS ELEMENT NO. 1				
	SUBSTRUCTURE (All Provisional)				
	Excavation and Earthworks				
	Note: Include Plunking and strutting and keeping excavation free of water in earth work rates				
A.	Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed	150	SM		
В.	Excavate oversite averaging 300mm deep and cart away	135	SM		
C.	Excavate foundation trench not exceeding 1.50 metres deep starting from reduced level	45	СМ		
D	Extra over for excavating in rock irrespectiveof depth	45	СМ		
E	Return fill and ram selected excavated materials around foundations	70	СМ		
F	Load and cart away excess excavations as directed	20	СМ		
	Filling				
G	400mm thick hand packed hardcore filling rolled and compacted in layers not exceeding 150mm thick	116	SM		
н	50mm thick murram blinding	135	SM		
ı	Treat surface of hardcore with "Termidor" insecticide to manufacturers specification and provide 10 years guarantee certificate	135	SM		
К	1000 gauge polythene sheet damp proof membrane on blinded hardcore	135	SM		
	Carried Forward				

	Brought Forward				
	Concrete Works				
	Mass concrete class 15/20				
A.	50mm blinding strip foundation and column bases	92	SM		
	Vibrated reinforced concrete class 20/20 in:-				
В.	150mm thick floor slab	135	SM		
С	Strip foundation	11	СМ		
	High tensile steel reinforcement bars to BS 4461				
D	D10 and D8 reinforcements to Engineer's details	285	KG		
	Fabric mesh				
E	Fabric mesh Ref. No. A142 (measured net) (No allowance for	135	SM		
_	laps) Sawn formwork to:	100	Olvi		
F	Sides of strip foundation	20	SM		
•	Sassa straight and the same straight and the	20			
G	Edges of slab between 75mm and 150mm high	54	LM		
	Natural stone wall bedded and jointed in cement/sand (1:3)				
	mortar reinforced with 40mm hoop iron every alternate course				
Н	200mm thick	140	SM		
••	Three ply hessian based bituminous felt horizontal damp proof	110			
	course to BS 743 ,Type A weighing 3.8kg/m ² bedded on cement/sand (1:3) mortar				
	200mm wide				
I	PCC SLAB PAVING	97	LM		
	50mm thick pcc slab paving on and including 50mm thick sand				
J	bed and 300mm thick hardcore	65	SM		
K	300mm wide U-shaped open drain sloped appropriately and jointed in mortar	36	LM		
	,				
	ELEMENT NO. 1 TOTAL CARRIED				
	SUBSTRUCTURE TO SUMMARY				

	SUPERSTRUCTURE CONCRETE				
	Vibrated reinforced concrete class 20/20 in:				
Α	Ring beam	6	СМ		
	High tensile steel reinforcement to BS 4461				
В	D12 and D8 reinforcements to Engineer's details	538	KG		
	Sawn formwork to:				
С	Sides and soffits of ring beams	70	SM		
	ELEMENT NO. 2 TOTAL CARRIED				
	SUPERSTRUCTURE CONCRETE TO SUMMARY				
	ELEMENT NO. 3				
	WALLING				
	Fair dressed natural stone wall bedded and jointed in cement/sand (1:4) mortar (12mm joints) reinforced with 40mm hoop iron every alternate course				
	External walls				
A.	200mm thick	91	SM		
D.	Extra over for key pointing in flush vertical and recessed horizontal joints	91	SM		
E.	100mm thick x 200mm high eaves closing	54	LM		
F	200mm thick permanent vent blocks wall <u>Internal walls</u>	5	SM		
G	150mm thick	90	SM		
	Precast concrete class 25/12 units in:				
Н	250 x 50mm (average) thick once weathered and throated window cill	22	LM		
	ELEMENT NO. 3 TOTAL CARRIED				

	ELEMENT NO. 4			
	ROOF			
	Roof Covering			
A.	Box profile GI sheeting gauge 28 resincot on timber framework	182	SM	
B.	Extra over for ridge and hip cap to match	54	LM	
С	Valley gutter 300mm girth Supply and fix sawn celcured 2 nd grade cypress with and	11	LM	
	including nailing or bolting, drilling for bolts			
D	150 x 50mm rafters packing pieces	27	LM	
Ε	150 x 50mm hip rafters	158	LM	
F	150 x 50mm valley rafters	33	LM	
G	200 x 38mm ridge board	14	LM	
Н	100 x 50mm wall plate bolted at 1000mm centres	54	LM	
I	75 x 50mm purlins	217	LM	
	The following trusses in sawn celcured 2nd grade cypress with and including nailing/bolting, drilling holes			
J	150 x 50mm rafters	137	LM	
K	150 x 50mm tie beam	119	LM	l
L	100 x 50mm struts and ties	177	LM	
	Eaves Finishes			l
	Wrot celcured prime grade cypress in:			
М	250 x 38mm fascia and barge board	56	LM	
N	100 x 25mm T&G eaves boarding nailed to battens (m/s)	33	SM	
0	50 x 50mm battens	170	LM	
Р	25mm moulded quadrant	125	LM	
Q	50 x 150mm mosquito proofed slits eaves vents	4	NO	
	Carried Forward			

	Brought Forward				
	<u>Metalwork</u>				
Α	300 x 12mm diameter bolts complete with head nuts and washers built into concrete to hold wall plate	45	NO		
	Rainwater goods				
В	150mm diameter uPVC rainwater gutter bent to profile including 20mm deep wedge shaped base and fixing with brackets at 1000mm centres	56	LM		
С	100mm diameter ditto down pipe fixed to wall with and including hold fasts at 1000mm centres	15	LM		
	Extra over for:-				
D	100mm diameter shoe	5	NO		
Е	100mm diameter swan neck	5	NO		
F	100mm diameter outlet	5	NO		
G	Bend	5	NO		
	Painting and Decorating				
	Prepare and apply three coats of clear lacquer polyurathane ma tt to wood				
Н	General surfaces of eaves boarding externally	33	SM		
I	Surfaces between 200mm and 300mm girth	80	LM		
	ELEMENT NO. 4 TOTAL CARRIED ROOF TO SUMMARY				

	ELEMENT NO. 5				
	DOORS				
	EXTERNAL DOORS				
А	Glazed 1500x 2400mm high equal double leaf metal door comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete 3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts, permanent ventilation size 1800x150mm, apply red oxide primer before fixing	4	NO		
D	Glazing 4mm clear sheet glass and glazing with putty in panes of various sizes	8	SM		
	Touch up primer after fixing and apply three coats gloss oil paint to metal				
С	General surfaces internally	16	SM		
D	Ditto externally	16	SM		
	Supply and fix the following ironmongery with matching screws as Union Catalogue or other equal and approved				
E	5-Lever mortice dead lock cat No. 2101 complete with approved lock furniture	4	NO		
F	38mm diameter x 59mm deep rubber door stop ref No. 8400	10	NO		
Н	100mm pairs brass butt hinges	16	Prs		
J	Three lever rebated mortice lock complete with furniture	1	NO		
	Carried Forward				

orward				
DOORS				
2				
2400mm high double leaf double swing solid core ined with mahogany veneer both sides hardwood und including hinges	1	NO		
2400mm high single leaf solid core flush door lined any veneer both sides hardwood lipped all round dges	3	NO		
2100mm high solid core flush door lined with veneer both sides hardwood lipped all round dges	2	NO		
gany to door frames and finishings				
n frame with 3 labours	35	LM		
n transome with 4 labours	5	LM		
moulded architrave	35	LM		
neter moulded quadrant	35	LM		
clear sheet glass and glazing with beads in panes 15m and 0.5sm	2	SM		
d apply three coats clear lacquer polyurathane matt	:			
ot exceeding 100mm girth	35	LM		
cceeding 100mm but not exceeding 200mm girth	40	LM		
rfaces	28	SM		
tice lock,with polished brass lever furniture and I other necessary furniture.	5	NO		
kicking plate,1150×500mm.	2	NO		
NO 5 TOTAL CARRIED				
	TAL CARRIED			

A. I	The following in purpose made steel casement windows in heav Y. duty 'T' and 'Z' section frame including mullions, transomes inbuilt mosquito proof gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s. Kensmetal Ltd or other equal and approved fasteners, window stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed lights to detail				
A. I	y_ duty 'T' and 'Z' section frame including mullions, transomes in- built mosquito proof gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s Kensmetal Ltd or other equal and approved fasteners, window stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
	duty 'T' and 'Z' section frame including mullions, transomes inbuilt mosquito proof gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s Kensmetal Ltd or other equal and approved fasteners, window stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
4. I	built mosquito proof gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s Kensmetal Ltd or other equal and approved fasteners, window stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
A. I	Kensmetal Ltd or other equal and approved fasteners, window stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
A.	stays, fixing lags, and apply primer before fixing (small panel windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
A. I	windows) with intergrated burglar proofing in tubes welded horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
<u>ا</u> ۵. ا	horizontally and vertically in line with opening light casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed				
۹. I	casement, transomes and mullions (m/s) 1500 x 1500mm high comprising side hung, top hung and fixed			I	
۹. I	1500 x 1500mm high comprising side hung, top hung and fixed				
	lights to detail				
, I		9	NO		
3.	1500 x 1200mm high ditto	1	NO		
E	600 x 900mm high ditto	4	NO		
	Burglar proofing				
ı	Mild steel grille framed with 25x25x3mm thick RHS section				
F I	including assembly and fixing to opening cutting and pinning lugs	05	014		
	to concrete and bedding frame in cement and sand mortar (1:4)	25	SM		
	<u>Glazing</u>				
	4mm clear sheet glass and glazing with putty in panes of various				
	Sizes	23	SM		
H	Ditto obscure glass pane	2	SM		
	Wrot prime grade cypress				
	150 x 150mm pelmet comprising 125 x 25mm thick top,125 x				
	25mm fascia with 2No. labours ,40 x 40mm wrot bearers, 2No.				
	brass curtain rails, rollers ,stoppers, 125 x 125 x 25mm thick end	22	LM		
	brackets to detail				
J	125 x 25mm window board	22	LM		
K :	25mm quadrant	22	LM		
	Touch up primer after fixing and apply three coats gloss oil paint				
	to metal				
L	General surfaces internally	25	SM		
М	Ditto externally	25	SM		
N	Burglar proofing	50	SM		
· '	_ a. g.a. p. 3011119	50	Civi		

	Brought Forward				
	Prime back of wood before fixing				
Α	Surfaces between 100 and 200mm girth	22	LM		
В	Surfaces not exceeding 100mm girth	22	LM		
	Knot, prime, stop and apply two undercoats and one gloss oil coats finishing to wood				
С	Genaral surface of pelmet boxes	6	SM		
	Prepare and apply three coats clear lacquer polyurathane matt t o wood				
D	Surfaces not exceeding 100mm girth	22	LM		
Е	Surfaces exceeding 100mm but not exceeding 200mm girth	22	LM		
	ELEMENT NO. 6 TOTAL CARRIED WINDOWS TO SUMMARY				

	ELEMENT NO.7			
	<u>FINISHES</u>			
	External Wall Finishes			
A.	12mm cement/sand (1:4) render to buttresses and ringbeams	40	SM	
В.	12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows	64	LM	
C.	12mm thick cement/sand render to plinth	22	SM	
	Internal Wall Finishes			
	Cement, lime, sand plaster			
D.	12mm cement/lime/sand (1:1:6) fine plaster to walls and beams internally	239	SM	
Е	20mm cement/sand (1:4) render to receive ceramic tiles	48	SM	
	Glazed wall tiles to manufacturer			
F	250 x 250x6mm thick patterned glazed wall tiles fixed with adhesive to rendered surfaces (m/s) with and including rounded plastic edge tiles (2100mm high)	48	SM	
G	Extra over for 75 mm wide decorative band	20	LM	
	Floor Finishes			
	Cement/sand (1:4) screed			
Н	20mm thick to receive ceramic tiles	10	SM	
	Ceramic floor tile			
I	100 x 20mm skirting	19	LM	
J	330 x 330x6mm fixed onto prepared screed (m/s) with manufacturer's approved adhesive	10	SM	
	Terrazzo floor tile			
K	15mm thick cement and sand (1:4) screed wood floated to receive terazzo (m/s)	106	SM	
L	25mm Terrazzo: first coat of cement and sand (1:3); second of			
	cement and local marble chippings (1:2); machine polished smooth	106	SM	
M	20 x 100 mm high skirting with rounded top edge and coved at			
	junction to paving	85	LM	
N	Plastic dividing strip	110	LM	
	Carried Forward			
				l

	Brought Forward				
	<u>Ceiling</u>				
	Chip board Ceiling				
Α	12mm thick boarding fixed/nailed onto brandering (m/s)	116	SM		
	Wrot Celcured Cypress				
В	100 x 25mm moulded cornice	135	LM		
	Sawn celcured cypress				
С	50 x 50 mm brandering	195	LM		
D	75 x 50mm brandering	195	LM		
	Trap door				
E	600 x 450mm chipboard trap door including 50 x 50mm frame, 100 x 50mm timber joists	1	NO		
	ELEMENT NO. 7 TOTAL CARRIED FINISHES TO SUMMARY				

	ELEMENT NO. 8			
	PAINTING AND DECORATING			
	<u>Externally</u>			
	Prepare and apply undercoats and three coats plastic emulsion paint to:			
A.	Plastered external buttresses,ringbeams	40	SM	
В.	Plastered niches and reveals not exceeding 300mm wide	64	LM	
	Internally			
	Prepare and apply three coats silk viny paint to			
C.	Plastered walls and cocrete surfaces	239	SM	
	Prepare and apply three coats plastic emulsion paint to:-			
D.	Chipboard ceiling	116	SM	
	Prime back of wood before fixing			
E.	Surfaces not exceeding 100mm girth (cornice)	135	LM	
	Prepare and apply primer two undercoats and one gloss oil finishing coat to wood			
F	Surfaces not exceeding 100mm girth (cornice)	135	LM	
	Prepare and apply two coats black bituminous paint to:			
G	Rendered plinth externally	22	SM	
	ELEMENT NO. 8 TOTAL CARRIED PAINTING AND TO SUMMARY			
	DECORATING			

	ELEMENT NO. 9				
	FITTINGS AND FIXTURES				
Α	Allow a provisional sum of Ksh 100,000 for construction of external splash/soak area.	1	Su m		
В	225x25mm thick MDF shelves with approed beading screwed to steel angles (m/s)	30	L M		
С	Standard pressed steel shelf brackets to approval	25	N O		
	ELEMENT NO.9 TOTAL CARRIED FITTINGS AND TO SUMMARY FIXTURES				

ITEM	DESCRIPTION	QTY	UNI T	RATE	AMOUNT
	ELEMENT NO. 10 Builder's Work				
	The contractor shall here allow all builder's work in connection with Electrical and Mechanical Engineering Installation				
	The builders work shall include but not limited to				
	 a) Chases in wall, concrete work, and make good b) Forming, making or leaving holes, etc in masonry concrete or wood work c) Making good all disturbed area 				
	d) Excavations refill and disposal of spoil				
	Electrical Work				
A.	Allow for all builder's work in connection with Electrical Engineering Installations	1	It e m		
	Mechanical Engineering		'''		
B.	Allow for all builder's work in connection with Mechanical Engineering Installations	1	lt e m		
	ELEMENT NO. 10				
	BUILDER'S WORK				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUMMARY OF ELEMENTS				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE CONCRETE				
3	WALLING				
4	ROOF				
5	DOORS				
6	WINDOWS				
7	FINISHES				
8	PAINTING AND DECORATING				
9	FITTINGS AND FIXTURES				
10	BUILDER'S WORK				
	TOTAL CARRIED TO SUMMARY				
	LAUNDRY				

Plumbing & Drainage Colle	<u>ection Page</u>		
Total from page			
Total from page 2			
Total from page 3			
Total from page 4			
Total from page 5			
Total from page 6			
Total carried to su	mmary		

LAUNDRY PLUMBING & DRAINAGE WORKS

	DESCRIPTION	<u>QTY</u>	<u>UNIT</u>	RATE	AMOUNT
	Sanitary fittings Supply and fix the following sanitary appliances complete with all the accessories including connections to services, wastes, jointing to supply, over flows and all plugging and screwing to walls and floors. All to be as Twyfords Oriental or approved equivalent				
А	Water closet Low level wash down WC suite as Twyfords 'CLASSIC' comprising of the following: WC bowl bottom outlet Ref. No. CC 1138 WH Low level 7.5 litres cistern and fittings Side inlet and overflow Ref. No. 284WH. Heavy duty black seat and cover. The suite to be supplied complete with valves, cistern fittings including siphon ½" side inlet, ball valve, ¼" side overflow plastic flush bend, inlet connection and reversible chrome plated cistern lever and cistern support.	2	No.		
В	Wash hand basin Wash hand basin size 560x405mm, of the well fixing type, with one tap hole and chain stay hole. To be complete with all baskets, chrome plated 15mm approved pillar trap, plastic 32mm diameter bottle trap with 75mm Seal, chain waste and a set of fixing brackets. The wash hand basin to be as Twyford classic and taps as Twyford Amazon or approved equivalents Shower fitting	2	No.		
	Concealed shower mixer for hot and cold water consisting of 15mm chrome plated riser pipe to connect the water to a swivel/ adjustable shower rose, chrome plated handles and stop corks and other necessary fittings & accessories. All to be as Bricon/aztec or equal and approved. Sub-Total carried to collection	2	No.		

ITEM	DESCRIPTION	QTY	UNIT	RATE		I
A. B.	Toilet Roll Holder Standard stainless steel toilet roll holder to approval Mirrors 6mm thick polished plat glass, silver backed mirror with beveled edges, size	2	No.			
	610x457 plugged and screwed to wall with 4 No. chrome plated dome capped screws and 5mm thick	2	No.			
С	LIQUID SOAP DISPENSER. Liquid soap dispenser white in colour, capacity 1.136 litres complete with plastic rawl plugs, fixing screws, locks and key complete with initial fill of soap gel. The soap dispenser to be as 'Zalpon's mark 7' size 125x100x290mm high or approved equivalent.	2	No			
	Shower fitting Concealed shower mixer for hot and cold water consisting of 15mm chrome plated riser pipe to connect the water to a swivel/ adjustable shower rose, chrome plated handles and stop corks and other necessary fittings & accessories. All to be as Bricon/aztec or equal and approved. Total carried to collection	2	No.		_	

ITEM	DESC	QTY	UNIT	RATE
Internal plumbing (All Provisional)				
Supply, deliver and install polypropylene				
Random (PP-r) PN-20 Oxy-stable pipe work				
to DIN 8077. Pipe jointing shall be by				
polyfusion or use of electric coupling.				
Tenderer must allow for jointings, clippings,				
couplings, metal/plastic threaded adaptors				
where required for the connection of sanitary				
fixtures, valves, sockets, sliding and fixed				
joints, support raceways, isolating sheaths,				
elastic materials, expansion arms and bends,				
crossovers e.t.c. Where pipe work is not				
chased proper anchoring using approved				
fixtures shall be done No. pipe work shall be				
left exposed to the sun.				
Pipework				
25mm diameter PPR pipe	40	LM		
20mm diameter ditto	30	LM		
Extra over pipe fittings				
20mm diameter bends	10	NO		
25mm diameter ditto	5	NO		
20x1 5x1 5mm diameter tee	8	NO		
25x20x1 5mm ditto	2	NO		
20mm diameter gate valves	2	NO		
25mm ditto	2	NO		
20mm diameter sockets	5	NO		
20mm diameter union	1	NO		
100mm diameter plastic floor trap including				
bedding in floor	2	NO		
100mm plastic gully trap complete with building all				
round with concrete, bedding the trap and 50mm thick	2	NO		
precast concrete cover.				
Total carried to collection		1 1		

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
A	Water Storage Tank				
	Supply, deliver and install vertical close end plastic				
	moulded tank of capacity 920 litres (200 gallons) and				
	diameter 1300 x 860mm high. The tank to be				
	assembled complete with cover and having screwed connections for inlet, outlet, overflow, 32mm high				
	pressure ball valve, drain pipes and any other				
	necessary item for its proper functioning. The tank				
	shall be mounted on a timber platform and shall be as				
	ROTO Model or approved equivalent.				
		2	NO		
В	50mm thick plastic waste pipe bedded in wall	10	NO		
_	including cutting chases and making good.	10	INO		
С	50mm diameter plastic waste pipe laid in trenches	10	NO		
D	including excavating and filling back the soil. 600x600x1000mm manhole complete with benching				
D	and standard cast iron cover	4	NO		
Е	Allow for flushing out and sterilization of the cold		ITE		
	water system as required to the satisfaction of the	1	M		
_	Engineer.		IVI		
F	Construct water tank masonry base diameter 2000mm				
	and 300mm above general ground level. The base should have 200mm thick foundation footing, 200mm				
	thick foundation wall including along diameter, 300mm	1	ITE		
	thick hardcore layer and 150mm thick floor slab		М		
	reinforced with y8 at 200mm centres both ways.				
G	5,000 litres plastic tank UPVC cylindrical as roto or				
G	equal and approved.	1	NO		
	Total carried to collection				
4					
	ı	1			1

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
	Internal Drainage (Provisional)				
	Supply, deliver and fix the following in				
	UPVC soil and wastage system to BS				
	4514 and 5225 with fittings fixed in				
	accordance to the manufacturer's printed				
	instructions and BS 5572 and				
	manufactured by "KEY TERRAIN" as				
	described. All UPVC branches, tees,				
	reducing etc are to be formed in				
	accordance to the manufacturer's printed				
	instruction. The installations to have the				
	various sizes of connectors, adaptors,				
	sockets, reducers hold bats, clips etc as				
	required for satisfactory functions.				
	Drainage Pipework and Fittings.				
A.	150mm diameter golden brown UPVC				
	Pipes pipe laid in trenches including	10	LM		
	excavating and filling back the soil.				
B.	Ditto 100mm diameter grey pipes	15	LM		
C.	Ditto 50mm diameter waste pipes	8	LM		
D.	Ditto 40mm diameter waste pipes	15	LM		
E.	Ditto 100mm diameter bends	5	NO		
F	Ditto 50mm diameter bends	5	NO		
G	Ditto 40mm diameter bends	7	NO		
Н	100mm vent cap	1	NO		
1	40mm tee	2	NO		
J	50mm tee	4	NO		
	Total carried to collection				
5				-	

ITEM	DESCRIPTION	QTY	UNIT	RATE	KSHS
Α	40mm plug	2	NO		
B.	50mm plug	2	NO		
C.	15mm long threaded nipple	2	NO		
D.	20mm long nipple	2	NO		
E.	15mm GI pipe	15	LM		
F	20mm GI back nut	1	NO		
G	15mm GI nipple	2	NO		
Н	15mm GI caps	4	NO		
	Total carried to collection				

ELECTRICAL WORKS

ITEM	DESCRIPTION	UN	QTY	RATE	TOTAL
	LAUNDRY	IT			
	Supply, install, test and commission the				
	following :-				
	LIGHTING POINTS				
Α	Lighting points wired in 1.5 mm2 SC CU cables				
'`	drawn in concealed 20mm diameter HG P.V.C				
	conduits for:-				
	a) one way switching	NO	17		
	b) two way switching	NO	5		
	SWITCHES				
В	10Amps, switch plate as CLIPSAL, MK or				
-	approved equivalent as				
	a) one gang one way	NO	7		
	b) two gang one way	NO	1		
	c) one gang two way	NO	4		
	d) two gang two way	NO	1		
	LIGHTING FITTINGS				
С	Lighting fittings complete with bulbs or tubes as				
	follows:				
	a) 1200mm, 1x 36 Watts batten fluorescent				
	fitting as THORN or approved equivalent.	NO	12		
	b)60Watts, spherical screw neck ball fitting as				
	THORN MTC 1060 or approved equivalent	NO	2		
	c)100 Watts, cast aluminium bulkhead fitting for				
	100 Watts BC lamp with glass bowl as THORN	NO	8		
	OLG 1100 or approved equivalent.				
	Total to collection				

PAGE ELEC 1

ITEM	DESCRIPTION	UN IT	QTY	RATE	TOTAL
	SOCKET OUTLETS AND OTHER POWER POINTS				
А	Power outlet points washing machine wired comprising of 5x10.0 mm sq. single core PVC copper cables drawn in concealed 50mm HG	NO	2		
	PVC conduits including all accessories.				
В	100A TPN isolator switch with emergency stop button	l NO	2		
С	as MEM or approved equivalent 13 Amps. Socket outlet points wired ring	NO	2		
	comprising of 3x2.5 mm sq. single core PVCI				
	copper cables drawn in concealed 25mm HG	NO	10		
	PVC conduits including all accessories.				
D	13 Amps. Moulded plate switched socket outlet				
	with neon indicator as SWE, CLIPSAL or approved				
	equivalent				
	a) single	NO	0		
	b) twin.	NO	10		
Е	DISTRIBUTION BOARDS/CONSUMER UNIT				
	6ways TPN flush mounted distribution board complete with 100A integral isolator as				
	HAGER/HAVELLS or approved equivalent complete	NO	1		
	with all accessories but excluding MCBs.				
F	MCB's for item above				
	(a) 10A, SP	NO	2		
	(b) 32A, SP	NO	1		
	(c) 63A TP	NO	2		
	(d) Blanking plates	NO	9		
	Total to collection				

ITEM	DESCRIPTION	UN	QTY	RATE	TOTAL
		IT			
	SUB-MAIN POWER DISTRIBUTION				
Α	50mm 4Core PVC/SWA/PVC Copper cables	LM	50		
	drawn in duct from power house to LV Subboard				
В	Trenching to a depth of a minimum of				
	700mm Tiling with 'HATARI 'tiles & Back filling of	LM	50		
	the trenches for item above				
С	4x25.0mm2 single CU PVC cables from looping box				
	to consumer unit drawn in 50mm HG PVC conduit	LM	10		
D	Standard looping box complete with 3no. 100A cut-out		'		
	fuses c/w catridge fuse	no.	1		
	EARTHING.	110.			
E	Earthing at looping box comprising				
-	of the following:-				
	a) 15 mm x 1800 mm earth rod as FURSE cat.No. RB	105 -			
	b) 15 mm dia. Driving stud as FURSE cat.No.	1			
	IST100.				
	c) Rod to tape clamp as FURSE.		ITE		
	ley rod to tape damp as i orde.		M		
	d) Concrete inspection pit as FURSE cat.				
	No.PT005. (or a well made 320mm x				
	e) 25x3mm copper tape				
	Total to collection				

LAUNDRY SUMMARY PAGE

1	Total For Laundry Builder's Works
2	Total For Laundry Plumbing Works
3	Total For Laundry Electrical Works

TOTAL FOR LAUNDRY CARRIED TO GRAND SUMMARY

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	PAEDIATRIC INPATIENT WARD				
	BUILDERS' WORKS				
	ELEMENT NO. 1				
	SUBSTRUCTURE (All Provisional)				
	Excavation and Earthworks				
	Note: Include Plunking and strutting and				
	keeping excavation free of water in earth				
	work rates				
	Clear site of all shrubs and undergrowth				
Α	including grubbing up of roots and dispose	581	SM		
В	Excavate oversite averaging 300mm deep and	552	SM		
ь	cart away	332	SIVI		
	Excavate foundation trench not exceeding				
C	1.50 meters deep starting from reduced level	91	CM		
D	Excavate for column bases ditto	48	CM		
	Return fill and ram selected excavated				
E	materials around foundations	180	CM		
F	Load and cart away excess excavations as	50	CM		
Г	directed	30	CM		
	<u>Filling</u>				
	400mm thick hand packed hardcore filling				
G	rolled and compacted in layers not exceeding	500	SM		
Н	50mm thick murram blinding	552	SM		
	Treat surface of hardcore with "Termidor"				
I	insecticide to manufacturers specification and	552	SM		
	provide 10 years guarantee certificate				
,	1000-gauge polythene sheet damp proof	552	SM		
J	membrane on blinded hardcore	352	SIVI		
	Total Carried Forward				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	Brought Forward				
	<u>Concrete Works</u>				
	Mass concrete class 15/20				
Α	50mm blinding strip foundation and column	143	SM		
	bases				
	Vibrated reinforced concrete class 20/20 in: -				
В	150mm thick floor slab	552	SM		
C	Column and column bases	12	CM		
D	Strip foundation	23	CM		
	High tensile steel reinforcement bars to BS				
	<u>4461</u>				
Е	12mm diameter	544	KG		
F	10mm diameter	394	KG		
G	8mm diameter	322	KG		
	Fabric mesh				
Н	Fabric mesh Ref. No. A142 (measured net) (No allowance for laps)	552	SM		
	Sawn formwork to:				
I	Sides of strip foundation	20	SM		
j	Sides of columns, column bases	45	SM		
	Edges of slab between 75mm and 150mm				
K	high	110	LM		
	Natural stone wall bedded and jointed in				
	cement/sand (1:3) mortar reinforced with				
	40mm hoop iron every alternate course				
,	•	250	C) I		
L	200mm thick	358	SM		
	Three ply hessians based bituminous felt				
	horizontal damp proof course to BS 743,				
	Type A weighing 3.8kg/m ² bedded on				
	cement/sand (1:3) mortar	1			
M	200mm wide	259	LM	1	
	ELEMENT NO. 1 TOTAL CARRIED				4
	SUBSTRUCTURE TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	ELEMENT NO. 2 SUPERSTRUCTURE CONCRETE				
	Vibrated reinforced concrete class 20/20 in:				
A	Columns	7	CM		
В	Ring beam	21	CM		
	High tensile steel reinforcement to BS 4461				
C	16mm Diameter	150	KG		
D	12mm Diameter	880	KG		
Е	8mm Diameter	520	KG		
	Sawn formwork to:				
F	Sides of columns	84	SM		
G	Sides and soffits of ring beams	146	SM		
	ELEMENT NO. 2 TOTAL CARRIED				
	SUPERSTRUCTURE CONCRETE TO				
	SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	ELEMENT NO. 3				
	WALLING				
	Fair dressed natural stone wall bedded and				
	jointed in cement/sand (1:4) mortar (12mm				
	joints) reinforced with 40mm hoop iron				
	<u>every alternate course</u>				
	External walls				
A	200mm thick	147	SM		
	Extra over for key pointing in flush vertical				
В	and recessed horizontal joints	145	SM		
С	100mm thick x 200mm high eaves closing	111	LM		
	<u>Internal walls</u>				
D	200mm thick	299	SM		
Е	100mm thick	49	SM		
	Precast concrete class 25/12 units in:				
F	250 x 50mm (average) thick once weathered	52	LM		
Г	and throated window cill	32	LIVI		
	ELEMENT NO. 3 TOTAL CARRIED				
	WALLING TO SUMMARY				

ITEM	DESCRIPTION		QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 4					
	ROOF					
	Roof Covering					
A	Box profile GI sheeting gauge 28 resincot on tir	mber	670	SM		
			108			
В	Extra over for ridge and hip cap to match		108	LM		
С	Valley gutter 300mm girth		24	LM		
C	Supply and fix sawn celcured 2 nd grade cypre	ss with	24	LIVI		
	including nailing or bolting, drilling for					
	bolts					
D	200 x 38mm ridge board		30	LM		
E	100 x 50mm wall plate bolted at 1000mm center	ers	110	LM		
F	75 x 50mm purlins		790	LM		
	The following trusses in sawn celcured 2nd gra	ıde_				
G	150 x 50mm rafters		536	LM		
Н	150 x 50mm tie beam		490	LM		
I	100 x 50mm struts and ties		635	LM		
	Eaves Finishes					
	Wrot celcured prime grade cypress in:					
J	250 x 38mm fascia		115	LM		
	Total Carried Forward					

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	Brought Forward				
	<u>Metalwork</u>				
	300 x 12mm diameter bolts complete with				
A	head nuts and washers built into concrete to	92	NO		
	Rainwater goods				
	150mm diameter uPVC rainwater gutter bent				
В	to profile including 20mm deep wedge-	115	1 1 1		
В	shaped base and fixing with brackets at	115	LM		
	1000mm centers				
	100mm diameter ditto down pipe fixed to				
C	wall with and including hold fasts at 1000mm	18	LM		
	Extra over for: -				
D	100mm diameter shoe	6	NO		
E	100mm diameter swan neck	6	NO		
F	100mm diameter outlet	6	NO		
G	Bend	6	NO		
	Painting and Decorating				
	Prepare and apply three coats of gloss paint				
	to surfaces				
Н	Surfaces between 200mm and 300mm girth	132	LM		
	ELEMENT NO. 4 TOTAL CARRIED				
1	ROOF TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 5				
	<u>DOORS</u>				
	EXTERNAL DOORS				
	Glazed 1800x 2400mm high equal double leaf metal door				
	comprising 50 x 40 x 3mm RHS frame fixed to wall with and including fixing cramps, 40 x 25 x 3mm RHS tube				
	stiles top, bottom and 2No. middle rails per leaf, lined both				
A	sides with 2mm thick mild steel plate to detail, complete	1	NO		
	3No.heavy duty pin hinges, staple, hasps for padlock, 4 No. tower bolts, permanent ventilation size 1800x150mm,				
	apply red oxide primer before fixing				
	Glazed 1500x 2400mm high equal double leaf metal door				
	comprising 50 x 40 x 3mm RHS frame fixed to wall with				
	and including fixing cramps, 40 x 45 x 3mm RHS tube				
	stiles top, bottom and 2No. middle rails per leaf, lined both sides with 2mm thick mild steel plate to detail, complete				
	3No.heavy duty pin hinges, staple, hasps for padlock, 4 No.				
	tower bolts, permanent ventilation size 1200x150mm, apply red oxide primer before fixing				
В		1	NO		
ь	Glazing	1	110		1
	4mm clear sheet glass and glazing with putty in panes of				1
C	various sizes	4	SM		
	Touch up primer after fixing and apply three coats gloss				
	oil paint to metal				
D	General surfaces internally	8	SM		
E	Ditto externally	8	SM		
	Supply and fix the following ironmongery with matching				
	screws as Union Catalogue or other equal and approved				
_	5-Lever mortice dead lock cat No. 2101 complete with approved lock furniture				
F	38mm diameter x 59mm deep rubber door stops ref No.	2	NO		
G	8400	17	NO		
Н	100mm pairs stainless steel double action spring hinges	12	Prs		
I	100mm pairs brass butt hinges	26	Prs		
J	Three lever rebated mortice lock complete with furniture	4	NO		
	Carried Forward		1	1	-1

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	Brought Forward INTERNAL DOORS Flush doors				
A	45 x 1800x 2400mm high double leaf double swing solid core flush door lined with 45 x 1200x 2400mm high double leaf double	1	NO		
В	swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hinges	3	NO		
С	45 x 900 x 2400mm high single leaf double swing solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hinges	1	NO		
D	45 x 900 x 2400mm high single leaf solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hinges	8	NO		
Е	45 x 900 x 2100mm high solid core flush door lined with mahogany veneer both sides hardwood lipped all round including hinges	8	NO		
F G H I	Wrot Mahogany to door frames and finishing 150 x 50mm frame with 3 labours 150 x 50mm transome with 4 labours 15 x 40mm moulded architrave 25mm diameter moulded quadrant 4mm thick clear sheet glass and glazing with beads in panes between 0.15m and 0.5sm Prepare and apply three coats clear lacquer polyurethane matt to wood	113 12 113 113 8	LM LM LM LM		
K	Surfaces not exceeding 100mm girth	226	LM		
L	Surfaces exceeding 100mm but not exceeding 200mm girth	125	LM		
M	General surfaces	95	SM		
N	3 lever mortice lock, with polished brass lever furniture and including all other necessary	17	NO		
P	Aluminum kicking plate,1150×500x2mmmm fixed to flush doors	6	NO		
Q	Aluminum kicking plate,850×500x2mm fixed to flush doors	28	NO		
R	Aluminum kicking plate,1750×500x2mm fixed to flush doors	2	NO		
S	Overhead door closer; cat. No. 8823	3	NO		
T	Floor spring double action Ref. Yale 913.02 90° S.O	3	NO		
	ELEMENT NO. 5 TOTAL CARRIED DOORS TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 6				
	<u>WINDOWS</u>				
	The following in purpose made steel casement				
	windows in heavy duty 'T' and 'Z' section frame				
	including mullions, transoms in- built mosquito proof				
	gauze permanent vents hood with at top, high quality heavy duty polished brass ironmongery to M/s				
	Kensmetal Ltd or other equal and approved fasteners,				
	window stays, fixing lags, and apply primer before				
	fixing (small panel windows) with intergrated				
	burglar proofing in tubes welded horizontally and				
	vertically in line with opening light casement, transomes and mullions (m/s)				
A.	1500 x 1500mm high comprising side hung, top hung and fixed lights to detail	19	NO		
A. B.	1500 x 1200mm high ditto	19	NO NO		
C.	1200 x 900mm high ditto	2	NO		
D	600 x 900mm high ditto	14	NO		
2	Glazing		1.0		
	4mm clear sheet glass and glazing with putty in panes				
F	of various sizes	45	SM		
G	Ditto obscure glass pane	10	SM		
	Wrot prime grade cypress				
	150 x 150mm pelmet comprising 125 x 25mm thick				
	top,125 x 25mm fascia with 2No. labours ,40 x 40mm				
	wrot bearers, 2No. brass curtain rails, rollers				
	, stoppers, 125 x 125 x 25mm thick end brackets to				
**	detail		l.,,		
H I	125 x 25mm window board	52 52	LM LM		
ı J		52 52	LM LM		
J	25mm quadrant Touch up primer after fixing and apply three coats	32	LIVI		
	gloss oil paint to metal				
K	General surfaces internally	55	SM		
L	Ditto externally	55	SM	_	
	Carried Forward				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
A B	Brought Forward Prime back of wood before fixing Surfaces between 100 and 200mm girth Surfaces not exceeding 100mm girth Knot, prime, stop and apply two undercoats and one gloss oil coats finishing to wood General surface of pelmet Prepare and apply three coats clear lacquer polyurethane matt to wood	52 52 13	LM LM SM		
D E	Surfaces not exceeding 100mm girth Surfaces exceeding 100mm but not	52 52	LM LM		
	exceeding 200mm girth ELEMENT NO. 6 TOTAL CARRIED	32	LIVI		
	WINDOWS TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO.7				
	<u>FINISHES</u>				
	External Wall Finishes				
A.	12mm cement/sand (1:4) render to columns and ring beams	77	SM		
B.	12mm cement/sand (1:4) render to reveals of niches not exceeding 300mm wide around windows and doors	133	LM		
C.	12mm thick cement/sand render to plinth	44	SM		
D	Eaves boarding; in 20mm thick Upvc boarding	66	SM		
E	50 x 50mm cypress brandering	205	LM		
F	75 x 50mm moulded cypress cornice	213	LM		
	Internal Wall Finishes				
	Cement, lime, sand plaster				
	12mm cement/lime/sand (1:1:6) fine plaster to walls and				
G	beams internally	757	SM		
Н	20mm cement/sand (1:4) render to receive ceramic tiles	250	SM		
	Glazed wall tiles to manufacturer				
I	250 x 250x6mm thick patterned glazed wall tiles fixed with adhesive to rendered surfaces (m/s) with and including rounded plastic edge tiles (2100mm high)	250	SM		
J	Extra over for 75 mm wide decorative band	50	LM		
	Floor Finishes				
	Cement/sand (1:4) screed				
K	30mm thick to receive ceramic tiles	415	SM		
	Ceramic floor tile				
L	100 x 20mm skirting	350	LM		
M	330 x 330x6mm fixed onto prepared screed (m/s) with manufacturer's approved adhesive	500	SM		
N	Terrazzo floor tile 15mm thick cement and sand (1:4) screed wood floated to receive				
P	terazzo (m/s) 25mm Terrazzo: first coat of cement and sand (1:3); second of	85	SM		
Q	cement and local marble chippings (1:2); machine polished smooth $20 \times 100 \text{ mm high skirting with rounded top edge and}$ coved at	85	SM		
	junction to paving	82	LM		
R	Plastic dividing strip	88	LM		
	Carried Forward		1	i	

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	Brought Forward <u>Ceiling</u>				
A	Chip board Ceiling 12mm thick boarding fixed/nailed onto brandering (m/s)	500	SM		
В	Wrot Celcured Cypress 100 x 25mm moulded cornice Sawn celcured cypress	484	LM		
С	50 x 50 mm brandering	834	LM		
D	75 x 50mm brandering	834	LM		
Е	Trap door 600 x 450mm chipboard trap door including 50 x 50mm frame, 100 x 50mm timber joists	1	NO		
	ELEMENT NO. 7 TOTAL				
	CARRIED				
	FINISHES TO SUMMARY				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	ELEMENT NO. 8				
	PAINTING AND DECORATING				
	Externally				
	Prepare and apply undercoats and three				
	coats plastic emulsion paint to:				
A.	Plastered external columns,ringbeams	77	SM		
В.	Plastered niches and reveals not exceeding	133	LM		
ъ.	300mm wide	133	LIVI		
	<u>Internally</u>				
	Prepare and apply three coats silk viny paint				
C.	<u>to</u> Plastered walls and cocrete surfaces	737	SM		
C.	Prepare and apply three coats plastic	131	SIVI		
	emulsion paint to:-				
D.	Chipboard ceiling	500	SM		
	Prime back of wood before fixing				
E.	Surfaces not exceeding 100mm girth (cornice	485	LM		
E.)	483	LIVI		
	Prepare and apply primer two undercoats				
	and one gloss oil finishing coat to wood				
	Surfaces not exceeding 300mm girth				
F	(cornice)	484	LM		
	Prepare and apply two coats black				
	<u>bituminous paint to</u> :				
G	Rendered plinth externally	44	SM		_
	ELEMENT NO. 8 TOTAL CARRIED				
	PAINTING AND TO SUMMARY				
	DECORATING				I

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	ELEMENT NO. 9 FITTINGS AND FIXTURES				
	Allow a provisional sum of Ksh 100,000 for nurse station construction including MDF board timber door with malfa hidges, granitto tiles top finishes				
A		1	Sum		
	225x25mm thick MDF shelves with approved beading screwed to steel angles (m/s)		LM		
В		20			
С	Standard pressed steel shelf brackets to approval	15	ΝO		
	ELEMENT NO.9 TOTAL CARRIED FITTINGS AND TO SUMMARY FIXTURES				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	ELEMENT NO. 10				
	Builder's Work				
	The contractor shall here allow all builder's				
	work in connection with Electrical and				
	Mechanical Engineering Installation				
	The builders work shall include but not				
	limited to				
	a) Chases in wall, concrete work, and make				
	good				
	b) Forming, making or leaving holes, etc in				
	masonry concrete or wood work				
	c) Making good all disturbed area				
	d) Excavation's refill and disposal of spoil				
	Electrical Work				
Α.	Allow for all builder's work in connection	1	Ite m		
Λ.	with Electrical Engineering Installations	1	110 111		
	Mechanical Engineering				
В.	Allow for all builder's work in connection	1	Ite m		
ъ.	with Mechanical Engineering Installations	1	HE III		
	ELEMENT NO. 10				
	BUILDER'S WORK				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUN T
	SUMMARY				
	ELEMENT				
1	SUBSTRUCTURE				
2	SUPERSTRUCTURE CONCRETE				
3	WALLING				
4	ROOF				
5	DOORS				
6	WINDOWS				
7	FINISHES				
8	PAINTING AND DECORATING				
9	FITTINGS AND FIXTURES				
10	BUILDER'S WORK				
	TOTAL CARRIED TO				
	PAEDIATRIC INPATIENT WARD				
	SUMMARY				

SANITARY FITTINGS

Item	Description	Unit	Qty	Rate	Amoun
	Supply, deliver, install and fix the following				
	sanitary fittings including all materials and				
	jointing to supply, waste/soil and overflow				
	pipes.Twyfords Ltd products are specified only				
	as an indication of quality. Equal and approved				
	appliances may be supplied. Where trade names				
	are mentioned, the Ref. No. is intended only as a				
	Water Closet				
A	Squatting water closet suite in vitreous china				
	comprising of water closet bowl with top plate and				
	integral foot threads, S-trap connector, 9 litres high				
	cistern and fittings and pull chain including siphon,				
	15mm dia side inlet ball valve, 20mm dia side				
	overflow, plastic flush pipe, inlet connector and	No	5		
	cistern supports. All to be as "Twyfords Oriental" or				
	approved equivalent.				
	Medical Wash Hand Basin				
В	Counter top Twyfords "SOLA L.B.G/L" wash hand				
	basin with no tap holes and chain stay hole cat. No.				
	WB 1520WH, wall brackets cat no. SR 1315 xx	No	1		
	complete with "lever action mixer fitting, 1/2 with				
	swivel nozzle and divided flow" wall mounted mixer				
	cat. no. SF 1099 CP, chrome grid waste 11/4" cat no.				
	WF 4341 CP and white plastic bottle trap 11/4" P-				
	trap cat. no.WF 8482 xx or approved equivalent.				
	Soap Dish				
C	Twyfords semi-recessed built in soap tray in vitreous	No	3		
	china size: 305 x 150mm				
	Robe hook				
D	Robe hook in vitreous china and in white colour				
	mounted unto a concealed screw to wall wedges, to	No	3		
	be as Twyfords OC 6858 1998 or approved				
	equivalent.				
	Towel rail				
E	Twyfords Bathrooms Ltd Ref. No. PB 0363 CP	No	4		
	chrome plated screw to wall Towel Rail 650mm long				
	complete with screws.				
b-total o	carried forward to collection page	•	-	Ì	

Item	Description	Unit	Qty	
	Toilet roll holder			
	Toilet roll holder in vitreous china to BS 3402 in			
	white colour of size 165x165mm and recessed into			
A	wall. Toilet roll holder to be as Twyfords "SEMI	No	5	
	RECESSED & ORNAMENTAL' accessories Ref.			
	No. VC 9808 WH			
	Wash hand basin			
	Wash hand basinsize 510 x 420mm with one tap			
	holes and chain stay hole, 32mm diameter chrome			
	plated pop up chain waste, concealed wall brackets,			
	chrome plated single tap hole basin mixer as Cobra			
В	and chrome plated bottle trap (32mm 'P' trap) with	No	13	
	75mm seal. The wash hand basin to be as Twyfords			
	'Sola 510' or equal and approved.			
	Shower fitting			
	Concealed shower mixer for hot and cold water			
	consisting of 15mm chrome plated riser pipe to			
	connect the water to a swivel/ adjustable shower			
	rose, chrome plated handles and stop corks and other			
C	necessary fittings & accessories. All to be as	No	4	
	Bricon/aztec or equal and approved.			
	Baby bath			
	Vitreous china baby bath of size 510 x 650mm with			
	two tap holes complete with supporting front legs			
	and bearers in stainless steel, 32mm diameter waste			
	fitting with removable overflow tube, lever operated			
	mixer tap and chrome plated handles. All as			
D	Twyfords baby bath or approved equivalent.	No	1	
	Hand drier			
	Automatic hand drier in white colour, operating on			
	an infra-red automatic sensing system with heating			
	element safety cut-out complete with a 30 seconds			
	safety timer, plastic rawl plugs and fixing screws. The			
	hand drier to have a heating capacity of 2.1kw and			
	performance flow rate of 135cfm (3.82m ³ /min) and			
	to be of size 270x264x143mm deep It shall have a			
E	noise level below 72.5 dBA at 1.5m. It shall be as	No	2	
	Mediclinic or approved equivalent.			
(P2)Sub-to	tal carried forward to collection page			

	Description	Unit	Qty	
	Soap Dispenser			
A	Soap Dispenser, capacity 1.136 litres complete with			
	plastic rawl plugs, fixing screws, lock and key			
	complete with initial fill of soap gel. The soap			
	dispenser to be as ZALPON'S MARK 7 model, size	No	2	
	125 x 100 x 290mm high or approved equivalent			
	Kitchen Sink			
В	Double bowl, double drainer stainless steel kitchen			
	sink of size 1800 x 600mm as manufactured by ASL .			
	The bowl size to be 430 x 420 x 200mm deep			
	complete with chrome plated 40mm waste fittings,			
	plugs, chain stays, overflow, 1No. 15mm diameter			
	chrome plated sink mixer with over-arm swivel spout	No	1	
	as Cobra model 166/04 with carina handles, chrome			
	plated bottle trap with 75mm deep seal and chain			
	waste fitting.			
	Dhobi Sink			
C	Heavy Duty stainless steel dhobi sink of size 675 x			
	485 x 300 mm deep in 16 SWG as manufactured by			
	ASL 131 or equivalent suitable for wall muonting			
	with 1 No 15 mm diameter chrome plated back inlet			
	bib tap as Cobra Ref 107 CP, 40 mm diameter			
	chrome plated bottle trap and chain waste fitting and	No	1	
	plug.			
	Sterilization Sink			
D	Hospital sterilization sink in stainless steel, size 600 x			
	600mm x 450mm deep with two tap holes, stainless			
	steel cantilever brackets(pair), front leg supports in			
	stainless steel and unslotted chain waste fitting			
	complete with lever action mixer tap for hot and cold			
	water. All as Twyfords Hospital Sink or approved			
	equivalent.	No	1	
	carried forward to collection page			

Item	Description	Unit	Qty	
	Mirror			
A	Mirror of size 1,200 x 600x 6mm thick, plugged and			
	screwed to wall with 6No. chrome plated dome			
	capped screws. The mirror shall rest against a layer of	No	1	
	5mm thick foam.			
В	Mirror of size 600 x 600x 6mm thick, plugged and			
	screwed to wall with 6No. chrome plated dome			
	capped screws. The mirror shall rest against a layer of			
	5mm thick foam.	No	1	
	Scrub-Up			
С	Twyford Scrub-up Trough 2500mm long with Left			
	hand outlet Cat No. SS9122SS Complete with 3No.			
	wall mounted Lever action mixer taps Cat No.			
	SF1099CP 11/2Chrome plated Waste fitting and as			
	trap	No	0	
	Flexible Tubing			
D	15mm diameter x 300mm long chrome plated	No	6	
	flexible connectors.			
	Angle valve			
E	Chrome plated Angle shut-off valve as Cobra or	No	40	
	approved equivalent			
	Sluice Unit			
F	Twyfords "Grafton B.P.S." hopper cat.no.			
	FC4076WH loose-trap FC44612WH complete with			
	Vitreous china high level cistern 7.5 Litre capacity			
	with valveless fittings and reversible chain pull			
	CX7610WH, cistern supporting brackets			
	SR1300XX stainless steel flushpipe with spreader and			
	clips SS6020SS Combine bedpan and urinal bottle jet			
	with 1/2" lever handle taps, SF6504CP legs and			
	bearers for hopper SR3053XX sinks 760mm x			
	455mm FC1350WH chain and waste 11/2" chrome			
	plated WF4338CP waste pipe for the hopper			
	WF9685WH legs and bearers for sink SR3043XX			
	drain with anti-drip stip FC9684WH legs and bearers			
	for drain SR3052XX chrome plated extended bib			
	tap 1/2" SF5204CP Chrome plated Lever action	No	1	
	mixer tap flexible hose and handspray SF7053CP.			
(P4) Sub-to	otal carried forward to collection page			

COLLECTION PAGE

Amount (KShs)

Sanitary Fittings

- 1 Sub-total brought down from page P-1
- 2 Sub-total brought down from page P-2
- 3 Sub-total brought down from page P-3
- 4 Sub-total brought down from page P-4

Total for Sanitary Fittings Carried Forward to

	Description	Unit	Qty	Rate	Amount
	INTERNAL PLUMBING WORKS- COLD				
	WATER (ALL PROVISIONAL)				
	Supply, deliver and install pipes, tubing and				
	fittings as described and shown on the drawings.				
	The pipes shall be PN 25 PPR pipes where				
	exposed to adverse weather condition and all				
	conforming to the current European standards				
	for PPR installations and to the Engineers				
	approval, pipe jointing shall be by polyfusion or				
	use of electric coupling. Rates must allow for all				
	Metal/plastic threaded adaptors where required				
	for the connection of sanitary fixtures, valves,				
	sockets, sliding and fixed joints, support				
	raceways, isolating sheaths, elastic materials,				
	expansion arms and bends, crossovers,				
	couplings, clippings, connectors, joints etc. as				
	required in the running lengths of pipework and				
	also where necessary, for pipe fixing clips, holder				
	bats plugged and screwed for the proper and				
	satisfactory functioning of the system. The pipes				
	will be pressure tested before the plastering of				
	wall commences and as per the manufacturers				
	recommended testing pressures.				
	PPR Pipes				
A	20mm diameter pipework	Lm	100		
В	25mm diameter pipework	Lm	80		
С	32mm diameter pipework	Lm	65		
D	40mm diameter pipework	Lm	75		
Е	50mm diameter pipework	Lm	85		
	Bends				
F	20mm diameter bends	No.	100		
G	25mm diameter bends	No.	35		
Н	32mm diameter bends	No.	20		
	Sub-total carried forward to collection page	•	•		

Item	Description	Unit	Qty	Rate	Amount
A	40mm diameter bends	No.	20		
В	50mm diameter bends	No.	10		
С	Tees 25mm diameter equal tee	No.	40		
D	32mm diameter equal tee	No.	25		
Е	40mm diameter equal tee	No.	60		
F	50mm diameter equal tee Reducers	No.	30		
G	50 x 40mm diameter reducer	No.	20		
Н	50 x 32mm diameter reducer	No.	25		
I	50 x 25mm diameter reducer	No.	25		
J	40 x 32mm diameter reducer	No.	50		
K	40 x 25mm diameter reducer	No.	30		
L	40 x 20mm diameter reducer	No.	20		
M	32 x 25mm diameter reducer	No.	22		
N	32 x 20mm diameter reducer	No.	24		
0	25 x 20mm diameter reducer	No.	50		
_	Male/Female Threaded Brass Adapters				
P	32mm threaded brass coupling	No.	35		
Q	25mm threaded brass coupling	No.	37		
R	20mm threaded brass coupling Sub-total carried forward to collection pag	No. e	50		
	P7				

Item	Description	Unit	Qty	Rate	Amount
	Valves				
A	20mm diameter approved medium pressure screw				
	down full way non-rising stem wedge gate valve to	No.	4		
	BS 5154 PN 20 for series B rating, with wheel and				
	head joints to steel tubing and complete with round				
	male threaded transition fittings. The gate valve to be				
	as PEGLER or approved equivalent.				
В	25mm ditto	No.	2		
C	40mm ditto	No.	4		
D	50mm ditto	No.	3		
	Unions				
E	25mm diameter pipe union	No.	3		
F	40mm diameter pipe union	No.	10		
G	50mm diameter pipe union	No.	7		
	Water storage tank in the roof space				
Н	Supply and inatall rectangular loft water storage tank				
	of capacity 920 made from plastic and of dimension				
	1270x1270x580 mm Rotor or approved equivalent. The tank shall be complete with inlet, outlet, overflow and drain connection. It should have a 50mm diameter medium pressure ball valve with silencer pipe, bronze lever and copper float all as	No.	4		
	"Glenfield" or approved equivalent. The tank shall				
	be firmly supported on the roof space. Sub-total carried forward to collection page				
	P8				

Item	Description	Unit	Qty	Rate	Amount
	Internal plumbing				
1	Sub-total brought down from page P-6 Sub-total brought down from page P-7				Amount
2	Sub-total brought down from page P-8				(KShs)
3	r Internal Plumbing Carried Forward to				

Figure 10 Start 10 M M to 52 Print 10 Co rule 10 Start 10 Start 10 Start 10 M Print 10 M M Print 10 M M Print 10 M M M M Print 10 M M M M M M M M M M M M M M M M M M	Description ALL PROVISIONAL) FOUL WATER INTERNAL DRAINAGE Supply, deliver and install the following JPVC, MUPVC, soil and waste systems respectively to B.S. First with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Inanufacturers. Tenderers must allow in their Inspirework prices for all the couplings, Indippings, International States of Printed in the International States of Printed International States of P			Rate	
Si U M to 52 Pr in m pi cl cc ru le no pi sc th sy M pi 10	Supply, deliver and install the following JPVC, MUPVC, soil and waste systems respectively to B.S. 1255 with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Instructions, Joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
U M to 52 Pri in m pi cl cc ru le no pi sc th sy M pi A	JPVC, MUPVC, soil and waste systems respectively o B.S. i255 with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Inanufacturers. Tenderers must allow in their Inspework prices for all the couplings, Idippings, Idipping				
U M to 52 Pri in m pi cl cc ru le no pi sc th sy M pi A	JPVC, MUPVC, soil and waste systems respectively o B.S. i255 with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Inanufacturers. Tenderers must allow in their Inspework prices for all the couplings, Idippings, Idipping				
Moto 52 Print in mpi cl cc rule no pi sc th sy Moto pi A	MUPVC, soil and waste systems respectively to B.S. 2555 with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Instructions and Instructions and Instructions and Instruction in their spipework prices for all the couplings, connectors, joints etc. as required in the unning engths of pipework and also where necessary, for spipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
to 52 Print in mpi cl corrule no pi sc th sy M	o B.S. i255 with fittings fixed to Manufactures Printed Instructions and manufactured by reputable Inanufacturers. Tenderers must allow in their Inspework prices for all the couplings, Idippings, Id				
Prin in m pi cl cc ru le no pi sc th sy M	Printed instructions and manufactured by reputable instructions and manufactured by reputable inanufacturers. Tenderers must allow in their pipework prices for all the couplings, elippings, connectors, joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
Prin in m pi cl cc ru le no pi sc th sy M	Printed instructions and manufactured by reputable instructions and manufactured by reputable inanufacturers. Tenderers must allow in their pipework prices for all the couplings, elippings, connectors, joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
m pi cl cc ru le ne pi sc th sy M pi	nanufacturers. Tenderers must allow in their bipework prices for all the couplings, connectors, joints etc. as required in the unning engths of pipework and also where necessary, for bipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
pi cl cc ru le ne pi sc th sy M	bipework prices for all the couplings, clippings, connectors, joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
cl cc ru le no pi sc th sy M	connectors, joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
cc ru le ne pi sc th sy M	connectors, joints etc. as required in the unning engths of pipework and also where necessary, for pipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
ru le ne pi sc th sy M pi	unning engths of pipework and also where lecessary, for lipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the lystem. MuPVC and uPVC Waste and Soil				
le ne pi sc th sy M pi	engths of pipework and also where lecessary, for sipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
ne pi sc th sy M pi	necessary, for sipe fixing clips, holder bats plugged and crewed for the proper and satisfactory functioning of the system. MuPVC and uPVC Waste and Soil				
pi sc th sy M pi	oipe fixing clips, holder bats plugged and crewed for he proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
sc th sy M pi	crewed for the proper and satisfactory functioning of the system. WuPVC and uPVC Waste and Soil				
th sy M pi	he proper and satisfactory functioning of the ystem. MuPVC and uPVC Waste and Soil				
sy M pi 10	ystem. MuPVC and uPVC Waste and Soil				
M pi	MuPVC and uPVC Waste and Soil				
pi 10					
A 10	ipe work				
A	00mm diameter heavy gauge grey mUPVC				
Ρ.	pipe	Lm	120		
B 50	60mm diameter waste pipe	Lm	100		
	0mm diameter waste pipe	Lm	120		
	Bends				
D 10	00mm diameter long radius bend	No.	15		
E 10	00mm diameter short radius bend	No.	50		
F 10	00mm diameter sweeep bend	No.	35		
G 50	0mm diameter bend	No.	50		
H 40	0mm diameter 90° bend	No.	80		
	Tees				
	00mm diameter sweep tee	No.	40		
	0mm diameter sweep tee	No.	25		
	Omm diameter sweep tee	No.	30		
	Access Caps				
	00mm diameter access cap	No.	25	l	
P10) Sub	b-total carried forward to collection			l	
I	l			I	l

Item	Description	Unit	Qty	
A	50mm diameter access cap	No.	20	
В	40mm diameter access cap	No.	30	
	Boss Connectors			
С	100 x 50mm diameter boss connector	No.	32	
D	100 x 40mm diameter boss connector	No.	15	
	WC Connectors			
Е	100mm diameter WC connector	No.	10	
L	Traps	140.	10	
F	100 x 50mm diameter floor trap and grating	No.	12	
		- 1.01		
	Inspection Chamber			
G	Man-hole or inspection chamber size 600 x			
U	450 mm			
	by approximately 750mm deep using 200mm			
	thick			
	base (concrete class N15) with 250mm thick			
	benching including forming drain channels,			
	and			
	200mm thick solid concrete block walling,			
	including			
	15mm internal plaster and top slab/screed, including			
	pit digging, backfilling, carting away surplus			
	and	No.	10	
	making good.			
	Man-hole frame			
н	Man-hole frame (light duty) in cast iron size			
	0.6 x			
	0.45m with recessed cover with concrete	No.	10	
	infill,			
	finished to approval. Weathering Slates and Vent Cowls			
I	100mm diameter weathering slate and apron.	No.	5	
J	100mm diameter vent cowl	No.	5	
Sub-tota	al carried forward to collection page			

Item	Description	Unit	Qty	
A	Allow for flushing out and sterilization of the cold water system as required to the satisfaction of the Engineer.	1	ITEM	
В	Construct water tank masonry base diameter			
	2500mm and 300mm above general ground			
	level. The base should have 200mm thick foundation footing, 200mm thick foundation wall including along diameter, 300mm thick hardcore layer and 150mm thick floor slab reinforced with y8 at 200mm centres both ways.	1	ITEM	
С	10,000 litres plastic tank UPVC cylindrical as			
	roto or equal and approved.	1	NO	

C	10,000 litres plastic tank UPVC cylindrical as			
	roto or equal and approved.	1	NO	
	COLLECTION PAGE			
	Internal drainage			Amount (KShs)
1	Sub-total brought down from page P-10			
2	Sub-total brought down from page P-11			
3	Sub-total brought down from above			
3				

ELECTRICAL WORKS

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	PAEDIATRIC INPATIENT WARD				
	Supply, install, test and commission the				
	following; -				
	<u>LIGHTING POINTS</u>				
A	Lighting points wired in 1.5 mm2 SC CU cables				
	drawn in concealed 20mm diameter HG P.V.C				
	conduits for: -				
	a) one way switching	NO	89		
	b) two way switching	NO	5		
	<u>SWITCHES</u>				
В	10Amps, switch plate as CLIPSAL, MK or				
	approved equivalent as				
	a) one gang one way	NO	56		
	b) two gang one way	NO	4		
	c) three gang one way	NO	3		
	d) one gang two way	NO	2		
	<u>LIGHTING FITTINGS</u>				
С	Lighting fittings complete with bulbs or tubes as				
	follows:				
	a) 1200mm, 1x 36 Watts batten fluorescent				
	fitting as THORN or approved equivalent.	NO	19		
	b)60Watts, spherical screw neck ball fitting as				
	THORN MTC 1060 or approved equivalent	NO	10		
	c) 1x18 Watts Bedhead fluorescent luminaire				
	complete with prismatic diffuser as THORN	NO	51		
	PPD118 or approved equivalent.				
	d)1x8Watts, Single sided EXIT emergency lighting				
	luminaire as FITZGERALD, THORN or approved	NO	2		
	equivalent. (TYPE EXIT)				
	Total to collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	fittings contd				
	e)100 Watts, cast aluminum bulkhead fitting for				
	100 Watts BC lamp with glass bowl as THORN	NO	9		
	OLG 1100 or approved equivalent.				
	f) Standard waterproof IP65 fluorescent fitting				
	with injection moulded polycarbonate body and				
	polycarbonate diffuser c/w 2X36W fluorescent	NO	3		
	lamps with Switch start gear. As Thorn				
	Aqua proof.				
	SOCKET OUTLETS AND OTHER POWER				
	POINTS				
A	13 Amps. Socket outlet points wired ring				
	comprising of 3x2.5 mm sq. single core PVCI				
	copper cables drawn in concealed 25mm HG	NO	57		
-	PVC conduits including all accessories.				
В	13 Amps. Moulded plate switched socket outlet				
	with neon indicator as SWE, CLIPSAL or approved				
	equivalent				
	a) single	NO	51		
	b) twin.	NO	6		
C	Instant shower point comprising wiring in				
	3x4.0mm2 PVC-SC-CU cables in concealed PVC	NO	1		
	conduits				
D	32 Amps double pole switches with neon				
	indicator as CLIPSAL or approved equivalent for	No	1		
	item above				
E	Sterilizer points comprising wiring in 3x2.5mm2				
	PVC-SC-CU cables in concealed PVC conduits	NO	1		
	to sluice rooms				
F	20 Amps double pole switches with neon				
	indicator as CLIPSAL or approved equivalent.	NO	1		
	Total to collection				

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
	TELEPHONE/DATA AND TV WORKS TV outlet point complete with wiring in CO AXIAL cable drawn in concealed HG PVC conduit including moulded plates DISTRIBUTION BOARDS/CONSUMER UNIT	NO	2		
A	8ways SP flush mounted consumer unit complete with 100A integral isolator as HAGER/HAVELLS or approved equivalent complete with all accessories but excluding MCBs. MCB's for item above (a) 10A, SP	NO NO	1		
	(a) 10A, SP (b) 20A, SP	NO NO	2		
	(c) 32A SP	NO	2		
	(e) Blanking plates	NO	1		
В	SUB-MAIN POWER DISTRIBUTION				
	25mm 4Core PVC/SWA/PVC Copper cables	LM	40		
C	drawn in duct from power house to LV Sub board Trenching to a depth of a minimum of 700mm Tiling with 'HATARI 'tiles & Back filling of the trenches for item above 3x16.0mm2 single CU PVC cables from looping box	LM	40		
	looping box to consumer unit drawn in 25mm HG PVC conduit	LM	10		
Е	Standard looping box complete with 3no. 1004 fuses c/w cartridge fuse	A cut-out no.	1		
	Total to collection	110.	1		

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
A	EARTHING. Earthing at looping box comprising of the following: - a) 15 mm x 1800 mm earth rod as FURSE cat b) 15 mm dia. Driving stud as FURSE cat. No. ST100. c) Rod to tape clamp as FURSE. d) Concrete inspection pit as FURSE cat. No.PT005. (Or a well-made 320mm x e) 25x3mm copper tape	. No. RB	ITEM		
В	NURSE CALL SYSYTEM Nurse call system points comprising of wiring in 6 core PVC insulated copper cable drawn in concealed 20mm dia. HG conduits.	NO	20		
С	Wall mounted over door lights for Nurse call	NO	1		
D	system. Nurse call system pull cord call switch on bedhead unit	NO	20		
E F	Nurse call/reset switch on bedhead unit 250 VAC 50 HZ, flush mounted Nurse call control panel with a minimum of 24 No. patient tations, alarm sounder, lamp test facility for the dome lights and LEDs, continuous supervision of	NO LM	20		
	addressable devices to Engineer's approval.				
	Total to collection				

	COLLECTION			
A	from page 1			
В	from page 2			
C	from page 3	l		
D	from above.			
	Total to summary for Electrical Works			

PAEDIATRIC SUMMARY PAGE

		TOTAL
1	PAEDIATRIC INPATIENT WARD	
1	SUMMARY	
2	Total For Paediatric Ward Sanitary Fittings	
2	Total For Paediatric Ward Internal Plumbing	
3	Works	
4	Total For Doodistrie Word Internal Dusings	
4	Total For Paediatric Ward Internal Drainage	
5	Total For Paediatric Electrical Works	
TOTA	L FOR PAEDIATRIC WARD WORKS	

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	OUT-PATIENT BLOCK				
	ELEMENT NO.1				
	SUBSTRUCTURE (All Provisional)				
A	Excavate 250mm deep to remove top soil and deposit materials on site as directed	440	SM		
В	Excavate trench commencing from stripped level not	457	CM		
C	exceeding 1.5m deep Ditto pit for column	57	СМ		
	Ditto pit for column	37	CIN		
D	Extra over excavation for excavating in rock Class A	207	СМ		
Е	Load, wheel and cart away from site surplus excavated material and deposit in approved dumping area.	190	СМ		
F	Return fill and ram excavated material	374	СМ		
G	Allow for keeping excavations free from all water by		ITEM		
Н	Ditto; for plunking and strutting to sides of excavations.		ITEM		
I	Approved broken quarry stone hardcore filling in well compacted layers.	314	СМ		
J	50 mm thick stone dust blinding to surfaces of hardcore	314	SM		
	50mm Plain concrete (1:4:8) blinding to:				
K L	Strip footing. Column bases.	186 52	SM SM		
L	Vibrated reinforced concrete class 20/20mm in: -	32	SM		
м		42	СМ		
M N	Strip footing.	42 15	CM CM		
0	Column bases	17	CM CM		
P	Steps	8	CM CM		
0	150mm thick ground floor slab	314	SM		
Ų	Total to Collection	J14	DIVI		
	Page 1				_

Ex. 250mm(sverage) wide x 250mm deep trapezium shaped hicknessing including hand packing hardcore to two sloping sides Damp proof membrane A 1000 gauge polythene laid under surface beds Anti-termite treatment Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore Reinforcement (all provisional) High yield deformed steel bar reinforcement to BS-4461 C 12 mm diameter E 8mm diameter E 8mm diameter E 8mm diameter E 8teel mesh fabric reinforcement to BS-4483 Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end laps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar Total to Collection Total to Collection	ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
to two stopins sides Damp proof membrane A 1000- gauge polythene laid under surface beds Anti-termite treatment Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardrore Reinforcement (all provisional) High yield deformed steel bar reinforcement to BS4461 C 12mm diameter 1830 Kg 8mm diameter 1830 Kg 8m						
Damp proof membrane 1000-gauge polythene laid under surface beds Auti-termite treatment Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardroore Reinforcement (all provisional) High yield deformed steel bar reinforcement to BS4461			27	LM		
A 1000-gauge polythene laid under surface beds Anti-termite treatment Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore Reinforcement (all provisional) High yield deformed steel bar reinforcement to BS4461 C 12mm diameter 1830 Kg 8mm diameter 88.5 Kg Steel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end laps (measured net no allowance made for laps) Ref: A142 weighing 2.22kg F allowance made for laps) Ref: A142 weighing 2.22kg Sides of foundations bases 123 SM H Sides of column bases 60 SM I Sides of column bases 51 SM Approved load bearing natural stone rough dressed wall fing in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth can be supposed to compare the control of walling Bituminous felt damp proof courses laid on and including levelling screed of cement mortar M In walling, width 200mm 342 LM In walling, width 200mm 342 LM Total to Collection 545 SM Total to Collection 55 SM Total to Collection 56 SM Total to Collection 57 SM Total to Collection 58 SM Total to C						
Anti-termite treatment Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore Reinforcement (all provisional) High yield deformed steel bar reinforcement to BS4461 C 12mm diameter 1830 E 8mm diameter 2825 Kg Steel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement ladin slab or bed with 200mm side and end laps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM H Sides of columns J Edges of beds, etc. 75-150mm high Approved load hearing natural stone rough dressed wal ling in cement and sand mortar K Waling thickness 252mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection Total to Collection			214	CM		
Chemical anti-termite treatment executed by an approved specialist under a ten-year guarantee to surfaces of hardcore Reinforcement (all provisional) High yield deformed steel har reinforcement to BS-4461 C 1 Zmm diameter 2025 Kg 8mm diameter 8 8mm diameter 8 8mm diameter 8 8mm diameter 9	А		314	SM		
B approved specialist under a ten-year guarantee to surfaces of hardcore Reinforcement (all provisional) High vield deformed steel har reinforcement to B\$4461 C 12mm diameter 1830 By Steel mesh fabric reinforcement to B\$4483 Layer of mesh fabric reinforcement to B\$4483 SM SM B\$14 SM SM SM Approved load fabric reinforcement to B\$4483 Layer of mesh fabric reinforcement to B\$4483 Layer of mesh fabric reinforcement to B\$4483 SM Approved load bearing natural stone rough dressed wall ing in cement and sand mortar K Walling thickness 225mm 20-gauge hoop fron ties 25mm wide and 450mm girth Layer of the bear of t						
Reinforcement (all provisional) High vield deformed steel bar reinforcement to	В		314	SM		
High vield deformed steel bar reinforcement to Bs4461 C I 2mm diameter 2025 Kg D 10mm diameter 1830 Kg Smm diameter Steel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement lad in slab or bed with 200mm side and end laps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Fornwork G Sides of foundations bases 123 SM H Sides of columns J Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed wall ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth can be a state of the content of walling Bituminous felt damp proof courses laid on and including levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection 100 Total to		surfaces of hardcore				
BS4461 C 12mm diameter 2025 Kg D 10mm diameter 88mm diameter 885 Kg 8mm diameter 88c Mg 8mm diameter 88c M						
C 12mm diameter 2025 Kg 10mm diameter 1830 Kg 825 Kg 825 Kg 825 Kg 825 Kg 825 Kg 825 Kg 826 Mg 326 Mg 327 Mg 327 Mg 327 Mg 328 Mg 328 Mg 329 M						
D 10mm diameter 8mm diameter 8mm diameter 8mm diameter 8tel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end lad ps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork Sides of foundations bases 123 SM H Sides of foundations bases 60 SM I Sides of column bases 60 SM I Sides of columns 51 SM Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed wall fing in cement and sand mortar K Walling thickness 225mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and including levelling screed of cement mortar M In walling, width 200mm 342 LM	C		2025	Kσ		
E 8mm diameter Steel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end laps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM H Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wall ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm M In walling, width 200mm Total to Collection				-		
Steel mesh fabric reinforcement to BS 4483 Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end lays (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases I Sides of column bases I Sides of column bases O SM I Sides of column bases Sides of column bases I Sides of column bases I Sides of column bases I Sides of column bases SM I SM						
Layer of mesh fabric reinforcement laid in slab or bed with 200mm side and end laps (measured net- no allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM H Sides of column bases 60 SM I Sides of column bases 51 SM J Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed walling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection 514				8		
allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM H Sides of column bases 60 SM I Sides of column bases 51 SM J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
allowance made for laps) Ref: A142 weighing 2.22kg per square meter Formwork G Sides of foundations bases 123 SM H Sides of column bases 60 SM I Sides of columns 51 SM J Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 478 SM 20-gauge boop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM	F		314	SM		
Formwork Sides of foundations bases 123 SM H Sides of column bases 60 SM I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM	Î		51.	5111		
H Sides of column bases 60 SM I Sides of columns 51 SM J Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop inot tes 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and including levelling screed of cement mortar M In walling, width 200mm 342 LM						
H Sides of column bases 60 SM I Sides of columns 51 SM J Edges of beds, etc. 75-150mm high 125 LM Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM	G		123	SM		
I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection		order of foundations bases	123	5		
I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
I Sides of columns J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection	Н	Sides of column bases	60	SM		
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
J Edges of beds, etc. 75-150mm high Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth L cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
Approved load bearing natural stone rough dressed wal ling in cement and sand mortar K Walling thickness 225mm 478 SM 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
dressed wal ling in cement and sand mortar K Walling thickness 225mm 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection	J		125	LM		
K Walling thickness 225mm 478 SM 20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
20-gauge hoop iron ties 25mm wide and 450mm girth cast into concrete one end and built into mortar joint of walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection	K		478	SM		
walling Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection						
Bituminous felt damp proof courses laid on and includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection	L		310	No.		
includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection		walling				
includi ng levelling screed of cement mortar M In walling, width 200mm 342 LM Total to Collection		Ditamia and falt dama and factoria laid an and				
M In walling, width 200mm 342 LM Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection						
Total to Collection	M	In walling, width 200mm	342	LM		
		67				
		Total to Collection				
		Page 2		Ī		

	ī		_	_	_
ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Plinth finishes Cement and sand (1:4) rendering Rendering to concrete surfaces finished with a steel float, thickness 20mm	75	SM		
	Prepare and apply three coats bituminous paint				
В	Rendered surfaces externally Paving	75	SM		
С	100mm thick murrum blinding to hardcore; well compacted	95	SM		
D	Treat surfaces of blinded hardcore with approved weed killer	95	SM		
E	approved weed kiner Precast concrete paving slab; laid square in cement and sand mortar (1:4) 600 x 600 x 50mm thick	95	SM SM		
F	Labour and materials for raking cutting	25	LM		
	Total to Collection				
	Collection Brought forward from page 01 Brought forward from page 02 Above				
	Total of Element 01 Carried to Summary				
	Page 3				

ITEM DESCRIPTION	QTY	UNIT	RATE	AMOUNT
ELEMENT NO. 2				
R.C. SUPERSTRUCTURE				
Vibrated reinforced concrete class 20				
A Beams	18	CM		
B Columns	3	CM		
Reinforcement				
High yield deformed steel bar reinforcemen	nt to BS			
446 1				
C 16mm diameter	400	Kg		
D 12mm diameter	1000	Kg		
E 8mm diameter	800	Kg		
Formwork				
F Sides of columns	30	SM		
G Sides and soffits of beams	295	SM		
Total of Element 02 Carried to Summary				
Page 4				

ITEM	DESCRIPTION	QTY	UNIT RATE	AMOUNT
	ELEMENT NO. 3			
	SUPERSTRUCTURE WALLING			
	EXTERNAL			
	Approved load bearing fine chiseled dressed and			
	rubb ed stone walling in cement and sand mortar			
A	Walling, thickness 200mm	167	SM	
	<u>INTERNAL</u>			
	Approved load bearing machine dressed stone			
	walling i n cement and sand mortar			
В	Walling, thickness 200mm	180	SM	
C	Walling, thickness 150mm	75	SM	
D	Walling, thickness 100mm	25	SM	
	Total of Element 03 Carried to Summary			
	Page 5			

ITEM	DESCRIPTION	QTY	UNIT RATE	AMOUNT
A B C D	ELEMENT NO. 4 ROOF CONSTRUCTION, COVERING AND RAINW ATER DISPOSAL ROOF CONSTRUCTION Sawn cypress treated as described and with a moisture content not exceeding 12% Rafters, size 150x50mm Purlins, size 100x50mm Valley rafters, size 150x50mm Hip rafters, size 150x50mm Ridge boards, size 225x25	343 275 84 100 113	LM LM LM LM LM	
F	Jack rafters, size 150x50mm	120	LM	
G	King post, size 150x50mm	98	LM	
H	Tie beam, size 150x50mm	321	LM	
I	Wall plates bolted (bolts and holes included) size, 100x50mm	238	LM	
J	Struts and ties, size 100x50mm	310	L.M	
K	Wrought cypress treated as described and with a moist urea content not exceeding 12% Fascia/Berge board, size 225x25mm ROOF COVERING	149	LM	
L	Galvanized Corrugated Iron Sheets. 11-3 pre-painted sheets as "DUMU ZAS" or other equal and approved size 3000mm by 750mm with end and side loss as recommended by manufacturer.	388	SM	
	Total to Collection			
	Page 6			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	RAINWATER DISPOSAL				
	24-gauge light pressed galvanized mild steel purpose ma de ready				
A B C D	primed box gutters jointed with mastic and fixed to food is with bondlets to DS 1001 Size 200x150mm Extra for outlet in box gutter, diameter 100mm Extra for bend Extra for stopped end 24-gauge light pressed galvanized mild steel purpose ma de ready	98 4 4 4	LM No No. No.		
	primed down pipes jointed with mastic and fixed to wal Is with brackets to BS1091				
E	Diameter 100mm	32	LM		
F	Extra for swan neck offset in pipe diameter	4	No		
G	Extra for shoe in pipe diameter	4	No		
Н	24 gauge galvanized mild steel sheet As flashing in hips, girth 600mm Testing	44	LM		
I	Allow for testing the whole of the rainwater disposal installation to the satisfaction of the Architect and for replacing any defective work free of charge.		ITEM		
	Total to Collection				
	Collection				
	Collection Brought forward from page 6				
	Brought down from above				
	Total of Element 04 Carried to Summary				
	Page 7				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
		~	2.1.21		
	ELEMENT NO. 5:				
	WINDOWS				
	Precast concrete trimming finished fair on all				
	exposed f aces	22	* > 4		
A B	Cills, size 300x75mm	22	LM		
В	Mesh reinforcement to BS4483 in precast units	5	SM		
	Pelmet boxes in Wrought mahogany				
	remee soites in viroughe managan.				
С	window boards with one labour plugged, size	22	LM		
D	Pelmet fascia, size 150x25mm	26	LM		
E	Pelmet top, size 125x25mm	26	LM		
F	Boxed end of pelmet, size 150x125x25mm	44	No.		
G	Bearer plugged, size 50x50mm	26	LM		
Н	Quadrant plugged, diameter 15mm	26	LM		
	Curtain tracks				
	Brass "H" section curtain track with gliders (one per	2.5			
I	100mm of track), end stops and brackets screwed at 600mm centers	26	LM		
	Purpose made small panel mild steel ready primed				
	case ment window to schedule with pressed steel				
	ventilating hood and 16mm square bar burglar				
	proofing in openings and polished brass window iron				
	monger as supplied by Kens metal Industries Ltd.				
	and fixed to				
J	Window overall size,1200 x 1500mm	20	No.		
K	Window overall size, 900 x 1000mm	2	No.		
	Mild steel grill comprising 16mm diameter square twisted horizontal and vertical bars at 100mm centers				
L	and including fixing to R.C walling (m.s) Overall size	20	NO		
	1200 x 1500mm high				
M	Ditto, Overall size 900 x 1000mm high	5	NO		
	Clear sheet glass				
N	4mm glass and glazing to metal with putty in panes not	36	SM		
I ''	exceeding 0.1 square meter		5.41		
	Obscure sheet glass				
	Observe Sheet glass				
О	4mm giass and giazing to metal with putty in panes not	2	SM		
	Total of Element 05 Carried to Summary				
	Page 8				

ELEMENT NO. 6: DOORS EXTERNAL	ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
EXTERNAL Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS A sitels milled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. But overall size 1800x2200mm high, double leaf. Plush doors But Covered dead light,50x45mm framing with 150mm wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm solid core flush door flash doors 45 mm solid core flush door faced both sides with 3mm solid core flush doors 45 mm solid core flush door faced both sides with 3mm solid core flush doors 45 mm solid core flush door faced both sides with 3mm solid core flush doors 45 mm solid core flush door faced both sides with 3mm solid core flush doors 45 mm solid core flush door flush doors 45 mm solid core flush door flush doors 45 mm to detail size, 150x50mm 95 LM Doin, numlion with 2no. Labour. 4 Door frames and fluishing in wrought cypress. 5 Frame to detail size, 150x50mm 95 LM Quadrant bead, diameter 15mm 95 LM Quadrant bead, diameter 15mm 95 LM Quadrant bead, diameter 15mm 95 LM OB Beading to detail size, 10x10mm 82 LM Clear sheet alass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Ilom galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel camp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joins of walling. Total to Collection	1113141		Q11	CITI	KILL	MINIOUNT
EXTERNAL Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS A stiles infilled with steel panels welded to door all furned to detail overal size 1800x2200mm high, double leaf. B Lowred dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800x2600mm. NYERNAL Flish doors 15 mm solid core flush door faced both sides with 3mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800x600mm. D Ditto,900×2100, double leaf. Fanlight 900×600mm. D Ditto,900×2100, double leaf. Fanlight 900×600mm. E Ditto,1500×2100, double leaf. Fanlight 900×600mm. D Ditto,multion with 2no. Labour. L Ditto, multion with 2no. Labour. A Architrave to detail size, 15x55mm O Beading to detail size, 10x10mm Clear sheet dass 4mm glass and glazing to wood with beads (measured pesparately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Ilomm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel camp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed enb built into joints of walling. Total to Collection						
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		DOORS				
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Standard steel casement door Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. Louved dead light,50x45mm framing with 150mm wide steel louves 4 no. Overall size 1800c.600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm phywood venecred and hardwood lipped all round, size 800 x 2100mm. Including fanlight 800x-600mm. Ditto,900x2100, double leaf. Fanlight 1500x600mm. 2 NO Ditto,1500x2100, double leaf. Fanlight 1500x600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM Oquadrant bead, diameter 15mm 95 LM Oquadrant bead, diameter 15mm 95 LM Clear Sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Q Ioma galvanized mild steel dowel 100mm long let into foot of frame and grouted mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		EXTERNAL				
Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, doubte leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1500×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Dito, mullion with 2no. Labour. L Dito, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured segments) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and with fish tailed end built into joints of walling. Total to Collection						
Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, doubte leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1500×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Dito, mullion with 2no. Labour. L Dito, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured segments) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and with fish tailed end built into joints of walling. Total to Collection						
Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, doubte leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1500×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Dito, mullion with 2no. Labour. L Dito, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured segments) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and with fish tailed end built into joints of walling. Total to Collection						
Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, doubte leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1500×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Dito, mullion with 2no. Labour. L Dito, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured segments) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and with fish tailed end built into joints of walling. Total to Collection						
Metal casement steel single leaf door in 50x45mm RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, doubte leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1500×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Dito, mullion with 2no. Labour. L Dito, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured segments) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and with fish tailed end built into joints of walling. Total to Collection						
RHS bottom, middle and top rails, 50x45mm RHS stiles infilled with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. B Louved dead light,50×45mm framing with 150mm wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. D Ditto,900×2100, double leaf. Fanlight 900×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM O Beading to detail size, 45x25mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured sparately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q I0mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cranp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		Standard steel casement door				
A sities infilited with steel panels welded to door all framed to detail overall size 1800x2200mm high, double leaf. B wide steel louvres 4 no. Overall size 1800x600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C volume of the sides of the sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight D Ditto,900×2100, double leaf. Fanlight 1900×600mm. E Ditto,1500×2100, double leaf. Fanlight 1900×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding P separately in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		Metal casement steel single leaf door in 50x45mm				
framed to detail overall size 1800x2200mm high, double leaf. B Covered dead light,50×45mm framing with 150mm wide steel louvres 4 no. Overall size 1800×600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. D Ditto,900×2100, double leaf. Fanlight 900×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm Q Quadrant bead, diameter 15mm O Beading to detail size, 45x25mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Imm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		RHS bottom, middle and top rails, 50x45mm RHS				
double leaf. Louvred dead light,50×45mm framing with 150mm wide steel louvres 4 no. Overall size 1800×600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight C round, size 800 x 2100mm.Including fanlight 800×600mm. B Ditto,1500×2100, double leaf. Fanlight 1500×600mm. E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought express. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding P separately in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	A		2	NO		
B Louvred dead light,50×45mm framing with 150mm wide steel louvres 4 no. Overall size 1800×600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. D Ditto,900×2100, double leaf. Fanlight 1500×600mm. E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cvpress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Archirave to detail size, 45x25mm Q Quadrant bead, diameter 15mm D Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
wide steel louvres 4 no. Overall size 1800×600mm. INTERNAL Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. Ditto,900×2100, double leaf. Fanlight 900×600mm. E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm Clear sheet class 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q Iomm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortee in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
NTERNAL Flush doors	В		2	No.		
Flush doors 45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. Ditto,900×2100, double leaf. Fanlight 900×600mm. E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cvpress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. H L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM N Quadrant bead, diameter 15mm 95 LM N Quadrant sead, diameter 15mm 95 LM N Quadrant sead, flushing in wrought cvpress. Frame to detail size, 10x10mm 10x1 leaf seading to detail size, 10x10mm 10x2 leaf seading to detail size, 10x10mm 10x3 leaf seading to detail size, 10x10mm 10x4 leaf seas 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.15 square meters 90 lo.5 square meters Sundries 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
45 mm solid core flush door faced both sides with 3mm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 800×600mm. Ditto,900×2100, double leaf. Fanlight 1500×600mm. 8 No. Ditto,900×2100, double leaf. Fanlight 1500×600mm. 2 No. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM N Quadrant bead, diameter 15mm 95 LM Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth one bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		· · · · · · · · · · · · · · · · · · ·				
C Samm plywood veneered and hardwood lipped all round, size 800 x 2100mm.Including fanlight 2 NO						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Boor frames and finishing in wrought cypress. Frame to detail size, 150x50mm 95 LM Ditto, mullion with 2no. Labour. 14 LM Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM Quadrant bead, diameter 15mm 95 LM Clear sheet glass Amm glass and glazing to wood with beads (measured psearately) in panse exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Bitto,1500×2100, double leaf. Fanlight 1500×600mm. E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured pseparately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q inomm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	C		2	NO		
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
E Ditto,1500×2100, double leaf. Fanlight 1500×600mm. Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with other exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	D	Ditto,900×2100, double leaf. Fanlight 900×600mm.	8	No.		
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
Door frames and finishing in wrought cypress. K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
K Frame to detail size, 150x50mm 95 LM L Ditto, mullion with 2no. Labour. 14 LM M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries I Omm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	Е		2	No.		
L Ditto, mullion with 2no. Labour. M Architrave to detail size, 45x25mm N Quadrant bead, diameter 15mm O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured amm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O into glavanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
M Architrave to detail size, 45x25mm 95 LM N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured 4mm glass and glazing to wood with beads (measured 9 separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries O into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel dowel 100mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	K	Frame to detail size, 150x50mm	95	LM		
N Quadrant bead, diameter 15mm 95 LM O Beading to detail size, 10x10mm 82 L.M Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	L	Ditto, mullion with 2no. Labour.	14	LM		
O Beading to detail size, 10x10mm Clear sheet glass 4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Q in magalvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	M	Architrave to detail size, 45x25mm	95	LM		
Clear sheet glass 4mm glass and glazing to wood with beads (measured personance) separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Umm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	N	Quadrant bead, diameter 15mm	95	LM		
Clear sheet glass 4mm glass and glazing to wood with beads (measured personance) separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries Umm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	О	Beading to detail size, 10x10mm	82	L.M		
4mm glass and glazing to wood with beads (measured separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
P separately) in panes exceeding 0.1 but not exceeding 0.5 square meters Sundries 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection						
0.5 square meters Sundries 10mm galvanized mild steel dowel 100mm long let into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	P		8	SM		
Q into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	I					
into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		Sundries				
into foot of frame and grouted into mortice in floor 25x1.6mm galvanized mild steel cramp 250mm girth once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	L	10mm galvanized mild steel dowel 100mm long let				
25x1.6mm galvanized mild steel cramp 250mm girth R once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection	Q		120	NO		
R once bent twice drilled and screwed to back of frame and with fish tailed end built into joints of walling. Total to Collection		8				
and with fish tailed end built into joints of walling. Total to Collection						
Total to Collection	R		120	NO		
		and with fish tailed end built into joints of walling.				
		Total to Collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A B C D	Ironmongery as per Union Catalogue or other The standard annual and fire with matching and annual annua	20 4 14 2	Prs Prs No. No.		
Е	Overhead door closer; cat. No. 8823 830 x 200 x 2mm Thick aluminum	4	No.		
F	kick plate	6	SET		
G	38mm rubber door stop fixed with rawl bolt Floor spring double action Ref. Yale	14	No.		
Н	913.02 90° S. O	2	NO.		
	Total to Collection				
	Collection Brought forward from page 9 Brought down from above				
	Total of Element 06 Carried to Summary				
	Page 10				

ITEM	DESCRIPTION	OTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 7: EXTERNAL FINISHES				
	Keying; -				
A	Pointing/jointing horizontal joints. Cement and sand render 1:4;	167	SM		
В	20mm thick, wood floated.	84	S.M		
C D E	Ceiling Finishes Eaves boarding; in 20mm thick Upvc boarding 50 x 50mm cypress brandering 75 x 50mm moulded cypress cornice	24 75 56	SM LM LM		
	Total of Element 07 Carried to				
	Summary				
	Page 11				

ITEM	DESCRIPTION	OTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 8:	_			
	INTERNAL FINISHES				
	FLOOR				
	Ceramic tiles (non-slip)				
					
	(Wet Areas) 30mm thick cement and sand (1:4) screed wood				
A	floated to receive ceramic tiles (m/s)	40	SM		
	250x250x8mm as manufactured by SAJ CERAMICS				
В	LTD. or other approved coloured ceramic non-slip	40	SM		
	floor tiles bedded and jointed in cement and sand 1:1				
	and pointed in coloured cement grouting				
C	Ditto; but 100mm high skirting	45	LM		
D	15mm thick cement and sand (1:4) screed wood	190	SM		
D	floated to receive terrazzo (m/s)	190	SIVI		
	25mm Terrazzo: first coat of cement and sand (1:3);				
E	second of cement and local marble chippings (1:2);	190	SM		
	machine polished smooth.				
F	20 x 100 mm high skirting with rounded top edge and	128	LM		
G	coved at junction to paving Plastic dividing strip	121	LM		
G		121	LM		
	WALL				
	15mm thick cement and sand (1:4) plaster in two coats:				
	the first 9mm thick comprising cement, lime and				
	sand (1:2:9) and the second 6mm second				
	comprising cement lime and sand (1:1:6) to;				
Н	Plaster to walls	785	SM		
I	Plaster to beams.	79	SM		
J	Plaster to columns.	30	SM		
K	Plaster to jambs/reveals.	17	SM		
- 15	Wall tiling	17	5111		
	20mm thick cement and sand (1:4) backing wood				
L	floated	121	SM		
L	to receive ceramic tiles (m/s)	121	Sivi		
	to receive certaine thes (in s)				
	250x250x8mm as manufactured by SAJ CERAMICS				
M	LTD. or other approved glazed white wall tiles bedded	121	SM		
	in cement and sand 1:1 and pointed in white cement				
	grouting				
	Table Calledon				
	Total to Collection				
	Page 12				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	100mm high decorative strip	20	LM		
В	Plastic edging to tiles	42	LM		
	<u>CEILING</u>				
С	Sawn cypress Brandering, size 50x50mm	421	LM		
D	<u>Chipboard ceiling board.</u> 12mm thick.	218	SM		
Е	Extra for forming trap door with cypress framing, size 600x600mm	2	NO		
F	Wrought cypress. Moulded cornice plugged size, 100x50mm	241	LM		
	Total to Collection				
	Collection Brought forward from page 12 Brought down from above Total of Element 08 Carried to				
	Summary				
	Page 13				

ELEMENT NO. 9: JOINERY FITTINGS Plain Concrete Li3-6 class 15	ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
JOINERY FITTINGS Pain Contrete 1:3:6 class 15 A 150mm thick plinths 12 SM Sawn express B Fornwork to edges of plinths 75 - 150mm high Reinforced concrete class 20 600mm wide x 75mm thick vanity tops reinforced with BRC A142 and including fornwork, screed and approved ceramic tiles to top and edges; complete D 100mm thick approved natural stone 35 SM 12mm thick cement and sand (1:4) plaster finished 50 SM smooth with steel trowel 50 x 50mm bearers plugged Wrot express as described 50 x 50mm bearers plugged Wrot express as described 25 x 20mm Lipping 69 LM Blockboard to B.S. 3444 1 25mm thick ordinary shelving 35 SM J Ditto divisions 12 SM 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces 50 NO K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery Brass piano hinges 18 LM Cupboard door lock 20 NO N Brass ball catches 20 NO O Brass flush bolts 20 NO Total of Element 09 Carried to Summary 66 NO		ELEMENT NO. 9:				
A 150mm thick plinths Save cypress B Fornwork to edges of plinths 75 - 150mm high Reinforced concrete class 20 600mm wide x 75mm thick vanity tops reinforced with BRC A142 and including fornwork, screed and approved ceramic titles to top and edges; complete D 100mm thick approved natural stone E 2mm thick cement and sand (1-4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plueged H 25 x 20mm Lipping Blockboard to B.S. 3444 1 25mm thick ordinary shelving J Ditto divisions K and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts N Brass ball catches O Brass flush colts Total of Element 09 Carried to Summary Total of Element 09 Carried to Summary		JOINERY FITTINGS				
Sawn cypress Fornwork to edges of plinths 75 - 150mm high Reinforced concrete class 20 600mm wide x 75mm thick vanity tops reinforced with BRC A142 and including fornwork, screed and approved ceramic tiles to top and edges; complete D 100mm thick approved natural stome 35 SM E 12mm thick cement and sand (1:4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot camphor as described H 25 x 20mm Lipping 69 LM Blockboard to B.S. 3444 1 25mm thick ordinary shelving 35 SM Ditto divisions 12 SM OO x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	Λ.	-	12	SM.		
B Fornwork to edges of plinths 75 - 150mm high Reinforced concrete class 20 600mm wide x 75mm thick vanity tops reinforced with approved ceramic tiles to top and edges; complete D 100mm thick approved natural stone E 12mm thick cement and sand (1:4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot camphor as described G 50 x 50mm bearers plugged Wrot camphor as described Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock D Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	Α	_	12	3111		
600mm wide x 75mm thick vanity tops reinforced with BRC A142 and including formwork, screed and approved ceramic tiles to top and edges; complete D 100mm thick approved natural stone E 12mm thick cement and sand (1/4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot campbor as described H 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock D Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	В		16	LM		
C BRC A142 and including formwork, screed and approved ceramic tiles to top and edges; complete D 100mm thick approved natural stone E 12mm thick cement and sand (1/3) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot campbor as described H 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts NO O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary		Reinforced concrete class 20				
approved ceramic tiles to top and edges; complete D 100mm thick approved natural stone E smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot camphor as described H 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock N Brass ball catches O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	-					
D 100mm thick approved natural stone E 12mm thick cement and sand (1:4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot camphor as described H 25 x 20mm Lipping 69 LM Blockboard to B.S. 3444 1 25mm thick ordinary shelving 35 SM J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock 20 NO N Brass ball catches O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary 6 NO	C		32	LM		
E 12mm thick cement and sand (1:4) plaster finished smooth with steel trowel F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot camphor as described B 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts O Brass flush bolts P Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	D		35	SM		
smooth with steel trowp F Chasing concrete to form floor traps Wrot cypress as described G 50 x 50mm bearers plugged Wrot camphor as described H 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts O Brass flush bolts P Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	E	12mm thick cement and sand (1:4) plaster finished	50	SM		
Wrot cypress as described 50 x 50mm bearers plugged Wrot camphor as described 1 25 x 20mm Lipping Blockboard to B.S. 3444 1 25mm thick ordinary shelving J Ditto divisions 1 25mm thick ordinary shelving J Ditto divisions 1 2 5m K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges 1 18 LM Cupboard door lock 20 NO NO NO Brass flush bolts O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary						
Wrot camphor as described B 25 x 20mm Lipping Blockboard to B.S. 3444 I 25mm thick ordinary shelving J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO Brass flush bolts N Brass ball catches 20 NO NO NO NO Total of Element 09 Carried to Summary	1		10	.,0		
H 25 x 20mm Lipping Blockboard to B.S. 3444 1 25mm thick ordinary shelving 35 SM J Ditto divisions 12 SM K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges 18 LM Cupboard door lock 20 NO N Brass ball catches 20 NO O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing 6 NO Total of Element 09 Carried to Summary	G	50 x 50mm bearers plugged	58	LM		
Blockboard to B.S. 3444 I 25mm thick ordinary shelving						
I 25mm thick ordinary shelving J Ditto divisions 35 SM 12 SM K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery Brass piano hinges	н		69	LM		
J Ditto divisions K 600 x 800 mm high doors hardwood lipped all round and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO P Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing 12 SM NO NO NO NO NO NO NO NO NO N	I		35	SM		
A and including three coats oil paint to door surfaces Supply and fix the following ironmongery L Brass piano hinges M Cupboard door lock NO P Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing 20 NO NO NO Total of Element 09 Carried to Summary	J		12	SM		
L Brass piano hinges M Cupboard door lock N Brass ball catches 20 NO O Brass flush bolts P Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	K		20	NO		
M Cupboard door lock 20 NO N Brass ball catches 20 NO O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing 6 NO Total of Element 09 Carried to Summary						
N Brass ball catches 20 NO O Brass flush bolts Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary			-			
O Brass flush bolts P Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	М	Cupboard door lock	20	NO		
P Size 450 x 600mm; fixed with screws and chromium plated domical cover; including foam backing Total of Element 09 Carried to Summary	N	Brass ball catches	20	NO		
P plated domical cover; including foam backing Total of Element 09 Carried to Summary	О	Brass flush bolts	20	NO		
	P		6	NO		
Page 14		Total of Element 09 Carried to Summary				
		Page 14				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
TTEM	DESCRIPTION	Ų11	UNII	KAIE	AMOUNI
	ELEMENT NO. 10				
	PAINTING & DECORATING				
	ROOF				
	Prepare prime and apply one undercoat and two				
	Timber surfaces of fascia and verge boards exceeding				
	200mm but not exceeding 300mm girth				
A		98	LM		
Α		20	Livi		
	Touch up primer and apply one undercoat and two fini shing coats of 1st quality super gloss paint to: -				
_					
В	General surfaces of 100mm dia. downpipe	5	SM		
С	General surfaces of box gutter	39	SM		
	WINDOWS rrepare and apply two undercoats Stainer and two				
	finis Line assta of mamish to.				
	Timber surfaces of pelmet boxes not exceeding				
	100mm girth				
-			* > 4		
D		15	LM		
E	Ditto exceeding 100 but not exceeding 200mm girth.	15	LM		
	Touch up primer and apply one undercoat and two				
	fini shing coats of 1st quality super gloss paint to: -				
F	General surfaces of windows externally	41	SM		
G	General surfaces of windows externally	41	SM		
Н	General surfaces of burglar bars (b.s.m).	82	SM		
	Prepare and apply one undercoat and two				
	finishing coa ts of 1st quality silk vinyl paint to: -	70	*		
I	Plastered reveals, 100-200mm girth.	79	LM		
	DOORS Prepare and apply two undercoats and two				
	finishing co ats of gloss oil paint to: -				
J	General surfaces of external doors	87	SM		
,	Sential salidees of Calcinal doors	0,	SIVI		
	Table Calledon				
	Total to Collection				
	Page 15				

ITEM	DESCRIPTION	QTY	UNIT RATE	AMOUNT
	Prepare and apply one coat primer and two			
	finishing coats two finishing coats of gloss paint to:			
	= General surfaces of internal doors	54	SM	
A B		150	LM	
В	Surfaces not exceeding 100mm girth	150	LIVI	
	Surfaces exceeding 100 but not exceeding 200mm			
C	girth.	68	LM	
	S			
	rrepare and apply one undercoat and two			
D	Plastered jambs,0-100mm girth.	67	LM	
E	Ditto,100-200mm girth.	7	LM	
	INTERNAL FINISHES	,	23.72	
	Prepare and apply one undercoat and two			
	finishing coa ts of 1st quality silk vinyl paint to: -			
F	General plastered surfaces of walls	924	SM	
	Prepare and apply one coat primer and two			
	finishing coats two finishing coats of gloss paint to:			
G	General surfaces of ceiling	190	SM	
Н	Ditto, girth not exceeding 100mm.	200	LM	
	Total to Collection			
	Collection			
	Brought forward from page 15			
	Brought forward from above			
	Total of Element 10 Carried to Summary			
	Page 16			

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SUMMARY				
1	Substructure				
2	Reinforced Concrete Superstructure				
3	Superstructure Walling				
4	Roof Construction, Covering & Rainwater Disposal				
5	Windows				
6	Doors				
7	External Finishes				
8	Internal Finishes				
9	Joinery and Fittings				
10	Painting and Decorating				
	TOTAL FOR OUT-PATIENT BLOCK				
	CARRIED TO				
	MAIN SUMMARY				
	Page 17				
	Ditto, girth not exceeding 100mm.				
	Total to Collection	_			
	Collection				
	Brought forward from page 15				
	Brought forward from above				
	Total of Element 10 Carried to Summary				
	Page 16				

ITEM		QTY	UNIT	RATE	AMOUNT
	DESCRIPTION				
1	SUMMARY				
2	Substructure				
3	Reinforced Concrete Superstructure				
4	Superstructure Walling				
5	Roof Construction, Covering & Rainwater				
	Disposal				
6	Windows				
7	Doors				
8	External Finishes				
9	Internal Finishes				
10	Joinery and Fittings				
	Painting and Decorating				
	TOTAL FOR OUT-PATIENT BLOCK				
	CARRIED TO				
·	MAIN SUMMARY	·			·

Page 17

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	PROVISIONAL SUMS				
A	Allow a provisional sum of Kenya Shillings One million five hundred only (Kshs. 1,500,000.00) for the Costruction of the power house and installations	1		1500000	1,500,000.00
В	Allow a provisional sum of Kenya Shillings One million only (Kshs. 500,000.00) for project management expenses	1		500,000	500,000.00
С	Allow a PC sum of Kenya Shillings Five Million Only (Ksh 5,000,000) for paved walk ways	1		5,000,000	5,000,000.00
	TOTAL FOR PROVISIONA CARRIED TO GRAND SUMMARY	AL SUMS			7,000,000.00

PS/1

	EXPANSION OF NAIREGIE ENKARE SUB COUNTY HOSPITAL					
	GRAND SUMMARY	TOTAL	OFFICIAL USE			
1	Total For Particular Preliminaries					
2	Total For General Preliminaries					
3	Total For Maternity Works					
4	Total For Mortuary Works					
5	Total For Kitchen Works					
6	Total For Laundry Works					
7	Total For Paediatric Inpatient Ward	Works				
8	Total For Outpatient Block Works					
9	Total For Provisional Sums					
	Sub total					
	Allow 16% V.A.T					
	TOTAL FOR WORKS					